

# Energy Balance 2022



República Oriental del Uruguay  
 Ministry of Industry, Energy and Mining  
 National Energy Directorate



You can navigate through this document using the panel on the left.

By clicking on the tables you can download the corresponding spreadsheet.

In order to view it correctly Adobe Reader® is recommended. You can download it at the following link: <https://get.adobe.com/es/reader/>

**Energy Balance 2022**  
Historical series 1965-2022  
**ISSN electronic format:** 2815-6501

**Translation**  
Manuela Cabrera (FORIM S.A.S.)

**Design**  
Agustín Sabatella



## Authorities

### President of the Republic

Luis Lacalle Pou, J.D.

### Minister of Industry, Energy and Mining

Omar Paganini, Eng.

### Undersecretary for Industry, Energy and Mining

Walter Verri

### National Director of Energy

Fitzgerald Cantero Piali, B.S.

The Ministry of Industry, Energy and Mining (MIEM) is responsible for preparing the National Energy Balance. The work is carried out by the Planning, Statistics and Balance Area (PEB) at the National Directorate of Energy (DNE). This publication covers the historical series 1965-2022 and is available on the website: [www.ben.miem.gub.uy](http://www.ben.miem.gub.uy)

### Ministry of Industry, Energy and Mining (MIEM)

[www.gub.uy/miem](http://www.gub.uy/miem)

# Table of contents

|   |    |   |     |
|---|----|---|-----|
| <b>Foreword</b>   | 7  | 6.4. CO <sub>2</sub> emissions per GDP and per capita     | 68  |
| <b>1. Introduction</b>                                  | 8  | 6.5. CO <sub>2</sub> emission factor of the SIN           | 70  |
| <b>2. Infrastructure of the Uruguayan energy system</b> | 9  | 6.6. Electrification rate                                 | 71  |
| 2.1. Power transformation sector                        | 9  | 6.7. Energy path  | 72  |
| 2.2. Hydrocarbon sector                                 | 14 | <b>7. Sustainable development goal 7 (SDG 7)</b>          | 75  |
| 2.3. Biofuels sectors                                   | 16 | <b>8. Methodology</b>                                     | 77  |
| <b>3. Energy supply</b>                                 | 18 | 8.1. General definitions                                  | 77  |
| 3.1. Energy supply                                      | 21 | 8.2. Structure  | 78  |
| 3.1.1. Primary matrix by source                         | 21 | 8.2.1. Balance of primary energy sources                  | 78  |
| 3.1.2. Primary matrix by origin                         | 24 | 8.2.2. Balance of transformation centers                  | 80  |
| 3.1.3. Primary matrix by type                           | 24 | 8.2.3. Balance of secondary energy sources                | 80  |
| 3.2. Electricity generation                             | 25 | 8.2.4. Gross supply and consumption                       | 81  |
| 3.2.1. Matrix of inputs for electricity generation      | 30 | 8.2.5. Distribution of final energy consumption by sector | 82  |
| 3.2.2. Electricity generation matrix by source          | 31 | 8.3. Units and data formats                               | 85  |
| 3.2.3. Electricity generation in Antarctica             | 33 | 8.4. Special comments                                     | 86  |
| 3.3. Production of oil products                         | 34 | 8.4.1. Hydroelectric energy                               | 86  |
| <b>4. Energy demand</b>                                 | 36 | 8.4.2. Wind energy  | 86  |
| 4.1. Final energy consumption by source                 | 37 | 8.4.3. Solar energy                                       | 86  |
| 4.2. Final energy consumption by sector                 | 40 | 8.4.4. Firewood   | 89  |
| 4.2.1. Residential sector                               | 41 | 8.4.5. Biomass waste                                      | 89  |
| 4.2.2. Commercial/services/public sector                | 44 | 8.4.6. Biomass for biofuels                               | 90  |
| 4.2.3. Transport sector                                 | 46 | 8.4.7. Kerosene   | 92  |
| 4.2.4. Industrial sector                                | 49 | 8.4.8. CO <sub>2</sub> emissions                          | 92  |
| 4.2.5. Primary activities sector                        | 53 | 8.4.9. Primary matrix (energy supply)                     | 93  |
| <b>5. Carbon dioxide emissions</b>                      | 56 | <b>ANNEX I. Supplementary information</b>                 | 95  |
| <b>6. Indicators</b>                                    | 62 | <b>ANNEX II. Consolidated matrix and flow chart</b>       | 100 |
| 6.1. Final energy intensity                             | 63 |   |     |
| 6.2. Energy and electricity consumption per capita      | 64 |   |     |
| 6.3. Energy intensity by sector                         | 65 |   |     |

# Figures

## ALPHABETIC ORDER

|  |    |  |    |
|--|----|--|----|
| FIGURE 32. Biofuels consumption and blending percentages                               | 39 | FIGURE 46. Final energy consumption of the fishing sector by source                      | 54 |
| FIGURE 37. Breakdown of consumption in the commercial/services/public sector in 2022   | 45 | FIGURE 41. Final energy consumption of the industrial sector by source                   | 49 |
| FIGURE 42. Breakdown of consumption in the industrial sector in 2022                   | 51 | FIGURE 45. Final energy consumption of the mining sector by source                       | 54 |
| FIGURE 47. Breakdown of consumption in the primary activities sector in 2022           | 55 | FIGURE 43. Final energy consumption of the primary activities sector by source           | 53 |
| FIGURE 35. Breakdown of consumption in the residential sector in 2022                  | 42 | FIGURE 11. Geographical distribution of biofuel plants                                   | 16 |
| FIGURE 40. Breakdown of consumption in the transport sector in 2022                    | 48 | FIGURE 2. Geographical distribution of electricity generators, 2005 vs 2022              | 10 |
| FIGURE 60. CO <sub>2</sub> emission factor of the SIN                                  | 70 | FIGURE 9. Geographical distribution of infrastructure related to oil and oil products    | 14 |
| FIGURE 48. CO <sub>2</sub> emissions by sector   | 57 | FIGURE 10. Geographical distribution of natural gas delivery points                      | 15 |
| FIGURE 49. CO <sub>2</sub> emissions by source   | 57 | FIGURE 14. Gross hydropower supply   | 19 |
| FIGURE 52. CO <sub>2</sub> emissions by source and sector                              | 61 | FIGURE 17. Gross industrial waste supply   | 20 |
| FIGURE 50. CO <sub>2</sub> emissions in the transport sector by source                 | 59 | FIGURE 13. Gross natural gas supply  | 19 |
| FIGURE 59. CO <sub>2</sub> emissions per capita  | 69 | FIGURE 12. Gross oil supply  | 18 |
| FIGURE 21. Electricity balance   | 26 | FIGURE 16. Gross supply of firewood and biomass waste                                    | 20 |
| FIGURE 25. Electricity generation by source  | 31 | FIGURE 15. Gross wind and solar energy supply  | 19 |
| FIGURE 27. Electricity generation by source in Antarctica                              | 33 | FIGURE 24. Inputs for electricity generation   | 30 |
| FIGURE 26. Electricity generation from each source                                     | 32 | FIGURE 1. Installed capacity by source   | 9  |
| FIGURE 61. Electrification rate  | 71 | FIGURE 3. Installed capacity of hydropower plants  | 11 |
| FIGURE 54. Energy and electricity consumption per capita                               | 64 | FIGURE 7. Installed capacity of photovoltaic solar generators                            | 13 |
| FIGURE 57. Energy intensity in the transport sector                                    | 67 | FIGURE 8. Installed capacity of solar microgeneration by sector                          | 13 |
| FIGURE 67. Energy intensity measured in terms of primary energy and GDP                | 76 | FIGURE 5. Installed capacity of thermal generators that run on biomass                   | 12 |
| FIGURE 55. Energy intensity of industrial/primary activities sector                    | 65 | FIGURE 4. Installed capacity of thermal generators that run on fossil                    | 11 |
| FIGURE 56. Energy intensity of the commercial/services/public sector                   | 66 | FIGURE 6. Installed capacity of wind generators  | 12 |
| FIGURE 62. Energy path   | 73 | FIGURE 51. Memo items of CO <sub>2</sub> emissions                                       | 59 |
| FIGURE 63. Energy path/expanded details  | 74 | FIGURE 23. Microgeneration of electricity from solar energy by sector                    | 28 |
| FIGURE 19. Energy supply by origin   | 24 | FIGURE 65. Proportion of population with primary reliance on clean fuels and technology  | 76 |
| FIGURE 18. Energy Supply by Source   | 21 | FIGURE 64. Proportion of the population with access to electricity                       | 76 |
| FIGURE 20. Energy supply by type   | 24 | FIGURE 29. Refinery production structure   | 35 |
| FIGURE 33. Final energy consumption by sector  | 40 | FIGURE 66. Renewable energy share in total final energy consumption                      | 76 |
| FIGURE 31. Final energy consumption by source  | 37 | FIGURE 22. Share of inputs for electricity generation                                    | 27 |
| FIGURE 36. Final energy consumption in the commercial/services/public sector by source | 44 | FIGURE 58. Total CO <sub>2</sub> emissions and GDP                                       | 68 |
| FIGURE 34. Final energy consumption in the residential sector by source                | 41 | FIGURE 53. Total final consumption and GDP (constant 2016 prices)                        | 63 |
| FIGURE 38. Final energy consumption in the transport sector by source                  | 46 | FIGURE 30. Total final energy consumption  | 36 |
| FIGURE 44. Final energy consumption of the agriculture sector by source                | 54 | FIGURE 39. Vehicle fleet structure, fuel consumption and CO <sub>2</sub> emissions, 2022 | 47 |

# Tables

## ALPHABETIC ORDER

|   |    |
|---|----|
| TABLE 23. Acronyms  | 99 |
| TABLE 9. Biofuels consumption   | 39 |
| TABLE 22. CO <sub>2</sub> emission factors, 2022                            | 98 |
| TABLE 16. CO <sub>2</sub> emissions by sector                               | 60 |
| TABLE 17. CO <sub>2</sub> emissions by source                               | 60 |
| TABLE 20. Constant conversion factors in the historical series              | 96 |
| TABLE 19. Conversion ratios between energy units                            | 95 |
| TABLE 6. Electricity generation by source                                   | 31 |
| TABLE 3. Energy supply by source  | 22 |
| TABLE 10. Final energy consumption by sector                                | 40 |
| TABLE 8. Final energy consumption by source                                 | 38 |
| TABLE 12. Final energy consumption in the commercial/services/public sector | 45 |
| TABLE 14. Final energy consumption in the industrial sector                 | 52 |
| TABLE 11. Final energy consumption in the residential sector                | 43 |
| TABLE 15. Final energy consumption of the primary activities sector         | 55 |
| TABLE 13. Final energy consumption of the transport sector                  | 48 |
| TABLE 5. Inputs for electricity generation                                  | 30 |
| TABLE 1. Installed capacity by source                                       | 10 |
| TABLE 2. Installed solar microgeneration capacity by sector                 | 13 |
| TABLE 4. Microgeneration of electricity from solar energy                   | 28 |
| TABLE 18. Most common prefixes for multiple and submultiple units           | 95 |
| TABLE 7. Refinery production  | 35 |
| TABLE 21. Variable conversion factors in the historical series              | 97 |

## Foreword

The National Energy Directorate presents the National Energy Balance, which includes the main results of the national energy sector for the year 2022. The BEN aims to provide information for the design and review of public policies and for matters related to the energy planning process. It is a very good tool that enables decision making by the government and the private sector.

The country is currently undergoing an energy transition, facing several challenges, such as the attraction of investments in the energy sector. A key aspect of this transition is the decarbonization agenda, which includes diverse measures for the transport and industrial sectors. These include electric mobility and energy efficiency measures.

Simultaneously, despite the persistent drought, GDP continued to grow in 2022. Notably, electricity generation from renewable sources exceeded 90%.

The BEN serves as a fundamental input for energy planning, revealing the structure of energy production and consumption within the country. It allows the monitoring and assessment of energy policies and serves as input for other studies, such as the Greenhouse Gas Inventory of the energy sector.

Finally, our gratitude extends to official agencies and private institutions for providing invaluable information that made the preparation of this work possible.



**Fitzgerald Cantero Piali, B.S.**  
National Director of Energy

# 1. Introduction

The National Energy Balance (BEN) is a statistical study that gathers information on different energy flows. It comprises the supply, transformation, and sectoral consumption of energy (demand), which is expressed in a common unit and corresponds to a calendar year. It is a necessary tool for energy planning as it shows the structure of energy production and consumption in the country. It is also an input for the definition, monitoring, and evaluation of energy and environmental policies, as well as for the preparation of other studies such as the National Greenhouse Gas Inventory (INGEI) of the energy sector. In turn, this information source in conjunction with other variables, such as socioeconomic ones, becomes a very valuable input for decision making in this area.

The National Directorate of Energy (DNE) of the Ministry of Industry, Energy and Mining (MIEM) prepares and publishes the annual BEN through the area “Planning, Statistics and Balance” (PEB) and includes data since 1965. Thus, 58 years of the historical series are completed with BEN 2022. Uruguay is one of the few countries in Latin America and the Caribbean to have published such an uninterrupted and public series of BENs. This publication follows a series that began in 1981 with the “National Energy Balance-Historical Series 1965-1980,” prepared with the support and methodology of the Latin American Energy Organization (OLADE).

For comparison purposes, the figures corresponding to the different sources that make up the energy supply (which have different heating values) are expressed in ktoe (kilotonnes of oil equivalent), where one tonne of oil equivalent (toe) corresponds to ten million kilocalories. The conversion of each source’s corresponding magnitudes to their expression in ktoe is done through their respective lower heating value (LHV).

The presentation of the information has varied significantly over the years. Below are the modifications and improvements included in BEN 2022.

## Sources:

- Kerosene: A methodological change was adopted to estimate kerosene consumption in the residential sector, estimated from the National Household Expenditure and Income Survey (ENGIH) and the Continuous Household Survey (ECH) conducted by the INE. There is a portion of final energy consumption that cannot be classified in any sector due to lack of information and is imputed as “not identified.” The series from 2006 onwards is complete.
- Aviation gasoline and jet fuel: fuel consumption for agricultural spraying activities is now included in the transport sector, whereas in past editions of BEN it was included in the agriculture sector. This change in criteria is in line with the International Recommendations for Energy Statistics (IRES)<sup>1</sup>. All series since 2016 are corrected.

## Sectors:

- Agriculture sector: a revision and correction of the technical coefficients for the years after 2019 is made.

## Other improvements:

- CO<sub>2</sub> emissions: CO<sub>2</sub> emissions series are extended, starting from 1965. Until the last edition of BEN, CO<sub>2</sub> emissions by sector began in 1990, and those disaggregated by source in 2006. In BEN 2022, the complete series is available for all 58 years.



<sup>1</sup> - United Nations, International Recommendations for Energy Statistics, <<https://unstats.un.org/unsd/energy/methodology/ires>> (08/02/2023).

## 2. Infrastructure of the Uruguayan energy system

The infrastructure of the Uruguayan energy system is made up of three major sectors: “power transformation,” “hydrocarbons,” and “biofuels.”

### 2.1. Power transformation sector

There are four hydroelectric power plants in the country; three are located on the Río Negro and one on the Río Uruguay (shared with Argentina). There are also thermal power plants operated by steam turbines, gas turbines and engines that run on fossil fuels and biomass. Additionally, the power transformation sector includes public, private, and mixed-capital wind and solar generators. The National Interconnected System (SIN) has interconnections with Argentina (2,000 MW) and Brazil (570 MW).


The installed capacity of the generation park has undergone significant changes throughout the 1967-2022 series. Significant growth was recorded throughout the period, in which the total power went from 394 MW (1967) to 4,929 MW (2022). Historically, the evolution was marked by variations recorded for fossil and hydraulic thermal generators. However, starting from 2005, there was a notable growth in the installed capacity of the generation park. This was influenced by new local energy sources—which complemented traditional sources—and the diversification of the energy matrix. It is worth noting that, while there was a net growth over the entire period, there were years where the total installed capacity decreased compared to the previous year. This was due, for example, to the decommissioning of fossil thermal plants, as detailed below.

Between 2019 and 2022, the total installed capacity remained practically constant and recorded its historical maximum value for the last year. The slight growth recorded (0.6%) in these three years was mainly due to the installation of microgenerators from solar energy.

imum value for the last year. The slight growth recorded (0.6%) in these three years was mainly due to the installation of microgenerators from solar energy.

By the end of 2022, the total installed capacity was composed of 1,538 MW from hydropower, 1,517 MW from wind, 1,177 MW from thermal fossil, 417 MW from thermal biomass, and 280 MW from photovoltaic solar generators. Considering the installed capacity by source, 76 % corresponded to renewable energy (hydro, biomass, wind, and solar), while the remaining 24% was non-renewable energy (gas oil, fuel oil, and natural gas). It is interesting to compare the situation with the year 2005, where the same participation of

FIGURE 1. Installed capacity by source



NOTE: Between 1967 and 1989, only fossil and hydropower installed capacities are included, accounting for practically 100% of the total installed capacity.



renewable sources was recorded. However, the total installed capacity was less than half. This evidences the significant penetration of installed capacity associated with renewable sources, as mentioned above.


Below is an analysis of the evolution of the installed capacity of each source.

TABLE 1. Installed capacity by source

| MW                   | 1967         | 1975         | 1985           | 1995           | 2005           | 2015           | 2022           |
|----------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|
| <b>Fossil</b>        |              |              |                |                |                |                |                |
| Steam turbines       |              | 333.0        | 313.0          | 255.0          | 255.0          | 205.0          | 180.0          |
| Gas turbines         |              | 31.0         | 55.0           | 249.7          | 235.7          | 815.7          | 925.7          |
| Engines              |              | 55.0         | 2.0            | 44.4           | 5.5            | 81.0           | 71.0           |
| <b>Total Fossil</b>  | <b>157.9</b> | <b>419.0</b> | <b>370.0</b>   | <b>549.1</b>   | <b>496.2</b>   | <b>1,101.7</b> | <b>1,176.7</b> |
| (%)                  | 40%          | 62%          | 30%            | 26%            | 24%            | 28%            | 24%            |
| <b>Biomass</b>       |              |              |                |                |                |                |                |
| Steam turbines       |              |              |                | 16.4           | 13.5           | 426.1          | 414.6          |
| Engines              |              |              |                |                | 1.0            | 1.6            | 2.6            |
| <b>Total Biomass</b> |              |              |                | <b>16.4</b>    | <b>14.5</b>    | <b>427.7</b>   | <b>417.2</b>   |
| (%)                  |              |              |                | 1%             | 1%             | 11%            | 8%             |
| <b>Hydro</b>         |              |              |                |                |                |                |                |
| <b>Total Hydro</b>   | <b>236.0</b> | <b>252.0</b> | <b>881.0</b>   | <b>1,519.0</b> | <b>1,538.0</b> | <b>1,538.0</b> | <b>1,538.0</b> |
| (%)                  | 60%          | 38%          | 70%            | 73%            | 75%            | 39%            | 31%            |
| <b>Wind</b>          |              |              |                |                |                |                |                |
| <b>Total Wind</b>    |              |              |                |                | <b>0.2</b>     | <b>856.8</b>   | <b>1,516.5</b> |
| (%)                  |              |              |                |                | 0%             | 21%            | 31%            |
| <b>Solar</b>         |              |              |                |                |                |                |                |
| <b>Total Solar</b>   |              |              |                |                |                | <b>64.5</b>    | <b>280.1</b>   |
| (%)                  |              |              |                |                |                | 2%             | 6%             |
| <b>TOTAL</b>         | <b>393.9</b> | <b>671.0</b> | <b>1,251.0</b> | <b>2,084.5</b> | <b>2,048.8</b> | <b>3,988.6</b> | <b>4,928.5</b> |
| (%)                  | 100%         | 100%         | 100%           | 100%           | 100%           | 100%           | 100%           |



FIGURE 2. Geographical distribution of electricity generators, 2005 vs 2022



NOTE: Total installed generators connected to the grid. Does not include microgenerators.

Regarding **hydropower plants**, the growth in installed capacity occurred mainly in the 1980s and the first half of the 1990s. Until 1981, the country had two hydropower plants on the Río Negro (*Rincón del Bonete* and *Baygorria*), and in 1982, the *Constitución* plant (Palmar) began operations. The incorporation of power from the Salto Grande hydropower plant to Uruguay occurred gradually between 1979 and 1995, reaching 50% of installed capacity in 1995. Since then, the country has filled its installed capacity in large-scale hydropower, which has remained constant to date. The contribution of hydropower plants to the total power went from 60% in 1967 to 31% in 2022.

The installed capacity of the **thermal generators that run on fossil fuel** averaged 250MW in the early 70s. In 1975, the sixth thermal unit at the Batlle power plant began operations and total power increased to 419MW. In subsequent years, this power remained relatively constant up to 1984, when there was a decrease due to the shutdown of units 1a and 2a, as well as of several autonomous generation systems. In 1990, a relative minimum in fossil-fuel capacity was recorded (349MW), increasing again in subsequent years, mainly due to the entry into operation of *La Tablada* backup thermal power plant, which resulted in a total fossil-fuel capacity of 576 MW for 1992.

From 1995, the installed capacity remained relatively constant, followed by a significant growth between 2005 and 2013, when 600MW corresponding to turbines and 179MW corresponding to engines (of which 100MW were leased) were added. In 2013-2014, the maximum value of installed capacity from fossil fuels was recorded and a trend change was observed. In the following two years, it decreased. In 2015 the capacity of fossil thermal generators decreased by 173MW as Sala B of the Batlle power plant, the turbine in Maldonado, and the leased engines since 2012, ceased to operate. Between 2015 and 2016, the decrease was 455MW as the 5th and 6th units of the Batlle power plant, as well as the APR A and APR B leased equipment, ceased to operate.

Between 2017 and 2018, the three combined cycle turbines of Punta del Tigre B (540MW) started operating. This meant a new increase in the installed capacity of fossil fuels, which remained until 2022, and resulted in a share of 24% compared to the total installed capacity in the last year. This Punta del Tigre plant is essential to provide the system with the necessary security and reliability to meet domestic demand and as a source of energy that can be exported to neighboring countries. It is considered the thermal backup for the next 30 years.<sup>2</sup>

FIGURE 3. Installed capacity of hydropower plants




FIGURE 4. Installed capacity of thermal generators that run on fossil



2- National Administration of Power Plants and Electrical Transmissions (UTE), *Ciclo Combinado: respaldo a menor costo*, <<https://portal.ute.com.uy/noticias/ciclo-combinado-respaldo-menor-costo>> (08/01/2023).



Historically, the installed capacity of **thermal generators using biomass** did not exceed 22 MW; this was the case until 2006, when a significant growth was recorded. In 2007, electricity purchase contracts between UTE and private generators came into force. This resulted in an installed capacity growth of 410MW from biomass over the last 12 years. Particularly, the increases recorded in 2007 and 2013 were due to the installation of the cellulose plants currently operating in the country. Biomass share accounted for 1% of total generation capacity until 2006, reaching a peak value of 13% in 2013, and 8% in 2022.

In 2008, large-scale **wind energy** became a part of the electricity generation mix, with the startup of the first wind farms in the country. Both public and private wind generators have been incorporated since that year, and there has been a significant development of this energy source, mainly between 2014 and 2017.

By 2013, 59MW of wind generators had been installed. As of 2014, between 300 to 400MW came into operation each year. Thus, as of December 2017, there were a total of 43 large-scale wind farms connected to the grid. When considered together with microgenerators and autonomous plants, they amounted to an installed capacity of 1,513MW. In the last five years, there were no changes, except for 2019, when 2.2 MW associated with off-grid autoproducers (not connected to the SIN) were installed, and a single park increased its capacity by 1 MW. Wind generators' share in these last years has remained constant at 31% of the total installed capacity.

By December 2022, there were more than 40 large-scale wind farms and more than 20 photovoltaic plants.

FIGURE 5. Installed capacity of thermal generators that run on biomass





FIGURE 6. Installed capacity of wind generators



Finally, **photovoltaic solar energy** is worth mentioning. Although it is a source that has been used in the country for many years, its values are small compared to those of other energy sources. It is worth noting that the installed capacity has shown a significant increase since 2015, rising from 4 MW (2014) to 280 MW (2022), thus reaching a share of 5% in the country's total installed capacity. As for large-scale generators, 14 on-grid photovoltaic plants came into operation between 2017 and 2020, totaling 150 MW. In turn, large-scale growth in 2021 and 2022 corresponded to autonomous autoproducers, whose installed capacity almost tripled from 3.5 MW to 10.1 MW in the last year.

Micro-scale photovoltaic solar energy also exhibited an outstanding development in recent years. In 2022, there were 263 new on-grid installations for a total of 7.1 MW, similar to the capacity recorded in 2021 and double that of 2020. Regarding sectoral distribution, new microgeneration solar power installations have been recorded in all cases year after year, albeit with slightly different trends. Commercial/services has been the sector with the highest installed capacity, showing values higher than 50% since 2015. In 2022, the distribution ranked by importance was the following: commercial/services (57%), industrial (21%), agriculture (13%), residential (9%).

FIGURE 7. Installed capacity of photovoltaic solar generators




FIGURE 8. Installed capacity of solar microgeneration by sector




TABLE 2. Installed solar microgeneration capacity by sector

| kW           | 2014         | 2016         | 2018          | 2020          | 2022          |
|--------------|--------------|--------------|---------------|---------------|---------------|
| Residential  | 133          | 413          | 895           | 1,764         | <b>3,666</b>  |
| (%)          | 5%           | 4%           | 5%            | 7%            | <b>9%</b>     |
| Commercial   | 1,206        | 5,137        | 10,481        | 14,542        | <b>22,320</b> |
| (%)          | 45%          | 55%          | 60%           | 58%           | <b>57%</b>    |
| Industrial   | 473          | 1,469        | 3,181         | 5,066         | <b>8,022</b>  |
| (%)          | 18%          | 16%          | 18%           | 20%           | <b>20%</b>    |
| Agriculture  | 875          | 2,313        | 3,053         | 3,656         | <b>5,274</b>  |
| (%)          | 33%          | 25%          | 17%           | 15%           | <b>13%</b>    |
| <b>TOTAL</b> | <b>2,687</b> | <b>9,331</b> | <b>17,610</b> | <b>25,028</b> | <b>39,282</b> |
| (%)          | <b>100%</b>  | <b>100%</b>  | <b>100%</b>   | <b>100%</b>   | <b>100%</b>   |

## 2.2. Hydrocarbon sector

As for hydrocarbons, Uruguay has only one refinery that belongs to the state-owned company ANCAP, located in the department of Montevideo. At present, its refining capacity is 50,000 barrels per day (8,000 m<sup>3</sup>/day) and it mainly produces gas oil, gasoline, fuel oil, LPG (LP gas and propane) and jet fuels, among others. Crude oil enters the country through the *Terminal Petrolera del Este*, in José Ignacio, department of Maldonado. The oil is received through a buoy located 3,600 meters from the coast and transported through a 180-kilometer pipeline to the refinery located in Montevideo.<sup>3</sup> Fuels and other oil products are transported across the country by road and sea, through distribution plants located in the departments of Montevideo, Colonia, Durazno, Paysandú and Treinta y Tres.

The refinery has a refining capacity of 50,000 bbl/day.

According to data provided by ANCAP, the refinery began operating in 1937 and, over the years, its equipment and oil processing capacity have undergone changes. The remodeling that took place between 1993 and 1995 is particularly noteworthy, as it meant that there was no production throughout 1994. At that time, a new catalytic cracking unit and a visbreaking unit were installed. In addition, plant changes aimed at increasing the energy efficiency of the atmospheric and vacuum distillation units were made. After this remodeling, the refinery's processing capacity amounted to 37,000 barrels/day (5,900 m<sup>3</sup>/d).

In 1999, another important period of remodeling began, aimed at producing high-octane, unleaded gasoline. So, back then, a gasoline hydrotreating unit, an isomerization unit, and a continuous catalytic reforming unit were installed; thus, increasing crude-processing capacity to 50,000 barrels per day. Between September 2002 and March 2003, as well as be-

tween September 2011 and January 2012, the refinery was out of service for scheduled maintenance.

In 2014, the desulfurization plant completed its first year of operation to produce gas oil and low-sulfur gasoline, according to international fuel specifications.

The plant's capacity was and still is 2,800 m<sup>3</sup>/day of 50S gas oil and 800 m<sup>3</sup>/day of 30S gasoline.<sup>4</sup> There is also a sulfur recovery plant with an installed capacity of 30 tonnes/day, providing liquid sulfur that is sold on the domestic market as raw material for fertilizers.<sup>5</sup>

FIGURE 9. Geographical distribution of infrastructure related to oil and oil products



4- 50S gas oil and 30S gasoline have a maximum sulfur concentration of 50 and 30 parts per million, respectively.

5- National Administration of Fuels, Alcohol, and Portland (ANCAP), *Historia de la Refinería*, <<https://www.ancap.com.uy/1581/1/historia-de-la-refineria.html>> (08/01/2023).

3- National Administration of Fuels, Alcohol, and Portland (ANCAP), *Operación Terminales*, <<https://www.ancap.com.uy/2158/1/operacion-terminales.html>> (08/01/2023).


The refinery was out of operation from February to September 2017 due to scheduled maintenance of its units. Consequently, there was a decrease in crude oil imports and an increase in the import of oil products to meet the demand. Since 2018, the refinery has operated as usual with similar crude oil processing levels as in 2016.

**Natural gas** is supplied by Argentina through two gas pipelines with a total capacity of 6,000,000 m<sup>3</sup>/day. The coastal gas pipeline, operated by ANCAP, is located in the northwest region of the country and has a capacity of 1,000,000 m<sup>3</sup>/day. It opened in October 1998 and its route begins in Entre Ríos (Argentina) and ends in the city of Paysandú. The pipeline spans a total length of 27,200 meters (including distribution branches in Uruguay and the section over the international bridge) while supplying the local distribution network.<sup>6</sup>

There are two operating gas pipelines with a total capacity of 6,000,000 m<sup>3</sup>/day.

The second pipeline has been operating since November 2002 in the southwestern part of the country and is run by *Gasoducto Cruz del Sur* (GCDS). The system spans from Punta Lara (Argentina) to the city of Montevideo and its surroundings, passing through the departments of Colonia, San José, and Canelones. It has a capacity of 5,000,000 m<sup>3</sup>/day and consists of two trunk pipelines: an underwater one for crossing the Río de la Plata and a land one between Colonia and Montevideo. There are also several side pipelines that feed the different localities with a total extension of 400 kilometers.<sup>7</sup>

FIGURE 10. Geographical distribution of natural gas delivery points



6- National Administration of Fuels, Alcohol, and Portland (ANCAP), *Gasoducto del Litoral*, <<https://www.ancap.com.uy/1572/1/gasoducto-del-litoral.html>> (08/01/2023).

7- Gasoducto Cruz del Sur, *Operaciones*, <<https://www.gcds.com.uy/#operaciones>> (08/01/2023).

### 2.3. Biofuels sectors

As of 2010, the BEN has included biofuels production and consumption, mainly used in gasoline and gas oil blends within the transport sector. Law 18.195 (November 14, 2007) and its Regulatory Decree 523/008 (October 27, 2008) provided the legal framework for agrofuel production, commercialization, and use in the country.

As for **bioethanol production**, ALUR currently has two bioethanol production plants located in the north of the country. Since 2006, ALUR has been managing the sugar factory of the CALNU cooperative in Bella Unión (Artigas department) through an energy and food project that involved an industrial investment plan for the assembly of a distillery for ethanol production, among other measures. This agriculture-energy-food complex produces bioethanol, sugar, electric energy and animal feed, mainly from sugarcane juice and molasses, as well as sweet sorghum juice (albeit to a lesser extent).<sup>8</sup> According to data supplied directly by the company, the capacity of this plant is 120m<sup>3</sup>/day of bioethanol and it operates from May to October. The plant has operated at higher than nominal capacity (140-190m<sup>3</sup>/day) on several occasions.

Furthermore, in October 2014, a new ethanol production plant was inaugurated in Paysandú department, with an installed capacity of 70,000m<sup>3</sup>/year. The plant can process grain sorghum, corn, wheat and barley, running continuously throughout the year to produce bioethanol and animal feed. The selected technology comes from the U.S. company Katzen. It stands out for its efficient energy arrangement, providing the flexibility to utilize both summer and winter crops, while also being low-impact environmental technology.<sup>9</sup>

As for biodiesel production, ALUR has two industrial complexes located in Montevideo department. Plant N°1 is located

in Paso de la Arena and has a biodiesel production capacity of 18,000m<sup>3</sup>/year from refined oil, used frying oil, and beef tallow. Glycerin is also produced as a byproduct. This plant is not currently operating. Plant N°2, currently operating, is located in Capurro and has a biodiesel installed capacity of 62,000m<sup>3</sup>/year, generated from vegetable oil, used frying oil, and beef tallow. The products are biofuel, olein, and glycerin.

**Installed production capacity (operational) to 2022:**  
bioethanol: 95,800m<sup>3</sup>/year  
biodiesel: 50,000 tonnes/year

FIGURE 11. Geographical distribution of biofuel plants



8- Alcohols of Uruguay (ALUR), *Complejo Agroenergético - Bella Unión, Artigas*, <<https://www.alur.com.uy/agroindustrias/bella-union>> (08/01/2023).

9- Alcohols of Uruguay (ALUR), *Planta Bioetanol - Paysandú*, <<https://www.alur.com.uy/agroindustrias/paysandu>> (08/01/2023).

Moreover, an agreement was signed with the company COUSA to ensure the efficient production of biodiesel, enabling the utilization of its infrastructure. Simultaneously, this private company contributes grain milling and oil production services, thereby supplying the raw material for both biodiesel plants. Soybeans and canola seeds are processed to produce crude degummed oil and protein meals.

In 2015, the industrial processes of plants No. 1 and No. 2, along with the final product, received certification under the European standard International Sustainability and Carbon Certification (ISCC) for the production of biodiesel from frying oil and tallow.<sup>10</sup>

It should be noted that Law 19,996 of November 3, 2011 repealed Article 7 of the Agrofuels Law described above. Consequently, the obligation to blend biodiesel in gas oil ceased to exist.<sup>11</sup> In this context, starting from January 1, 2022, ANCAP decided to decrease the biodiesel blending level to 2.5% in gas oil.<sup>12</sup> From December of that year, no blending volume was recorded.



10- Alcohols of Uruguay (ALUR), *Planta 2 Biodiesel – Capurro, Montevideo*, <<https://www.alur.com.uy/agroindustrias/capurro>> (07/30/2022).

11- National Directorate of Official Printing and Publications (IMPO), Law No. 18,195, <<https://www.impo.com.uy/bases/leyes/18195-2007>> (10/03/2023).

12- National Administration of Fuels, Alcohol, and Portland (ANCAP), Resolution of the Board of Directors No. 848/12/2021, <<https://resoluciones.ancap.com.uy>> (10/03/2023).

### 3. Energy supply

In 2022, the total gross energy supply in the country was 5,668ktoe, 1% higher than the previous year. Among the main sources involved in the 2022 energy supply, it is worth mentioning:

#### Oil and oil products:


In 2022, the gross oil supply was 2,144 ktoe, a value similar to the previous year. Refinery loadings were also similar to the gross supply. In 2022, 2,093 ktoe of virgin crude oil (2,486 thousand m<sup>3</sup>) were imported, 2% more than in the previous year. It should be noted that the years when the refinery was shut down for maintenance, there were lower values of gross oil supply, such as 2002-2003, 2007, 2011, 2017, or even a null value for 1994, year in which the refinery was shut down for remodeling. .

As for oil products, gross supply in 2022 was 2,402 ktoe, 5% lower than in 2021, and 16% higher than in 2020. In terms of supply activities, the production level was similar to the previous year (2,131 ktoe) and imports were 6% higher (501 ktoe). It should be noted that 2020 saw a drop in the consumption of oil products partly due to measures adopted during the pandemic (reduction of mobility), which impacted the refinery's production. In that year, there was a production of oil products totaling 1,935 ktoe and a total import of 324 ktoe.

In 2022, gas oil was the main oil product imported, and while its import was 17% lower than in 2021, it remained higher than in 2020. Consumption for electricity generation was a consequence of low water availability. Non-energy products, specifically asphalts, were the second most imported, followed by petcoke and LPG, to a lesser extent. In 2022, fuel oil imports were recorded again (23 ktoe), after being fully supplied by refinery production for two years. In turn, 29% of these imports went directly to free trade zones from abroad.

Oil product exports were lower in 2022 than in previous years and corresponded to propane and non-energy products. The international bunker flow increased in the last year, mainly due to growth in jet fuel and fuel oil, which rose from 44 to 76 ktoe and from 14 to 21 ktoe, respectively.

FIGURE 12. Gross oil supply



**Natural gas:**

Natural gas imports in 2022 totaled 72 ktoe, 5% higher than in 2021. It is worth noting that in 2019, imports were higher than the average of recent years. The increase was associated with natural gas consumption recorded in the electricity sector, specifically in the tests run by UTE in the combined cycle power plant.

**Hydropower:**

Gross hydropower supply varies greatly from year to year, as it relies on hydrological characteristics. In 2022, it was 605 ktoe and saw a 19% increase compared to 2021. Meanwhile, 2020 recorded one of the lowest values in the last 30 years (400ktoe), surpassed only by another minimum recorded in 2006 (343ktoe). Discharged water (not used or not passing through turbines) is another variable for monitoring this energy source. In 2022, hydropower not used accounted for 9% of production. In the two preceding years, it stood at 1%: a nearly negligible value when contrasted with the scenario observed until 2019, where 31% of water was discharged in relation to the hydroelectricity produced (average value between 2016-2019).

**Wind and solar energy:**

In 2022, gross wind power supply dropped by 3% compared to 2021, recording the lowest value in the last five years. Since 2017, the installed capacity for electricity production has remained constant, except for 2019, when only 3.2MW were installed, as mentioned above.

Meanwhile, the gross supply of solar energy increased again, this time by 5%. Since 2014, both solar thermal and photovoltaic energy have been included in the results matrix.

FIGURE 13. Gross natural gas supply



FIGURE 14. Gross hydropower supply




FIGURE 15. Gross wind and solar energy supply



### Biomass:

The gross biomass supply decreased 2% compared to 2021, which had been the year where the absolute maximum was recorded. In 2022, the gross biomass supply constituted 40% of the total supply from primary sources, surpassing oil, which accounted for 39%. To analyze biomass behavior, it is convenient to disaggregate it into the different sources that fall under this denomination: firewood, biomass waste (rice and sunflower husks, sugarcane bagasse, black liquor, odorous gases, methanol, barley husk, forestry and sawmill waste (chips, sawdust, pellets, etc.), glycerin and rumen, and biomass for biofuel production.

The gross supply of firewood was 465 ktoe, 3% lower than in 2021, and the lowest since 2006.

As for biomass waste, gross supply dropped by 1% in 2022 (1,692 ktoe) compared to 2021 (1,710 ktoe). Biomass for biofuel production had a gross supply of 59ktoe in 2022, showing a 25% decrease compared to the previous year. This was mainly attributable to the drop in biodiesel consumption.

### Industrial waste:

This source includes non-renewable waste such as end-of-life tires (ELT), alternate liquid fuels (ALF), used oils, and solid recovered fuels (SRF). In the case of ALF, they are mostly composed of hydrocarbons recovered from bilge water. While the gross supply in 2022 saw a 3% increase compared to the previous year, industrial waste had a considerably lower supply than other energy sources. The peak was recorded in 2020 at 9ktoe.

### Coal and coke of coal:

In 2022, the gross supply of coal was 1.1 ktoe, compared to previous years when it had been insignificant. As for coke of coal, the gross supply has remained similar to recent years, at values of less than 1 ktoe.

FIGURE 16. Gross supply of firewood and biomass waste




FIGURE 17. Gross industrial waste supply



### Electricity:

In 2022, the total electricity import was 7 ktoe (84 GWh). This was a marginal value and similar to what had been occurring before 2020, when the purchase of electricity had a one-off increase.

Meanwhile, electricity exports in 2022 amounted to 122 ktoe (1,416 GWh); half the amount of the previous year and 23% higher than in 2020. At the same time, they accounted for 10% of generation. It should be noted that the maximum electricity export of the entire historical series since 1965 was recorded in 2019 (259ktoe).

In 2022, electricity exports were less than half the amount exported in 2019, the historical maximum of the series.



### 3.1. Energy supply

The country’s primary energy matrix, also called “energy supply matrix,” has had a net growth of 150% between 1990 and 2022. This last year, after increasing only 0.4% compared to 2021, it registered a new record value of 5,669 ktoe.

#### 3.1.1. Primary matrix by source

In 2022, the energy supply ranked by importance was the following: oil and oil products (2,419ktoe), biomass (2,211 ktoe), hydroelectricity (489ktoe), wind electricity (411 ktoe) and, to a lesser extent, natural gas (72 ktoe), and solar energy (51 ktoe). Supply values for industrial waste, imported electricity, coal and coal products were very small in relation to the other sources. Solar energy supply included both solar thermal energy and electricity from photovoltaic solar energy.



In 2022, “oil and oil products” ranked first in the primary matrix, as was the case in 2021, after biomass was the main source of supply in the country for five consecutive years. It should be noted that historically, oil and oil products have been the main sources of supply, only surpassed by biomass between 2016-2020. Hydropower ranked second until 2003-2005, years in which it began to be surpassed by biomass. Also, in 2020, it became the fourth most important source, as wind energy ranked third. Finally, in 2021 and 2022, hydroelectricity supply was slightly higher than wind power, ranking, once again, as the third source in the primary matrix.

Another feature of Uruguay’s primary matrix is that, during the last few years, there have been important changes in the diversification of sources and a higher share of renewable energy sources. Oil and oil products supply has remained practically constant in absolute value since 1965, yet the supply matrix increased by 150%. This growth was a direct consequence of incorporating new energy sources. For instance, biomass accounted for 39% of the 2022 supply matrix, hy-

droelectricity had a 9% share, and wind together with solar energy had an 8% share.

Upon analyzing each energy source separately, **biomass** was one of the sources that underwent the most significant changes, not only in terms of percentage share but also in absolute value. This category includes production and foreign trade (calculated as imports minus exports) of the following primary and secondary sources: firewood, biomass waste, biomass for biofuels, bioethanol, biodiesel and charcoal.

FIGURE 18. Energy Supply by Source



Between 1990 and 2007, biomass behaved in a relatively constant manner. However, from 2008, it adopted a more prominent role and was consolidated as the second most important source in Uruguay’s energy supply. This exponential growth decelerated between 2010 and 2011, and, as of 2012, resumed its steep growth, increasing from 1,366 ktoe (2012) to 2,185 ktoe (2017) and reaching its highest share in the primary matrix (43%). This behavior is directly associated with the installation of cellulose plants in the country, as further discussed below.

Between 2017 and 2022, biomass had small variations and recorded a 2.6% drop in the last year, reaching 2,211 ktoe. It is worth noting that, although this source achieved its maximum supply value in 2021, it was surpassed by the supply of oil and oil products, securing the second position in the supply matrix, as mentioned earlier.

As for **oil and oil products**, supply includes the imports to produce oil products in the refinery and the net balance of foreign trade of oil products. The share of this category in the primary matrix has varied, mostly depending on the needs of oil products for electricity generation. In 1965, practically the entire primary matrix was oil and oil products (79%). Interestingly, although the share dropped by 43% (2022), supply has remained relatively constant in absolute terms throughout these 58 years, at an average of 1,900 ktoe, as mentioned above. Over the last nine years, the lowest levels of oil and oil products’ share in the primary matrix were recorded. In 2019, the lowest historical minimum (36%) was recorded. In 2020 and 2021, supply for these sources increased by 11% and 9%, respectively. This was associated with a higher consumption of oil products for electricity generation. It is worth noting that in 2020, the final consumption of oil products decreased due to the mobility reduction during the pandemic, and in 2021, there was an increase of 9%, as indicated below. In 2022, there was another 2% increase in the supply of oil and oil products.

While **hydroelectricity** increased 8% in 2022 compared to 2021, it was still a low hydroelectricity value considering the records since 1990. Low rainfall levels together with the drop in biomass and wind electricity supply, affected the primary matrix and contributed to a lower share of renewable energy sources compared to the previous year, as discussed below.

It is important to highlight the **evolution of wind electricity** in the primary matrix. In 2008—the first year the country had large-scale wind energy—electricity generation amounted to 0.6 ktoe and increased to a peak of 471 ktoe in 2020. Subsequently, it saw a 9% drop in 2021 and a 4% drop in 2022. The highest increase was recorded between 2014 and 2018, and the share of wind electricity increased from 1% to 8%.

TABLE 3. Energy supply by source

| ktoe                     | 1990                          | 1995                          | 2000                          | 2005                          | 2010                          | 2015                          | 2022                          |
|--------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Imported electricity (%) | 4.4<br>0%                     | 16.2<br>1%                    | 114.2<br>4%                   | 136.3<br>5%                   | 33.3<br>1%                    | 0.2<br>0%                     | <b>7.2</b><br><b>0%</b>       |
| Hydroelectricity (%)     | 443.1<br>20%                  | 503.5<br>19%                  | 606.4<br>20%                  | 574.8<br>19%                  | 723.0<br>17%                  | 710.9<br>14%                  | <b>489.0</b><br><b>9%</b>     |
| Wind electricity (%)     |                               |                               |                               |                               | 6.0<br>0%                     | 177.6<br>3%                   | <b>411.3</b><br><b>7%</b>     |
| Solar (%)                |                               |                               |                               |                               |                               | 7.2<br>0%                     | <b>50.5</b><br><b>1%</b>      |
| Natural gas (%)          |                               |                               | 30.6<br>1%                    | 89.3<br>3%                    | 64.4<br>2%                    | 45.8<br>1%                    | <b>71.9</b><br><b>1%</b>      |
| Oil and oil products (%) | 1,275.4<br>56%                | 1,661.0<br>62%                | 1,910.8<br>62%                | 1,666.9<br>56%                | 1,991.8<br>48%                | 2,207.8<br>42%                | <b>2,419.3</b><br><b>43%</b>  |
| Coal and coke (%)        | 0.7<br>0%                     | 0.5<br>0%                     | 0.5<br>0%                     | 1.9<br>0%                     | 0.3<br>0%                     | 0.1<br>0%                     | <b>1.7</b><br><b>0%</b>       |
| Biomass (%)              | 546.0<br>24%                  | 510.2<br>19%                  | 442.2<br>14%                  | 488.9<br>17%                  | 1,315.4<br>32%                | 2,049.0<br>39%                | <b>2,210.7</b><br><b>39%</b>  |
| Industrial wastes (%)    |                               |                               |                               |                               |                               | 6.0<br>0%                     | <b>7.2</b><br><b>0%</b>       |
| <b>TOTAL (%)</b>         | <b>2,269.6</b><br><b>100%</b> | <b>2,691.4</b><br><b>100%</b> | <b>3,104.7</b><br><b>100%</b> | <b>2,958.1</b><br><b>100%</b> | <b>4,134.2</b><br><b>100%</b> | <b>5,204.6</b><br><b>100%</b> | <b>5,668.8</b><br><b>100%</b> |

NOTE: Solar energy supply includes solar thermal energy and photovoltaic solar electricity.



Although the figures remain small in the supply matrix, it surpassed hydroelectricity in 2020 and reached third place in the supply matrix (9%).

The remaining sources that comprised the 2022 supply matrix had very small shares: natural gas (1%), solar (1%), industrial waste (< 1%), imported electricity (< 1%), and coal and coke (< 1%).

**3**  
ENERGY SUPPLY




### 3.1.2. Primary matrix by origin

In 2022, energy supply was 56% from local sources and 44% from imported sources. When considering the entire series, the last few years have recorded the highest shares of local energy in the supply, with values higher than 56%. In absolute terms, it is worth noting that there has been a net increase in local energy supply in recent years. In the 1990-2006 period, local energy supply remained at values between 854 ktoe (2006) and 1,260 ktoe (2002). There has been steady growth since 2007, reaching a peak value of 3,310 ktoe in 2019. In the following three years, it remained at slightly lower values.

The imported energy supply fluctuated throughout the period; it recorded a maximum value of 3,023 ktoe (2012) and a minimum of 1,220 ktoe (2002). In 2022, imported energy was 3% higher than in 2021.

FIGURE 19. Energy supply by origin




### 3.1.3. Primary matrix by type

In terms of energy supply, sources are also classified as renewable or non-renewable. In 2022, renewable energy sources (biomass/solar thermal/hydroelectricity, wind and solar photovoltaic electricity) had a 56% share in the energy supply matrix, while non-renewable sources (oil and oil products/natural gas/coal and coke/industrial waste) had a 44% share. Imported electricity is reported separately as it cannot be classified as renewable or non-renewable. In 2022, it was only 0.1%.

#### 2022 Primary energy matrix: 56% renewable energy.

There is a strong correlation between energy origin and energy type. Renewable energy supply is mainly sourced from domestic production, while non-renewable sources are imported to supply the country.

FIGURE 20. Energy supply by type



The supply of renewable energy increased significantly towards the end of the 1990-2022 period, tripling the average recorded in the 15 years prior to 2005. In 2019, the maximum historical supply from renewable sources was recorded both in absolute value (3,306 ktoe) and in share (62%). Although this share dropped to 56% in 2022, it still remained within the range of values recorded since 2015.

Historically, the share of renewable sources in the primary matrix has been strongly influenced by rainfall levels. However, due to the diversification of energy sources and the substantial inclusion of local sources, the impact of hydro source variability on the supply matrix has diminished. For instance, a comparison between the structure of the 2006 primary matrix and that recorded in 2022 (both featuring similar shares of hydroelectricity) reveals that in 2006, renewable sources comprised 26% of the supply. However, by 2022, the share of renewable sources had increased to 56%. Thus, it is concluded that diversifying the primary matrix also makes the national energy system stronger.

### 3.2. Electricity generation

In 2022, electricity generation was 14,759 GWh (1,269 ktoe), representing a 7% decrease compared to the previous year. It should be noted that the capacity remained practically the same as in 2021, as mentioned in the infrastructure chapter.

89% of production came from public service power plants (1,133 ktoe), while the remaining 11% was generated by autoproductio n power plants (136 ktoe). Such productions were 7% and 10% lower than in 2021, respectively.

Domestic demand for electricity was supplied almost entirely by domestic production (99%), thereby avoiding the need to resort to high imports from neighboring countries. In 2020, following seven years of marginal imports, there were significant purchases of electricity.

### In 2022, electricity demand was supplied almost entirely by domestic production.

In 2022, Uruguay exported 1,416 GWh (122 ktoe) of electricity, similar to the average of recent years, except for 2019 and 2021, which recorded the highest levels of electricity exports since 1965. As for export destinations in the last year, 94% of the electricity was exported to Argentina and 6% to Brazil. In 2022, exports to Argentina doubled, while electricity sales to Brazil were practically insignificant compared to the previous year.


Regarding energy sources in 2022, 16% of exported electricity originated from fossil fuels, while nearly one-third was generated through hydropower. It should be noted that between October 2017 and July 2020, Uruguay sold wind electricity to Argentina through generating agents other than UTE.

Final electricity consumption (calculated as generation plus imports minus exports, technical losses, and own use) increased by 2% compared to 2021. It is noteworthy that the final energy consumption supplied from the SIN (without considering the electricity generated by autoproductio n power plants) had a slightly higher growth (4%).

Historically, hydropower has had a major role in the generation of electricity in the country. In particular, as of 1979, its share began to increase in the generation matrix with the Salto Grande plant installation on the Río Uruguay. It was not until 1995 that the right to 50% of the power and production was granted to Uruguay under an agreement with Argentina.

One of the characteristics of electricity generation in the country is the diversification of sources that have occurred in recent years. Between approximately 1965 and 2000, only three energy sources accounted for the majority of the generation matrix: hydropower, fuel oil, and gas oil. However, new sources began to be used for electricity generation, some of which are still marginal but show a growing consumption trend (biomass waste, wind and solar energy). Although natural gas has entered the market in recent years, its share remains marginal.

FIGURE 21. Electricity balance




There is also a complementarity between hydropower availability and the consumption of fossil fuels for electricity generation. This characteristic is more evident in the first years of the historical series. However, in recent years, the diversification of sources in the electricity generation matrix has shown a reduced consumption of fossil fuels due to a lower availability of hydropower as input for generation.

In 2022, **hydropower** generation increased 8% compared to the previous year; however, production levels remained low, amid a three-year drought. Electricity from solar energy increased 4%, while electricity from wind and biomass decreased 4% and 11% between 2021 and 2022, respectively. In turn, electricity generated from fossil fuels was practically half of this figure. The main fuel used was gas oil, whose consumption for generation (223 ktoe) dropped by 44% compared to 2021, and was followed, to a lesser extent, by fuel oil with a consumption of 34 ktoe and a 45% drop.

**Wind energy** became part of the generation matrix in 2008 and had a slow growth in its first years of development. However, as of 2013, electricity generation increased significantly. In 2020, it increased from 144 GWh to 5,476 GWh, year in which the highest level of generation and share (40%) was recorded, making it the year's main source of electricity generation. In the last two years, there was a 9% and 4% drop in wind power generation, respectively, and was surpassed again by hydroelectricity. It should be noted that between 2020 and 2022, there was no additional installed capacity of wind generators, thus the increased production compared to 2019 was achieved through low levels of energy not used (1% of production). It should be noted that for 2019, energy not used was 7% of production.

FIGURE 22. Share of inputs for electricity generation



As for **biomass**, its share as an input for electricity production began to increase as of 2006, with a remarkable rise from 2008 onwards. This was the result of the contracts between UTE and private producers connected to the SIN—related to purchasing electricity from biomass—coming into force. This included mainly biomass waste for electricity generation in the cellulose pulp industry. In recent years, electricity generation with biomass has increased significantly to the point that, in ten years, its value has tripled. In any case, and despite this steady growth, by 2016 biomass had lost its second place in the electricity matrix (achieved in 2014) and was displaced by wind power to third place. Particularly for 2022, electricity generated from biomass dropped by 11% compared to the previous year; the lowest in the last 6 years.

**Solar energy** constitutes an input for electricity generation that, although in recent years has had a very small share compared to the rest of the sources, has started to become increasingly important. In 2022, electricity generation from solar energy (503 GWh) increased 4% compared to 2021, reaching a new generation record since its 2014 incorporation in the country. The years 2017, 2018, and 2019 are highlighted as photovoltaic electricity generation surpassed that of fossil fuels.

Regarding on-grid photovoltaic microgeneration, there was a very significant increase in the last period, from 2,110 MWh (2014) to 50,793 MWh (2022). From a sectoral standpoint, the 2022 distribution ranked by importance was the following: commercial and services (56%), industrial (21%), agriculture (14%), and residential (9%). In the agriculture and residential sectors, most of the electricity generated from photovoltaic microgeneration was delivered to the grid (67% and 64%, respectively). Meanwhile, in the industrial sector, 55% of the electricity generated by photovoltaic microgeneration was for own use, since half of the electricity generated in the commercial and services sector was delivered to the grid and the other half was used by the establishments themselves.

FIGURE 23. Microgeneration of electricity from solar energy by sector




TABLE 4. Microgeneration of electricity from solar energy

| MWh         |     | 2014  | 2016  | 2018   | 2020   | 2022   |
|-------------|-----|-------|-------|--------|--------|--------|
| Residential | EDG | 94    | 352   | 2,203  | 1,536  | 2,851  |
|             | EOU | 28    | 50    | 1,441  | 590    | 1,600  |
|             | TG  | 122   | 402   | 3,644  | 2,126  | 4,451  |
| Commercial  | EDG | 393   | 3,051 | 9,213  | 10,012 | 13,874 |
|             | EOU | 634   | 2,222 | 3,365  | 8,684  | 14,634 |
|             | TG  | 1,027 | 5,274 | 12,578 | 18,696 | 28,508 |
| Industrial  | EDG | 122   | 708   | 1,664  | 2,844  | 4,825  |
|             | EOU | 19    | 948   | 871    | 3,619  | 5,882  |
|             | TG  | 141   | 1,656 | 2,536  | 6,464  | 10,707 |
| Agriculture | EDG | 612   | 2,076 | 1,721  | 3,650  | 4,750  |
|             | EOU | 207   | 414   | 787    | 1,085  | 2,376  |
|             | TG  | 820   | 2,490 | 2,508  | 4,735  | 7,126  |
| TOTAL       | EDG | 1,222 | 6,187 | 14,802 | 18,043 | 26,300 |
|             | EOU | 889   | 3,635 | 6,464  | 13,979 | 24,492 |
|             | TG  | 2,110 | 9,821 | 21,266 | 32,021 | 50,793 |

NOTES:

EDG: Electricity delivered to the grid; EOU: Electricity for own use; TG: Total generation.

Electricity generation can be analyzed from two perspectives: firstly, by considering the inputs for generation, and secondly, by taking into account the electricity generated by the source. It should be noted that the electricity generation matrix has a different structure than the matrix of inputs for generation as it considers transformation efficiency for the various sources. Some sources are considered to be 100% efficient based on the energy balance methodology. Such is the case of wind and solar photovoltaic electricity, whose primary source (wind or solar energy) matches the electricity produced. For the remaining cases, transformation efficiencies have values lower than 100% depending on the characteristics of the electricity generation processes. In 2022, a global transformation efficiency of 81% was recorded, with a 4-point efficiency improvement compared to 2021. This is because in the last year, the share of fossil-fuel generation—sources that have lower transformation efficiencies than those of renewable origin—was much lower.

The year 2012 had similar rainfall levels to 2022, and recorded an overall transformation efficiency of 56%. This improved performance of the generation sector in 2022 when faced with unfavorable environmental situations, such as hydrologic conditions, was explained by the incorporation of renewable sources such as wind power; the second largest source of generation in 2022.



### 3.2.1. Matrix of inputs for electricity generation

Inputs for generation recorded a net growth throughout the period and increased from 399ktoe (1965) to 1,565ktoe (2022). The lowest consumption was recorded in 1966 (315ktoe) and the maximum in 2021 (1,780ktoe).

The matrix of inputs for generation has undergone strong changes over the years, as well as a diversification of energy sources towards the end of the period, as mentioned above. In 2022, the highest share in inputs for generation corresponded to hydropower (549ktoe), followed by wind energy (411ktoe), biomass (305ktoe), and gas oil (223ktoe). To a lesser extent, solar energy (43ktoe) and fuel oil (34ktoe) were also involved.

FIGURE 24. Inputs for electricity generation





TABLE 5. Inputs for electricity generation

| ktoe           | 1965         | 1975         | 1985         | 1995         | 2005         | 2015           | 2022           |
|----------------|--------------|--------------|--------------|--------------|--------------|----------------|----------------|
| Hydropower     | 60.2         | 113.7        | 379.8        | 596.4        | 647.2        | 814.0          | 548.7          |
| (%)            | 15%          | 23%          | 86%          | 84%          | 72%          | 54%            | 35%            |
| Wind           |              |              |              |              |              | 177.6          | 411.3          |
| (%)            |              |              |              |              |              | 12%            | 26%            |
| Solar          |              |              |              |              |              | 4.2            | 43.3           |
| (%)            |              |              |              |              |              | 0%             | 3%             |
| Firewood       |              |              | 5.0          | 5.0          | 0.8          | 4.8            | 1.6            |
| (%)            |              |              | 1%           | 1%           | 0%           | 0%             | 0%             |
| Biomass wastes | 0.4          | 4.8          | 10.0         | 1.8          | 2.0          | 283.8          | 303.1          |
| (%)            | 0%           | 1%           | 2%           | 0%           | 0%           | 19%            | 19%            |
| Gas oil        | 37.3         | 39.5         | 5.1          | 14.6         | 84.3         | 178.9          | 223.1          |
| (%)            | 9%           | 8%           | 1%           | 2%           | 9%           | 12%            | 15%            |
| Gasoline       |              |              |              |              |              |                | 0.0            |
| (%)            |              |              |              |              |              |                | 0%             |
| Fuel oil       | 301.1        | 340.8        | 42.6         | 91.5         | 165.3        | 47.5           | 33.7           |
| (%)            | 75%          | 68%          | 10%          | 13%          | 18%          | 3%             | 2%             |
| Natural gas    |              |              |              |              | 0.6          | 0.0            |                |
| (%)            |              |              |              |              | 0%           | 0%             |                |
| <b>TOTAL</b>   | <b>399.0</b> | <b>498.8</b> | <b>442.5</b> | <b>709.3</b> | <b>900.2</b> | <b>1,510.8</b> | <b>1,564.8</b> |
| (%)            | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>    | <b>100%</b>    |

NOTE: Gas oil includes diesel oil until and including 2003.

### 3.2.2. Electricity generation matrix by source

In 2022, hydroelectricity increased by 8% compared to 2021 and held the first place in the electricity matrix (5,686 GWh). In second place, there was wind electricity production (4,783 ktoe), which decreased 4%, followed by electricity from biomass (2,438 GWh), with an 11% drop compared to the previous year. Electricity from solar energy increased 4%, yet its share dropped to 3%.

The most prominent change in 2022 was the sharp decrease in fossil thermal generation; almost half compared to 2021, representing 9% in the generation matrix. Consequently, the share of renewable sources in the electricity generation matrix increased from 85% to 91% in the last year.

In 2022, 91 % of electricity generation came from renewable sources.

FIGURE 25. Electricity generation by source






TABLE 6. Electricity generation by source

| GWh               | 2002           | 2005           | 2010            | 2015            | 2020            | 2022            |
|-------------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Thermal (fossil)  | 26.4           | 956.3          | 1,165.1         | 962.6           | 824.9           | <b>1,349.3</b>  |
| (%)               | 0%             | 12%            | 11%             | 7%              | 6%              | <b>9%</b>       |
| Thermal (biomass) | 0.0            | 24.5           | 1,089.8         | 2,388.4         | 2,700.8         | <b>2,437.7</b>  |
| (%)               | 0%             | 0%             | 10%             | 17%             | 20%             | <b>17%</b>      |
| Hydropower        | 9,535.3        | 6,683.6        | 8,407.2         | 8,266.0         | 4,093.9         | <b>5,685.7</b>  |
| (%)               | 100%           | 87%            | 78%             | 60%             | 30%             | <b>39%</b>      |
| Wind              |                |                | 69.9            | 2,065.1         | 5,475.5         | <b>4,783.1</b>  |
| (%)               |                |                | 1%              | 15%             | 40%             | <b>32%</b>      |
| Solar             |                |                |                 | 48.7            | 462.1           | <b>503.0</b>    |
| (%)               |                |                |                 | 0%              | 4%              | <b>3%</b>       |
| <b>TOTAL</b>      | <b>9,561.7</b> | <b>7,664.4</b> | <b>10,732.0</b> | <b>13,730.8</b> | <b>13,557.1</b> | <b>14,758.7</b> |
| (%)               | <b>100%</b>    | <b>100%</b>    | <b>100%</b>     | <b>100%</b>     | <b>100%</b>     | <b>100%</b>     |

The evolution of the electricity generation matrix by source also reflected the above features: variability, complementarity, and diversification. Until the 80s, electricity generation came mainly from fossil fuels. Since 1979, hydroelectricity has had a high share in the generation mix. In recent years, new energy sources have been incorporated.

When comparing the year 2022 to 2012, it is evident that total electricity generation has grown by 39%. In terms of sources, hydroelectricity generation increased only 5% and fossil fuel generation dropped by 64%. Thus, it is evident that the incorporation of local sources has become more prominent over the last 15 years, providing clear advantages in the diversification of the generation matrix.

FIGURE 26. Electricity generation from each source



### 3.2.3. Electricity generation in Antarctica


Uruguay has two bases in Antarctica, which are located near the Antarctic Peninsula: the Artigas Base and the Ruperto Elichiribehety Research Station.<sup>13</sup> They have different types of electricity generators: two photovoltaic panels of 1 and 6 kW power, respectively, a 6 kW wind generator, and a diesel generator.

In 2022, a total production of 650 MWh of electricity was recorded. The share of the different sources resulted in electricity generation of 5 MWh from solar photovoltaic, 23 MWh from wind, and 622 MWh from thermal.

As for fossil fuel consumption, 180.3 m<sup>3</sup> of gas oil was used to generate electricity, while 2.9 m<sup>3</sup> of gas oil was used for transport.

It is noted that, due to IRES methodology, electricity generated at the Uruguayan base in Antarctica is not included in the national statistics. For this reason, it is presented in this section for informational purposes.

FIGURE 27. Electricity generation by source in Antarctica



13- Ministry of National Defense (MDN), Antarctic Bases, <<https://www.gub.uy/ministerio-defensa-nacional/politicas-y-gestion/bases-antarticas>>, (09/14/2023).

### 3.3. Production of oil products

In 2022, the refinery operated as usual. Crude oil processing was similar to the previous year and 10% higher than in 2020, when mobility restrictions resulting from the pandemic had a direct impact on the consumption of oil products in the transport sector and, consequently, on fuel production.

In 2022, 2,131 ktce of oil products were produced, with 14 ktce of transformation losses. The main product was gas oil (986 ktce), followed by motor gasoline (622 ktce) and fuel oil (224 ktce). LPG (LP gas and propane), kerosene, and jet fuel, among other products, were produced to a lesser extent.

The refining process generates products that are consumed in the same process. In 2022, 72 ktce of fuel gas and 29 ktce of petcoke were produced. Such consumptions are recorded in the results matrix under “own use of the energy sector.” For fuel gas, there is an amount that is recorded as “energy not used” and another one as “losses,” if applicable.

The structure of the refinery’s production has undergone some changes over these 58 years. Until the early 80s, the main production was fuel oil (45% in 1965; 39% in 1982). However, since 1983, the main product has been gas oil (except for a few specific years). Its production recorded a net growth throughout the period, both in absolute value and in share; 46% was reached in 2021 and 2022. Conversely, the production of fuel oil declined throughout the period under study and recorded a share of only 11% since 2018.

Although motor gasoline historically ranked third in terms of share, as of 2011, it surpassed fuel oil and became the second in the production structure. Crude oil processing and the production of oil products decreased in the years when the refinery had maintenance shutdowns.

FIGURE 29. Refinery production structure




TABLE 7. Refinery production

| ktoe                    | 1965           | 1975           | 1985           | 1995           | 2005           | 2015           | 2022           |
|-------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Liquefied petroleum gas | 21.1           | 29.5           | 29.5           | 46.8           | 99.4           | 87.6           | <b>105.3</b>   |
| (%)                     | 1%             | 2%             | 2%             | 4%             | 5%             | 5%             | <b>5%</b>      |
| Gasoline                | 290.7          | 294.7          | 294.7          | 301.9          | 469.6          | 492.9          | <b>621.6</b>   |
| (%)                     | 19%            | 17%            | 17%            | 23%            | 23%            | 26%            | <b>29%</b>     |
| Kerosene and jet fuel   | 177.9          | 201.0          | 201.0          | 57.0           | 51.9           | 103.4          | <b>90.9</b>    |
| (%)                     | 12%            | 11%            | 11%            | 4%             | 3%             | 5%             | <b>4%</b>      |
| Gas oil                 | 301.2          | 429.1          | 429.1          | 422.7          | 825.9          | 760.7          | <b>985.9</b>   |
| (%)                     | 20%            | 24%            | 24%            | 32%            | 40%            | 40%            | <b>46%</b>     |
| Fuel oil                | 683.2          | 756.5          | 756.5          | 446.8          | 486.8          | 304.6          | <b>223.7</b>   |
| (%)                     | 45%            | 43%            | 43%            | 33%            | 24%            | 16%            | <b>11%</b>     |
| Petcoke                 | 7.5            | 8.5            | 8.5            | 14.1           | 29.7           | 29.9           | <b>28.6</b>    |
| (%)                     | 0%             | 0%             | 0%             | 1%             | 1%             | 2%             | <b>1%</b>      |
| Non-energy products     | 18.6           | 38.6           | 38.6           | 31.5           | 12.6           | 50.8           | <b>3.0</b>     |
| (%)                     | 1%             | 2%             | 2%             | 2%             | 1%             | 3%             | <b>0%</b>      |
| Fuel gas                | 7.3            | 20.0           | 20.0           | 13.0           | 72.6           | 67.3           | <b>71.5</b>    |
| (%)                     | 0%             | 1%             | 1%             | 1%             | 4%             | 4%             | <b>4%</b>      |
| <b>TOTAL</b>            | <b>1,507.5</b> | <b>1,777.9</b> | <b>1,777.9</b> | <b>1,333.8</b> | <b>2,048.5</b> | <b>1,897.2</b> | <b>2,130.5</b> |
| (%)                     | <b>100%</b>    |

NOTES: 1) Although motor gasoline with bioethanol has been sold since 2010, the gasoline production data does not include biofuel. 2) Gas oil includes diesel oil until 2012. Diesel oil has not been produced since 2013. Although gas oil with biodiesel has been sold since 2010, the data on gas oil production does not include biofuel.

## 4. Energy demand


“Total final energy consumption” is defined as the consumption of the following sectors: residential, commercial/services/public sector, transport, industry, and primary activities (agriculture, mining, and fishing). It does not include the consumption of the energy sector used for energy production or transformation (energy consumption of refineries, power plants, etc.), also called “own use” of the sector (it is not the input used for transformation). Final energy consumption can be for energy uses (cooking, lighting, process heat, driving force, etc.) or for non-energy uses (lubrication, cleaning, etc.).

Total final consumption rose from 1,715ktoe in 1965 to 2,677ktoe in 1999. After that year, total final consumption began to drop until and including 2003, when it reached a relative minimum of 2,251ktoe due to Uruguay’s economic crisis in the first years of the 21st century. This downward trend was reversed in 2004, when it started to grow again. The consumption values before the crisis were only surpassed in 2007. In the years that followed, total final consumption grew steadily until 2020, when it dropped again. In 2021, it grew again and, by 2022, a new consumption peak of 4,943ktoe was reached; a slightly superior value compared to the previous year.

The 2020 decline was directly related to the pandemic that began on March 13 with the first positive cases of COVID-19 in the country. Among the measures taken by the government was the restriction on mobility, which affected the final energy demand, especially oil products (gas oil and gasoline), which are linked to transport. Another reason for the drop in final consumption that year was the country’s economic recession; GDP dropped by 6.3% that year. If the entire Energy Balance historical series from 1965 to 2022 are considered, only three years with such sharp drops in the economy were recorded: 1982, 1983 and 2002.

As previously mentioned, between 2004 and 2019, the total final energy consumption showed a growing trend at a 5% average annual rate. This value exceeded the 90s trend, when an average rate of 4% was recorded. In 2008, there was an increase in the total final consumption of 17%, which was mainly associated with the strong growth of the cellulose industry.

FIGURE 30. Total final energy consumption



In 2022, non-energy final consumption was 108ktoe, similar to the previous year. Non-energy products accounted for practically all of this consumption (106ktoe).

Given that final consumption for non-energy uses was only 2% of total final consumption, an analysis by source is not justified. For this reason, below is an analysis of final energy consumption and its breakdown by source and sector.

### 4.1. Final energy consumption by source

The energy sources consumed in the different activity sectors mainly include oil products, biomass, electricity, biofuels, and natural gas.

In 2022, final energy consumption was led by oil products (1,922 ktoe; 40%). For seven consecutive years, the main consumption had been associated with biomass (firewood, charcoal, biomass waste, and biofuels), which recorded a consumption of 1,837 ktoe (38%) in 2022. Electricity consumption came in third place (1,011 ktoe, 21%) while natural gas consumption was again very small in comparison (1%).

Historically, oil products have had the largest share in the final energy consumption matrix. In the last 20 years, they behaved very similarly to electricity, although their consumption was affected during the crisis at the beginning of the century, with negative rates until 2003. From 2004 onwards, the consumption of oil products increased again, with annual growth rates ranging from 0.4% to 7.7%. In 2020, consumption dropped again (-5%), followed by two growths: a 9% one in 2021 and a 5% one in 2022.


As for biomass, its consumption has prevailed throughout the historical series, with one particular feature: it has been relatively constant for more than 40 years, with an average of 470 ktoe of final energy consumption. It was not until 2007 that it recorded an increase that was maintained until 2021; this was influenced by biomass waste consumption. In 2022, all biomass-related sources recorded declines in consumption: -2% for firewood and charcoal, -3% for biomass waste, and -39% for biofuels. This decline was mainly influenced by the drop in the consumption of biodiesel, as discussed below.

Biomass waste encompasses forestry and sawmill waste, black liquor, sugarcane bagasse, rice husks, sunflower husks, barley husks, among others. As of 2007, there has been a significant increase in waste consumption in the pulp industry,

particularly black liquor. For 2007 and 2008, the increase rates in biomass waste consumption were 91% and 447%, respectively. In 2014 and 2015, this happened again, with increasing rates of 30% and 28%. Furthermore, in 2011, consumption fell by 3%, which can be explained by the decrease in the Gross Domestic Product in the paper and timber industries. These industrial sectors consume approximately 80% of the biomass waste of the industrial sector.

It is noted that the value of firewood consumption shown for the different sectors was obtained from statistical studies carried out by DNE-MIEM.

FIGURE 31. Final energy consumption by source



Since 2010, two new secondary energy sources, namely bioethanol and biodiesel<sup>14</sup>, were included under the term “bio-fuels.” They are mainly consumed in blends with fossil fuels: gasoline-bioethanol and gas-oil-biodiesel. The incorporation of biofuels made it possible to meet demand while reducing fossil fuel consumption and, therefore, helped reduce greenhouse gas emissions. After showing an increasing consumption since its first year, its peak consumption was recorded in 2016 (85ktoe) and remained at an average of 78ktoe until 2021, with a 2 % share in the final consumption matrix.

During 2022, biodiesel consumption dropped to zero. This was due to amendments made to the legal framework associated with biofuel blending, as mentioned above. When evaluated together with bioethanol, this fact meant a 38% drop in both sources. For this last year, the average blend in terms of volume was 9.5% bioethanol in motor gasoline and only 0.6% biodiesel in gas oil.

**In 2022, the average blend (volume) consisted of 9.5% bioethanol in motor gasoline and less than 1% biodiesel in gas oil.**

As for electricity consumption, it has shown a steady net growth since 1965 and reached its historical maximum in 2022 (1,011ktoe). In turn, some minor decreases were recorded in the years 1972, 1982, 1989 as well as the drop at the beginning of the century, for the above-mentioned reasons. In 2017 and 2019, electricity consumption also declined. It is worth highlighting the electricity consumption increase recorded in 2006 (12%), which was associated with a change in the methodology used to evaluate non-technical losses<sup>15</sup>. From that year on, such losses began to be included in the final sectors of consumption. Social losses were included in the residential sector. The remaining non-technical losses were distributed according to the remaining sectors’ share in electricity consumption. Significant increases in electricity

14- Until BEN 2012, they were called “fuel ethanol” and “B100”, respectively.

15- Non-technical losses are related to unbilled electricity consumption

were recorded in the industrial sector due to the entry into operation of cellulose plants, for the years 2007-2008 and 2013-2014, as shown below in the sectoral analysis. These variations were mitigated when considered jointly with the rest of the sectors.

**TABLE 8.** Final energy consumption by source

| ktep                         | 1965                          | 1975                          | 1985                          | 1995                          | 2005                          | 2015                          | 2022                          |
|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Coal<br>(%)                  | 5.1<br>0%                     | 1.2<br>0%                     | 0.3<br>0%                     | 0.3<br>0%                     | 0.9<br>0%                     |                               | <b>1.1</b><br><b>0%</b>       |
| Natural gas<br>(%)           |                               |                               |                               |                               | 73.5<br>3%                    | 43.7<br>1%                    | <b>50.5</b><br><b>1%</b>      |
| Solar<br>(%)                 |                               |                               |                               |                               |                               | 3.0<br>0%                     | <b>7.1</b><br><b>0%</b>       |
| Firewood and charcoal<br>(%) | 355.8<br>21%                  | 389.4<br>21%                  | 495.8<br>29%                  | 456.1<br>21%                  | 444.5<br>19%                  | 519.0<br>12%                  | <b>467.1</b><br><b>10%</b>    |
| Biomass wastes<br>(%)        | 15.1<br>1%                    | 27.2<br>1%                    | 46.2<br>3%                    | 46.0<br>2%                    | 41.5<br>2%                    | 1,157.6<br>26%                | <b>1,321.9</b><br><b>27%</b>  |
| Industrial wastes<br>(%)     |                               |                               |                               |                               |                               | 6.0<br>0%                     | <b>7.2</b><br><b>0%</b>       |
| Oil products<br>(%)          | 1,164.1<br>69%                | 1,209.2<br>67%                | 920.4<br>53%                  | 1,274.5<br>58%                | 1,234.5<br>52%                | 1,672.4<br>38%                | <b>1,922.4</b><br><b>40%</b>  |
| Biofuels<br>(%)              |                               |                               |                               |                               |                               | 78.8<br>2%                    | <b>47.7</b><br><b>1%</b>      |
| Coal products<br>(%)         | 22.6<br>1%                    | 16.7<br>1%                    | 0.9<br>0%                     | 0.2<br>0%                     | 0.9<br>0%                     | 0.1<br>0%                     | <b>0.1</b><br><b>0%</b>       |
| Electricity<br>(%)           | 118.5<br>7%                   | 173.7<br>10%                  | 271.1<br>16%                  | 429.8<br>19%                  | 556.7<br>24%                  | 906.2<br>21%                  | <b>1010.5</b><br><b>21%</b>   |
| <b>TOTAL<br/>(%)</b>         | <b>1,681.2</b><br><b>100%</b> | <b>1,817.4</b><br><b>100%</b> | <b>1,734.7</b><br><b>100%</b> | <b>2,206.9</b><br><b>100%</b> | <b>2,352.5</b><br><b>100%</b> | <b>4,386.8</b><br><b>100%</b> | <b>4,835.6</b><br><b>100%</b> |

**NOTE:** Manufactured gas is included in coal products in 1965, and has been included in oil products in 1980 and 1995. As of 2005, it has been fully replaced by natural gas.

Despite natural gas has been involved in the national energy matrix for 25 years, its penetration has been marginal since it was introduced in 1998. The highest consumption was recorded in 2006 (84 ktoe) with a 3% share in the matrix of final energy consumption. However, since 2009, its share in the consumption matrix has remained at 1%. One major disadvantage of this energy source is the sole supplier being Argentina; this leaves no room for negotiation to secure favorable conditions that would facilitate the minimum requirements for the penetration of this energy source.

► [DOWNLOAD spreadsheet GASOIL AND BIODIESEL](#)    ► [DOWNLOAD spreadsheet GASOLINE AND BIOETHANOL](#)


TABLE 9. Biofuels consumption

|  | 2010        | 2012        | 2014        | 2016        | 2018        | 2020        | 2022        |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Bioethanol production (m <sup>3</sup> )                    | 13,225      | 20,040      | 42,549      | 77,539      | 79,622      | 75,829      | 91,062      |
| Blended bioethanol (m <sup>3</sup> )                       | 1,777       | 24,920      | 34,754      | 78,735      | 69,763      | 78,907      | 84,068      |
| Commercialized gasoline with bioethanol (m <sup>3</sup> )  | 503,919     | 633,804     | 714,442     | 806,944     | 844,886     | 804,077     | 881,652     |
| <b>Bioethanol blend percentage (%)</b>                     | <b>0.4%</b> | <b>3.9%</b> | <b>4.9%</b> | <b>9.8%</b> | <b>8.3%</b> | <b>9.8%</b> | <b>9.5%</b> |
| Biodiesel production (m <sup>3</sup> )                     | 11,068      | 20,585      | 45,234      | 53,482      | 47,704      | 46,045      | 14,962      |
| Blended biodiesel (m <sup>3</sup> )                        | 9,549       | 20,227      | 42,319      | 53,749      | 46,189      | 47,070      | 6,158       |
| Commercialized gas oil without biodiesel (m <sup>3</sup> ) | 66,678      | 62,355      | 49,582      | 38,743      | 44,714      | 37,814      | 40,139      |
| Commercialized gas oil with biodiesel (m <sup>3</sup> )    | 908,827     | 871,954     | 877,096     | 880,317     | 883,402     | 886,730     | 1,023,631   |
| <b>Biodiesel blend percentage (%)</b>                      | <b>1.1%</b> | <b>2.3%</b> | <b>4.8%</b> | <b>6.1%</b> | <b>5.2%</b> | <b>5.3%</b> | <b>0.6%</b> |

NOTAS: 1) Only bioethanol and biodiesel for energy purposes are reported. 2) For years when the volume of blended biofuels exceeds production, the difference is mainly due to stock change. 3) The global blend percentage is represented for the total gasoline and not by type of gasoline (super, premium). 4) For the purposes of the calculation, the total amount of gasoline sold is used. In the early years, bioethanol was not blended in all commercialized gasoline. 5) Biodiesel is blended in all the gas oil to be used as "gas oil 50S", or as "regular gas oil" until 2013. Marine gas oil and imported gas oil do not contain biodiesel.

Solar thermal energy has been included in the matrix of results since 2014. In 2022, final energy consumption grew 6% compared to the previous year and resulted in a value of 7 ktoe, associated with a surface of solar thermal collectors estimated at 124,000 m<sup>2</sup>.

FIGURE 32. Biofuels consumption and blending percentages



## 4.2. Final energy consumption by sector

Historically, final energy consumption has been distributed among three sectors with similar shares (residential, transport, and industrial), with the residential sector recording the highest consumption. However, in 1994, transport became the leading consumption sector, closely followed by the residential sector until 2008, when the consumption structure changed again with the industrial sector's significant growth.

From 2007-2008, the consumption of the industrial sector recorded significant growth, almost doubling in just one year. Over the last 15 years, final energy consumption of the industrial sector rose from 626 ktoe (2007) to 2,036 ktoe (2022), with two clear growth periods: (2008-2010 and 2014-2015). This was due to the entry into operation of new cellulose plants in the country.

TABLE 10. Final energy consumption by sector


| ktoe                                  | 1965                          | 1975                          | 1985                          | 1995                          | 2005                          | 2015                          | 2022                          |
|---------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Residential (%)                       | 589.4<br>35%                  | 660.0<br>36%                  | 602.6<br>35%                  | 666.1<br>30%                  | 667.3<br>28%                  | 794.3<br>18%                  | <b>854.8</b><br><b>18%</b>    |
| Commercial/services/public sector (%) | *                             | *                             | 84.5<br>5%                    | 160.8<br>7%                   | 207.4<br>9%                   | 299.2<br>7%                   | <b>341.3</b><br><b>7%</b>     |
| Transport (%)                         | 518.8<br>31%                  | 542.5<br>30%                  | 443.5<br>26%                  | 724.7<br>33%                  | 748.2<br>32%                  | 1,216.4<br>28%                | <b>1,419.1</b><br><b>29%</b>  |
| Industrial (%)                        | 463.6<br>28%                  | 533.0<br>29%                  | 452.1<br>26%                  | 465.5<br>21%                  | 529.9<br>23%                  | 1,859.6<br>42%                | <b>2,036.4</b><br><b>42%</b>  |
| Primary activities (%)                | 102.1<br>6%                   | 74.8<br>4%                    | 149.3<br>9%                   | 182.5<br>8%                   | 197.9<br>8%                   | 215.3<br>5%                   | <b>180.9</b><br><b>4%</b>     |
| Non-specified (%)                     | 7.3<br>0%                     | 7.1<br>0%                     | 2.7<br>0%                     | 7.3<br>0%                     | 1.8<br>0%                     | 2.0<br>0%                     | 3.1<br>0%                     |
| <b>TOTAL (%)</b>                      | <b>1,681.2</b><br><b>100%</b> | <b>1,817.4</b><br><b>100%</b> | <b>1,734.7</b><br><b>100%</b> | <b>2,206.9</b><br><b>100%</b> | <b>2,352.5</b><br><b>100%</b> | <b>4,386.8</b><br><b>100%</b> | <b>4,835.6</b><br><b>100%</b> |

NOTE: In 1965 and 1975, the final energy consumption of the commercial/services/public sector is included in the residential sector.

It is worth noting that, despite the entry of cellulose plants had a significant impact on the energy matrix, they have been self-sufficient as more than 90% of their consumption came from their own energy sources. Also, part of the electricity generated in these plants has been and is still being delivered to the SIN.

As of 2013, final energy consumption has been reported with a broader breakdown of sectors. For sectoral consumptions lower than 1 ktoe, the breakdown is not reported, as they are very small values; except for cases corresponding to a single sub-sector. In other cases, there is no breakdown if the data correspond only to one company by sector (group consumption must then be reported) or if there is no adequate information for its classification.

FIGURE 33. Final energy consumption by sector



### 4.2.1. Residential sector

Final energy consumption in the residential sector was 855 ktoe in 2022, 1% higher than the previous year. Although the consumption of the residential sector includes a wide variety of sources, the main ones are 3-4. In the first years of the historical series, between 1965 and 1980, the highest consumption corresponded to firewood, followed by kerosene, and, to a lesser extent, electricity and LPG (mainly LP gas). However, throughout the years, electricity and LPG increased their share, while firewood consumption remained constant and kerosene consumption decreased. Thus, since 2010, the primary energy source consumed in the residential sector has been electricity, followed by biomass (firewood and biomass waste) and LPG. The residential sector is the main sector of electricity consumption, which is partly explained by the country's low level of industrialization.


Once again, it should be noted that surveys were used to determine firewood and biomass waste consumption. Consequently, the drop in biomass consumption since 2006 was not related to changes in the consumption patterns but to a change in the evaluation methodology. As for firewood, the value recorded in the 1988 Survey (302 ktoe) remained the same until 2005. From 2006, the results of the "Energy Use and Consumption Survey" (295 ktoe) were incorporated. And, from 2008, the consumption included in the updated version of the survey was also considered (284 ktoe). Biomass waste was included in 2006 with the information collected in the above survey. In turn, a new residential survey was conducted in 2013, reporting similar firewood and biomass waste consumption to the previous years. In 2022, biomass (firewood, charcoal, and biomass waste) accounted for 35% of consumption in the residential sector.

Other sources used in the residential sector are gas oil and fuel oil, mainly for heating and water heating. Their combined shares were between 2% and 7% in the entire study period (1965-2022). In 2022, they recorded a consumption of 5 ktoe

and 7 ktoe, respectively. The use of natural gas in the residential sector began in 2000, with a steady share of 3% (averaging 22 ktoe) over the last 10 years. Since early 2005, the manufactured gas used in Montevideo was replaced by natural gas.

Residential consumption is reported for Montevideo and the rest of the country following the breakdown implemented in 2013. There is some correlation between consumption and population, as about 40% of the country's total population lives in Montevideo<sup>16</sup> and approximately a third of residential consumption corresponds to the capital city.

FIGURE 34. Final energy consumption in the residential sector by source



\*NOTE: For the ring chart, the "others" category includes natural gas, solar, gasoline, kerosene, gas oil, and fuel oil.

16- National Institute of Statistics (INE), *Poblaciones Estimadas y Proyectadas por Sexo y Edad según Departamentos*, <[https://www5.ine.gub.uy/documents/Demograf%C3%A1Day-EESS/SERIES%20Y%20TROS/Estimaciones%20y%20proyecciones/Revisi%C3%B3n%202013/Departamentos\\_poblacion\\_porsexo\\_yedad\\_1996-2025%20\(1\).xls](https://www5.ine.gub.uy/documents/Demograf%C3%A1Day-EESS/SERIES%20Y%20TROS/Estimaciones%20y%20proyecciones/Revisi%C3%B3n%202013/Departamentos_poblacion_porsexo_yedad_1996-2025%20(1).xls)> (08/28/2023).




The primary distinction was in consumption patterns, with residential consumption in Montevideo being predominantly divided: nearly half comprised electricity, followed to a lesser extent by firewood, LPG, and natural gas. In the rest of the country, the main energy sources consumed in households were electricity and firewood, and, to a lesser extent, LPG and biomass waste.

In terms of energy sources, electricity consumption was split between Montevideo and the rest of the country (38% and 62%, respectively). Similarly, LPG consumption (LP gas and propane) was 46% in Montevideo and 54% in the rest of the country. Most natural gas consumption took place in the capital (91%) whereas the highest firewood consumption was recorded in the rest of the country (80%).

A breakdown of kerosene, solar energy, gas oil, fuel oil, and charcoal consumption in the residential sector was not made for Montevideo and the rest of the country, as adequate data were not available for their classification. For other energy sources (such as gasoline and biodiesel), there was no breakdown either since their consumption was lower than 1 ktoe.

FIGURE 35. Breakdown of consumption in the residential sector in 2022



As of March 2020, mobility restriction measures were taken by the government. Thus, an increase in energy consumption could be expected as people spent longer periods of time in their homes. However, although consumption in the residential sector increased by 3 % in 2020 compared to the previous year, this was within the historical growth values. Additionally, it must be noted that winter 2020 was colder than 2019, which could explain the increase in LPG and electricity consumption. Therefore, the effect of the pandemic does not fully account for this consumption trend.

**TABLE 11.** Final energy consumption in the residential sector

| ktoe                  | 1965         | 1975         | 1985         | 1995         | 2005         | 2015         | 2022         |
|-----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Natural gas           |              |              |              |              | 11.8         | 21.2         | <b>23.0</b>  |
| (%)                   |              |              |              |              | 2%           | 3%           | <b>3%</b>    |
| Solar                 |              |              |              |              |              | 2.5          | <b>5.9</b>   |
| (%)                   |              |              |              |              |              | 0%           | <b>1%</b>    |
| Firewood and charcoal | 296.5        | 311.1        | 354.6        | 303.0        | 302.3        | 285.0        | <b>286.9</b> |
| (%)                   | 54%          | 51%          | 59%          | 45%          | 45%          | 36%          | <b>34%</b>   |
| Biomass wastes        |              |              |              |              |              | 7.6          | <b>7.6</b>   |
| (%)                   |              |              |              |              |              | 1%           | <b>1%</b>    |
| LPG                   | 20.1         | 40.2         | 47.9         | 91.5         | 88.7         | 101.6        | <b>114.3</b> |
| (%)                   | 4%           | 7%           | 8%           | 14%          | 13%          | 13%          | <b>13%</b>   |
| Gasoline              |              |              |              |              |              | 0.3          | <b>0.4</b>   |
| (%)                   |              |              |              |              |              | 0%           | <b>0%</b>    |
| Kerosene              | 150.2        | 155.2        | 56.2         | 33.4         | 7.4          | 2.3          | <b>0.9</b>   |
| (%)                   | 27%          | 26%          | 9%           | 5%           | 1%           | 0%           | <b>0%</b>    |
| Gas oil               | 13.5         | 11.3         | 6.8          | 9.5          | 0.9          | 4.8          | <b>5.4</b>   |
| (%)                   | 2%           | 2%           | 1%           | 1%           | 0%           | 1%           | <b>1%</b>    |
| Fuel oil              | 8.9          | 6.4          | 10.7         | 24.1         | 24.6         | 12.0         | <b>7.1</b>   |
| (%)                   | 2%           | 1%           | 2%           | 4%           | 4%           | 2%           | <b>1%</b>    |
| Manufactured gas      | 9.5          | 7.1          | 5.0          | 5.4          | 0.0          |              |              |
| (%)                   | 2%           | 1%           | 1%           | 1%           | 0%           |              |              |
| Electricity           | 53.1         | 74.8         | 121.4        | 199.2        | 231.6        | 357.0        | <b>403.3</b> |
| (%)                   | 10%          | 12%          | 20%          | 30%          | 35%          | 45%          | <b>47%</b>   |
| <b>TOTAL</b>          | <b>551.8</b> | <b>606.1</b> | <b>602.6</b> | <b>666.1</b> | <b>667.3</b> | <b>794.3</b> | <b>854.8</b> |
| (%)                   | <b>100%</b>  |

**NOTES: 1)** In 1965 and 1975, the consumption of kerosene, diesel oil, gas oil, fuel oil and manufactured gas in the commercial/services sector are included in the residential sector. **2)** As of 2010, gas oil includes biodiesel, and motor gasoline includes bioethanol. **3)** Until and including 2013, gas oil consumption includes diesel oil.

### 4.2.2. Commercial/services/public sector

The final energy consumption in the commercial/services/public sector was 341 ktoe in 2022; 6% higher compared to the previous year.


By analyzing the overall consumption in the commercial/services/public sector, the importance of electricity is noteworthy; historically, it has been the main energy source, with a net and sustained growth throughout the series. Following a 3% decrease in electricity consumption in 2020 compared to the previous year, it increased by 4% in 2021 and by 6% in 2022. Since 2006, the electricity share in the sector’s final consumption has remained above 80% and was 83% in 2022.

To a lesser extent, firewood consumption was recorded at 22 ktoe in 2022 (7% of the sector). This value has remained constant over the last eight years and reflects the results of the “Survey on energy consumption and use in the commercial and services sector 2013.” It should be noted that the significant changes in firewood consumption throughout the 1965-2022 series respond to new survey results and not to changes in consumption patterns.

Following a 12% increase compared to the previous year, the remaining energy sources consumed in the sector (solar, gas oil, fuel oil, LPG, gasoline, kerosene, and natural gas) collectively accounted for 10% of the sector’s consumption in 2022.

Since 2013, consumption has been reported within the commercial/services/public sector in four subsectors: “public lighting,” “public administration and defense,” “electricity, gas, and water,” and “others.” In 2022, the consumption of the “electricity, gas, and water” subsector accounted for 10% of the entire sector. The “public administration and defense” and “public lighting” recorded 7% and 5% shares in sector consumption, respectively. Meanwhile, the “others” subsector, which includes all energy consumption not falling within the above categories, accounted for the majority of the sector’s consumption (78%).

FIGURE 36. Final energy consumption in the commercial/services/public sector by source



From a consumption structure standpoint, electricity was the main energy consumed in all subsectors in 2022. In fact, it was the only one in the “public lighting” subsector. Regarding “public administration and defense,” apart from electricity (80%), consumption of firewood (9%), fuel oil (6%), LPG (5%) and gas oil (1%) was also recorded. In “electricity, gas, and water,” in addition to electricity consumption (95%), there was a very small consumption of LPG (4%), while firewood and fuel oil consumption was practically insignificant. The “others” subsector recorded the following consumption matrix: electricity (80%), firewood (7%), natural gas (6%), LPG (3%), gas oil (2%), and fuel oil (2%).


There is no breakdown for solar energy and kerosene due to their small values (less than 1 ktoe). As for charcoal, the recorded consumption in the commercial/services/public sector was insignificant in recent years and was thus included in the “others” category.

TABLE 12. Final energy consumption in the commercial/services/public sector

| ktoe                      | 1965        | 1975        | 1985        | 1995         | 2005         | 2015         | 2022         |
|---------------------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|
| Natural gas (%)           |             |             |             |              | 10.1         | 10.8         | 14.8         |
|                           |             |             |             |              | 5%           | 4%           | 4%           |
| Solar (%)                 |             |             |             |              |              | 0.4          | 1.0          |
|                           |             |             |             |              |              | 0%           | 0%           |
| Firewood and charcoal (%) | 24.2        | 24.2        | 3.8         | 3.1          | 3.1          | 22.1         | 22.1         |
|                           | 64%         | 64%         | 4%          | 2%           | 1%           | 7%           | 7%           |
| LPG (%)                   |             |             |             | 0.3          | 2.8          | 5.8          | 11.3         |
|                           |             |             |             | 0%           | 1%           | 2%           | 3%           |
| Gasoline (%)              |             |             |             |              |              | 0.9          | 1.1          |
|                           |             |             |             |              |              | 0%           | 0%           |
| Kerosene (%)              | *           | *           | 0.6         | 0.3          | 0.1          | 0.1          | 0.0          |
|                           |             |             | 1%          | 0%           | 0%           | 0%           | 0%           |
| Gas oil (%)               | *           | *           | 14.9        | 32.8         | 25.4         | 6.2          | 4.3          |
|                           |             |             | 18%         | 20%          | 12%          | 2%           | 1%           |
| Fuel oil (%)              | *           | *           | 11.8        | 6.2          | 7.3          | 6.6          | 6.5          |
|                           |             |             | 14%         | 4%           | 4%           | 2%           | 2%           |
| Manufactured gas (%)      | *           | *           | 3.2         | 3.4          | 0.0          |              |              |
|                           |             |             | 4%          | 2%           | 0%           |              |              |
| Electricity (%)           | 13.4        | 13.4        | 50.2        | 114.7        | 158.6        | 246.3        | 280.2        |
|                           | 36%         | 36%         | 64%         | 74%          | 77%          | 82%          | 83%          |
| <b>TOTAL (%)</b>          | <b>37.6</b> | <b>37.6</b> | <b>84.5</b> | <b>160.8</b> | <b>207.4</b> | <b>299.2</b> | <b>341.3</b> |
|                           | <b>100%</b> | <b>100%</b> | <b>104%</b> | <b>102%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  |

NOTES: 1) In 1965 and 1975, the consumption of kerosene, diesel oil, gas oil, fuel oil and manufactured gas in the commercial / services / public sector was included in the residential sector. 2) As of 2010, gas oil includes biodiesel, and motor gasoline includes bioethanol. 3) Until 2013, gas oil consumption includes diésel oil.

FIGURE 37. Breakdown of consumption in the commercial/services/public sector in 2022



### 4.2.3. Transport sector


The final energy consumption in the transport sector was 1,419ktoe in 2022, representing an increase of 4% compared to the previous year. It corresponded entirely to secondary energy sources, mainly gas oil and motor gasoline. Since 2008, final consumption has been the second most important sector, after the industrial sector.

The share of the different sources fluctuated between 1965 and 2022. At the beginning of the period, motor gasoline was the source with the highest consumption. However, as of 1972, this trend was reversed and gas oil took over first place. Towards 1980-1981, their consumption was practically the same, but from 1982 onwards, the difference widened again, due to a greater growth in gas oil consumption. During the 2002 crisis, both fuels had a drop in their demand, especially gasoline. This situation further widened the gap between their consumption. However, as of 2004, amidst a growing trend for both sources, gasoline showed a higher growth rate, thus further reducing the difference between gasoline and gas oil consumption.

From 2010 onwards, biofuels (bioethanol and biodiesel) have been included in the final consumption matrix. Their share in the transport sector increased from 1% (2010) to 6% (2015), remaining constant until 2020. In 2022, bioethanol consumption remained steady and so did its share. Meanwhile, biodiesel consumption dropped by one percentage point in 2021 and was no longer consumed during the course of 2022. Considering both biofuels jointly, consumption went from 7ktoe to 47ktoe over these 12 years, with a peak of 78ktoe in 2016. As mentioned above, these sources were mainly consumed in blends with fossil fuels, gasoline-bioethanol, and Gas oil-biodiesel, enabling demand to be met together with a decrease in the consumption of fossil fuels. In 2022, the blending percentage recorded was 9.5% for bioethanol in gasoline and 0.6% for biodiesel in gas oil.

The transport sector was one of the most affected by the mobility reduction measures introduced at the beginning of the pandemic, mainly between March and May 2020. In that year, motor gasoline and gas oil consumption dropped by 8% and 4%, respectively. By 2021 and 2022 this situation was reversed and both fuels had higher consumption. Motor gasoline consumption was 606ktoe and 618ktoe in 2021 and 2022, respectively, while gas oil consumption was 683ktoe and 750ktoe. For the last year, shares were 44% for gasoline and 53% for gas oil.

FIGURE 38. Final energy consumption in the transport sector by source



\*NOTE: 44% GASOLINE; 3% BIOETHANOL; 53% GAS OIL; 0,3% BIODIESEL.

Gas oil consumption has varied somewhat in recent years. In contrast, gasoline recorded its first drop in 2018, after 15 years of continuous growth. The trend of the last few years led to an equal consumption of both fuels in 2017. However, the sharp drop suffered by gasoline in 2020 and the strong growth of gas oil in 2021-2022 determined a gap in consumption once again. The same behavior was observed when considering fossil fuels blended with biofuels (gasoline-bioethanol and gas oil-biodiesel).

Other sources used in the transport sector are jet fuel and aviation gasoline. Over the last seven years, aviation gasoline consumption has remained constant (4.6 ktoe), considering both fuels as a whole. It is worth noting that practically one third of this consumption corresponds to aerial-agricultural spraying activities. This data is based on the annual surveys conducted by the DNE for such branch of activity.


In 2022, it is noted that electricity reached a value of 0.6 ktoe (7,220 MWh) In the BEN historical series, there were records of electricity consumption in the transport sector from 1965 to 1992, year in which the use of vehicles that consumed this source was discontinued. As of 2016, the estimation of electricity consumption in the transport sector was resumed, albeit with values that are still small compared to other energy sources. Anyhow, an increase in electricity has been recorded year after year in transport. Currently, electric vehicles are used in public transport, as well as in the fleet of UTE vehicles and private vehicles. For years before 2016, these consumptions are included in the residential and commercial/services/public sector.

Fuel consumption behavior in the transport sector is directly influenced by the vehicle fleet, both in terms of size and share of the different types of vehicles according to the fuel used. In the last 5 years, the vehicle fleet increased by 9%. When considering the type of fuel, between 2017 and 2022, vehicle fleets running on gasoline increased by 9%, while the number of gas oil vehicles increased by only 5%. In turn, the

penetration of new technologies, such as electric and hybrid vehicles, is noteworthy. Although in 2022 they accounted for only 0.7% of the vehicle fleet (considered jointly), sales have been increasing year after year.

By relating the structure of the vehicle fleet to fuel consumption in the transport sector, it is observed that in 2022 the “light” category ranked first both in terms of number of vehicles and consumption. However, two-wheeled vehicles (including tri-cycles and quadricycles) accounted for almost a third of the fleet, while they accounted for only 4% of fuel consumption. On the contrary, the “trucks and tractors” category, with only 4% share of the vehicle fleet, was accountable for about one third of the energy consumption of the transport sector. Meanwhile, the “buses” and “taxis and shuttles” categories had a similar behavior, as they accounted for less than 1% of the fleet in 2022. Nonetheless, they consumed 9% and 2% of the sector’s fuel, respectively.

FIGURE 39. Vehicle fleet structure, fuel consumption and CO<sub>2</sub> emissions, 2022



Consumption in the transport sector has been reported since 2013, with a breakdown by means: “road,” “rail,” “air,” and “sea and fluvial.” In 2022, road transport consumption accounted for almost the total consumption of the entire sector (99%). It consisted of gas oil and gasoline blended with bio-fuels. In turn, consumption of jet fuel and aviation gasoline was entirely attributable to air transport. For rail and sea-fluvial transport, consumption corresponded to gas oil. In 2019, no fuel oil was consumed in the transport sector, which had been the case of sea and fluvial transport in previous years. However, as of 2020, a 0.1 ktoe consumption of this source was recorded again.


It is important to note that, according to the energy balance methodology (IRES/OLADE), the consumption of air and fluvial transport whose airport/port of departure is different from the airport/port of arrival is not considered under final consumption. Instead, these consumptions must be recorded as international bunker.

TABLE 13. Final energy consumption of the transport sector

| ktoe                  | 1965                  | 1975                  | 1985                  | 1995                  | 2005                  | 2015                    | 2022                    |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|
| Aviation gasoline (%) |                       |                       | 3.5<br>1%             | 3.2<br>0%             | 2.2<br>0%             | 2.5<br>0%               | 1.9<br>0%               |
| Motor gasoline (%)    | 260.5<br>50%          | 206.4<br>38%          | 182.0<br>41%          | 320.6<br>44%          | 214.6<br>29%          | 550.7<br>45%            | 617.5<br>44%            |
| Bioethanol (%)        |                       |                       |                       |                       |                       | 30.8<br>3%              | 42.3<br>3%              |
| Gas oil (%)           | 175.3<br>34%          | 272.2<br>50%          | 215.1<br>49%          | 388.1<br>54%          | 530.0<br>71%          | 590.8<br>49%            | 749.5<br>53%            |
| Biodiesel (%)         |                       |                       |                       |                       |                       | 38.1<br>3%              | 4.4<br>0%               |
| Kerosene (%)          | 3.4<br>1%             | 6.4<br>1%             |                       |                       |                       |                         |                         |
| Jet fuel (%)          |                       |                       | 7.5<br>2%             | 12.0<br>2%            | 1.4<br>0%             | 2.7<br>0%               | 2.8<br>0%               |
| Fuel oil (%)          | 77.5<br>15%           | 56.0<br>10%           | 33.9<br>8%            | 0.8<br>0%             |                       | 0.8<br>0%               | 0.1<br>0%               |
| Electricity (%)       | 2.1<br>0%             | 1.5<br>0%             | 1.5<br>0%             |                       |                       |                         | 0.6<br>0%               |
| <b>TOTAL (%)</b>      | <b>518.8<br/>100%</b> | <b>542.5<br/>100%</b> | <b>443.5<br/>100%</b> | <b>724.7<br/>100%</b> | <b>748.2<br/>100%</b> | <b>1,216.4<br/>100%</b> | <b>1,419.1<br/>100%</b> |

NOTES: 1) Until and including 2013, gas oil consumption includes diesel oil. 2) Electricity consumption associated with transportation since 2016 includes captive and private fleets. For previous years, it is very small and is included within the residential and commercial / services / public sector.

FIGURE 40. Breakdown of consumption in the transport sector in 2022



NOTE: Gas oil used in sea and fluvial transport does not include biodiesel.

### 4.2.4. Industrial sector

The final energy consumption of the industrial sector was 2,036 ktoe in 2022, 3% lower than that recorded in 2021 and similar to 2020. Note that the industrial sector includes the manufacturing industry and construction. The main source consumed in the last year was biomass waste and accounted for 65% of the total industrial consumption. To a lesser extent, electricity consumption was recorded (15%), followed by fuel oil (7%), and firewood (7%).

Since 2008, the industrial sector has been the main final consumption sector in Uruguay. In the 1965-2022 period, it recorded a significant fluctuation in its energy consumption from various sources. In the first years of the series, fuel oil was the main energy source for industrial consumption, with a 70% share. It is worth noting the years where firewood and electricity consumption was higher than other sources (1986-1995 and 2003-2007), as well as the complementarity between fuel oil and firewood consumption throughout the years.


As for biomass waste (rice and sunflower husks, sugarcane bagasse, black liquor, odorous gases, methanol, barley husks, and wood industry waste), a historically-low consumption has been recorded in the industry, with shares of less than 14% up to and including 2007. In 2008, biomass waste consumption peaked, mainly due to the growth of black liquor consumption in the cellulose industry. Additionally, the consumption of forestry and sawmill waste, which was not recorded in previous BEN editions, began to be recorded in 2008.

In 2010, the consumption of biomass waste alone (638 ktoe) already exceeded the industrial sector's total consumption in 2007 (626 ktoe). In later years, the consumption of this source continued to increase until it reached a maximum of 1,361 ktoe in 2021. In 2022, a 3% drop was recorded and biomass waste consumption was 1,314 ktoe. As already

mentioned, this significant growth experienced by biomass waste since 2008 has transformed the industrial sector into the leading sector in energy consumption.

In 2002, electricity reported its maximum share in industrial consumption (29%), and then dropped to 15-16% in the last nine years. Despite this percentage drop, absolute electricity consumption experienced a net growth, recording a historical maximum value in 2018 (318 ktoe). In 2022, a 4% drop was recorded compared to 2021, reaching a value of 301 ktoe.

FIGURE 41. Final energy consumption of the industrial sector by source



NOTE: "Others" include gas oil, petcoke, LPG, propane, and industrial waste.

It is important to highlight that, in the last decade, electricity autoproduction has developed significantly in the industrial sector; this is the electricity generated by the establishments themselves, without joining the National Interconnected System. Between 1965 and 1980, the share of electricity from autoproduction, with respect to industrial electricity consumption, remained between 10% and 15% and then dropped to shares lower than 10% for almost 30 years. From 2008, the share of electricity from autoproduction rose to values between 30% and 35%. Since 2014, it reached values higher than 40% of the industrial electricity consumption. Thus, in the last nine years, industrial establishments generated almost half the electricity they consumed (44%-49%).

Firewood consumption has been increasing and reached a 29% share in 2006, subsequently dropping to 7% towards 2022. In the last year, firewood consumption in the industrial sector dropped by 8%, resulting in a share of one percentage point lower than in 2021.

As for fuel oil, its highest historical consumption has been recorded in the industrial sector, with shares over 70%. Its consumption was particularly important in the first years of the series, as mentioned above, and has been at shares of less than 10% since 2010. In 2022, fuel oil consumption accounted for 7% of final energy consumption in the industrial sector. Following two years of total industrial fuel oil consumption being supplied by ANCAP, 5% was supplied by a different supplier in 2022.

### Industrial consumption for 2022: 45% of electricity was autoproduced and ANCAP supplied 95% of fuel oil.

Natural gas, introduced in the country by the end of 1998, reached a 12% share of industrial consumption in 2004 and decreased to 1% in 2010; percentage that remained the same until 2022. This drop was partly explained by the decrease in consumption and the increase in the sector's total consump-

tion. Furthermore, Argentina's difficulties in supplying natural gas (the only supplier of this energy source), as mentioned above, must be considered.

Other energy sources consumed by the industry have been gas oil, petcoke, and LPG (LP gas and propane). Petcoke consumption has remained relatively constant, with a share of 3-4%. However, it doubled in absolute terms in the last nine years, rising from 36ktoe (2013) to 83ktoe (2022). In turn, LPG consumption has increased in the last few years, but it remains marginal within the industrial sector's total consumption.

As for solar energy, in 2022, it was possible to estimate a consumption of 0.2ktoe associated with an installed area of solar thermal collectors covering 3,844 m<sup>2</sup>. This value was obtained from the annual surveys conducted among industrial facilities as well as from information on the equipment imported by companies in the sector. Anyhow, this is considered a preliminary value, as solar energy information is difficult to collect in sector-specific surveys because the sample size fails to capture the population that uses this technology.


Since 2013, consumption in the industrial sector has been reported in 12 sectors. The main sector in terms of energy consumption was “paper and cellulose,” whose share was always higher than 50% of the total consumption of the industrial sector. Specifically, in 2022, its share was 61%, followed by the “wood” (8%), “cement” (5%) and “chemical, rubber, and plastic” (5%) sectors.

The industrial sectors showed differences not only in energy consumption levels but also in the types of energy used, thus enabling the identification of specific consumption patterns. In 2022, both “paper and cellulose” and “wood” sectors consumed mainly biomass waste (more than 80%), and, to a lesser extent electricity (less than 10%). In turn, the “chemical, rubber, and plastic” sector had electricity-based consumption in 2022 (59%), followed by “firewood” (18%) and “biomass waste” (16%). Meanwhile, “cement” consumed

mostly petcoke (76%) and electricity (9%). In the last year, the consumption matrix of “slaughterhouses” was composed of firewood (45%), electricity (41%), biomass waste (9%), and fuel oil (3%). Meanwhile, “mills” consumed mostly biomass waste (62%), electricity (18%), and firewood (18%).

In the “dairy” subsector, the consumption in 2022 was distributed among four sources: electricity (28%), biomass waste (26%), firewood (25%), and fuel oil (19%). The “beverages and tobacco” consumption pattern was headed by biomass waste (60%), and, to a lesser extent, electricity (22%), and firewood (10%). Meanwhile, “other food industries” featured a consumption pattern distributed among biomass waste (33%), firewood (30%), and electricity (23%). In the “textiles” and “leather” sectors, energy consumption was headed by firewood (65% and 66%, respectively) followed by electricity (29% and 26%). Finally, for “other man-

FIGURE 42. Breakdown of consumption in the industrial sector in 2022



ufacturing industries and construction,” 2022 consumption was distributed among more sources: electricity (48%), fuel oil (20%), natural gas (10%), gas oil (11%), and LPG (4%), among others.

As per the energy sources consumed, and as mentioned above, biomass waste has been the source with the highest consumption in the industrial sector in 2022; mainly black liquor from the cellulose industry. The highest electricity consumption was recorded in the “paper and cellulose industry” (30%), followed by the “chemical, rubber and plastic” sector (21%), and “slaughterhouses” (11%). Firewood was the third most important energy consumed by the industrial sector. The most important sectors in terms of consumption were the following: “slaughterhouses” (25%), “dairy” (14%), “chemical, rubber, and plastic” (13%), and “paper and cellulose” (10%). As for fuel oil, industrial consumption was mainly in the “paper and cellulose” industry (75%); followed by, to a lesser extent, “dairy products” (10%), and “chemical, rubber, and plastic” (2%).

The rest of the energy sources had a smaller share of industrial consumption. It is important to note that petcoke consumption came exclusively from the cement industry. There was no breakdown of solar nor biofuels given their small values (lower than 1 ktoe).

TABLE 14. Final energy consumption in the industrial sector

| ktoe                         | 1965                         | 1975                         | 1985                         | 1995                         | 2005                         | 2015                           | 2022                           |
|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------|--------------------------------|
| Coal<br>(%)                  | 5.1<br>1 %                   | 1.2<br>0 %                   | 0.3<br>0 %                   | 0.3<br>0 %                   | 0.9<br>0 %                   |                                | 1.1<br>0 %                     |
| Natural gas<br>(%)           |                              |                              |                              |                              | 51.6<br>10 %                 | 11.7<br>1 %                    | <b>12.7</b><br><b>1 %</b>      |
| Solar<br>(%)                 |                              |                              |                              |                              |                              | 0.1<br>0 %                     | <b>0.2</b><br><b>0 %</b>       |
| Firewood and charcoal<br>(%) | 35.1<br>8 %                  | 52.9<br>10 %                 | 137.4<br>30 %                | 150.0<br>32 %                | 139.1<br>26 %                | 176.9<br>10 %                  | <b>143.0</b><br><b>7 %</b>     |
| Biomass wastes<br>(%)        | 15.1<br>3 %                  | 27.2<br>5 %                  | 46.2<br>10 %                 | 46.0<br>10 %                 | 41.5<br>8 %                  | 1,150.0<br>62 %                | <b>1,314.3</b><br><b>65 %</b>  |
| Industrial wastes<br>(%)     |                              |                              |                              |                              |                              | 6.0<br>0 %                     | <b>7.2</b><br><b>0 %</b>       |
| LPG<br>(%)                   | 0.6<br>0 %                   | 1.2<br>0 %                   | 1.9<br>0 %                   | 1.6<br>0 %                   | 5.1<br>1 %                   | 17.3<br>1 %                    | <b>9.6</b><br><b>0 %</b>       |
| Gasoline<br>(%)              | 5.6<br>1 %                   | 4.5<br>1 %                   | 1.0<br>0 %                   | 0.2<br>0 %                   | 0.2<br>0 %                   | 0.3<br>0 %                     | <b>1.5</b><br><b>0 %</b>       |
| Kerosene<br>(%)              | 7.0<br>2 %                   | 6.0<br>1 %                   | 0.3<br>0 %                   | 1.4<br>0 %                   | 0.9<br>0 %                   |                                |                                |
| Gas oil<br>(%)               | 7.3<br>2 %                   | 6.3<br>1 %                   | 9.6<br>2 %                   | 9.6<br>2 %                   | 8.2<br>2 %                   | 15.9<br>1 %                    | <b>16.4</b><br><b>1 %</b>      |
| Fuel oil<br>(%)              | 324.7<br>70 %                | 355.3<br>67 %                | 155.5<br>34 %                | 141.4<br>30 %                | 111.7<br>21 %                | 154.8<br>8 %                   | <b>146.0</b><br><b>7 %</b>     |
| Petcoke<br>(%)               | 0.0<br>0 %                   | 0.0<br>0 %                   | 0.0<br>0 %                   | 0.8<br>0 %                   | 23.7<br>4 %                  | 47.0<br>3 %                    | <b>83.4</b><br><b>4 %</b>      |
| Manufactured gas<br>(%)      | 0.6<br>0 %                   | 0.8<br>0 %                   | 1.0<br>0 %                   | 1.4<br>0 %                   | 0.0<br>0 %                   |                                |                                |
| Coke of coal<br>(%)          | 12.5<br>3 %                  | 8.8<br>2 %                   | 0.9<br>0 %                   | 0.2<br>0 %                   | 0.9<br>0 %                   | 0.1<br>0 %                     | <b>0.1</b><br><b>0 %</b>       |
| Electricity<br>(%)           | 49.9<br>11 %                 | 68.8<br>13 %                 | 98.0<br>22 %                 | 112.6<br>24 %                | 146.1<br>28 %                | 279.5<br>15 %                  | <b>300.9</b><br><b>15 %</b>    |
| <b>TOTAL</b><br>(%)          | <b>463.5</b><br><b>100 %</b> | <b>533.0</b><br><b>100 %</b> | <b>452.1</b><br><b>100 %</b> | <b>465.5</b><br><b>100 %</b> | <b>529.9</b><br><b>100 %</b> | <b>1,859.6</b><br><b>100 %</b> | <b>2,036.4</b><br><b>100 %</b> |

NOTES: 1) As of 2010, motor gasoline includes bioethanol. 2) As of 2010, gas oil includes biodiesel, and until 2013, it includes diesel oil.

### 4.2.5. Primary activities sector

The primary activities sector<sup>17</sup> comprises the agriculture, mining, and fishing sectors. The final consumption of primary activities was 181 ktoe in 2022, 2% higher than the previous year. Gas oil was historically the most consumed energy source with a value of 130 ktoe and a share of 72% in 2022. Throughout the entire series, this source had variations in consumption and recorded its maximum historical value in 1996 (184 ktoe). It must be noted that, since 2010, gas oil reported in this sector has included blended biodiesel.

The second most important source within this sector has varied throughout the series: until 1996 it was gasoline, between 1997 and 2005 it was electricity, and then, it was firewood. In 2019, electricity secured the second position in consumption again.


Electricity consumption increased until 2012 (29 ktoe), with a share of 13%, and decreased towards 2015 (23 ktoe), reaching an 11% share. In 2022, electricity consumption increased by 3% compared to the previous year, resulting in a 14% share.

Regarding firewood, it should be noted that the 20ktoe drop in the consumption of primary activities (35ktoe in 2018 to 15ktoe in 2019) resulted from new data survey, particularly in the “poultry” subsector. The results indicated that, in recent years, there has been a substitution of sources used in this subsector, specifically, firewood for LPG. This decline was likely more gradual, but the survey contemplated the 2019-2020 period.

LPG consumption for the primary activities sector has been recorded since 2011. In 2022, such consumption was 7 ktoe, which was 5% lower than in the previous year. In the last year, motor gasoline and fuel oil had a 1% share in the sector’s consumption. It is worth noting that, in this sector, kerosene consumption has not been recorded since 1993.

17- Until BEN 2019, it was referred to as the agriculture/fishing/mining sector.

FIGURE 43. Final energy consumption of the primary activities sector by source




For primary activities, the agriculture, mining, and fishing breakdown have been included since 2013. In turn, poultry consumption in the agriculture sector is disaggregated from the rest within this sector; a breakup implemented in 2019. These improvements have been possible thanks to the implementation of new statistical operations.

In 2022, the **agriculture sector** accounted for 85% (154 ktoe) of the consumption in the primary activities sector. Gas oil was the main source consumed, constituting 70% of the sector's share. It was followed by electricity, which reached 14% (22 ktoe) in 2022, and firewood ranked third with a share of 10% (15 ktoe).


As for the **mining sector**, its consumption accounted for 6% of total primary activities (11 ktoe) and remained similar to the previous year. Gas oil was the main energy source consumed, accounting for 75% of the sector's own consumption (8 ktoe). The remaining 25% corresponded to electricity consumption. The other sources consumed in this sector had values below 0.1 ktoe, and, therefore, do not appear in the BEN matrix.

Finally, the **fishing sector** recorded a consumption of 16 ktoe in 2022, with a 9% share in the consumption of the primary activities sector. In the last year, the most consumed source was gas oil (14 ktoe) associated with industrial fishing, as well as 2 ktoe of gasoline in non-industrial fishing. Marine gas oil used in ships does not include biodiesel.

**FIGURE 44.**  
Final energy consumption of the agriculture sector by source



**FIGURE 45.**  
Final energy consumption of the mining sector by source



**FIGURE 46.**  
Final energy consumption of the fishing sector by source





TABLE 15. Final energy consumption of the primary activities sector

| ktoe           | 1965         | 1975        | 1985         | 1995         | 2005         | 2015         | 2022         |
|----------------|--------------|-------------|--------------|--------------|--------------|--------------|--------------|
| Firewood       |              |             |              |              |              | 35.0         | 15.1         |
| (%)            |              |             |              |              |              | 16%          | 8%           |
| LPG            |              |             |              |              |              | 5.4          | 7.1          |
| (%)            |              |             |              |              |              | 3%           | 4%           |
| Motor gasoline | 34.0         | 11.5        | 6.3          | 10.7         | 7.4          | 6.0          | 1.7          |
| (%)            | 33%          | 15%         | 4%           | 6%           | 4%           | 3%           | 1%           |
| Kerosene       | 22.0         | 4.1         |              |              |              |              | 0.0          |
| (%)            | 22%          | 5%          |              |              |              |              | 0%           |
| Gas oil        | 46.2         | 59.2        | 143.0        | 168.5        | 170.1        | 143.9        | 130.3        |
| (%)            | 45%          | 79%         | 96%          | 92%          | 86%          | 67%          | 72%          |
| Fuel oil       |              |             |              |              |              | 1.6          | 1.2          |
| (%)            |              |             |              |              |              | 1%           | 1%           |
| Electricity    |              |             | 0.0          | 3.3          | 20.4         | 23.4         | 25.5         |
| (%)            |              |             | 0%           | 2%           | 10%          | 11%          | 14%          |
| <b>TOTAL</b>   | <b>102.2</b> | <b>74.8</b> | <b>149.3</b> | <b>182.5</b> | <b>197.9</b> | <b>215.3</b> | <b>180.9</b> |
| <b>(%)</b>     | <b>100%</b>  | <b>100%</b> | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  | <b>100%</b>  |

NOTAS: 1) As of 2010, motor gasoline includes bioethanol. 2) As of 2010, gas oil includes biodiesel, and until 2013, it includes diesel oil.

FIGURE 47. Breakdown of consumption in the primary activities sector in 2022



## 5. Carbon dioxide emissions

The BEN includes carbon dioxide (CO<sub>2</sub>) emissions from fuel-combustion activities in the energy industries (“power plants for public service” and “own use”) and the final consumption sectors (“residential,” “commercial/services/public sector,” “transport,” “industrial,” “primary activities”). While the country has had National Greenhouse Gas Inventories (INGEI) publications since 1990, CO<sub>2</sub> emissions in the BEN have had a longer historical run, beginning in 1965.

CO<sub>2</sub> emissions are calculated according to the 2006 guidelines by the Intergovernmental Panel on Climate Change (IPCC) for INGEI. It is noteworthy that, according to this methodology, CO<sub>2</sub> emissions from biomass fuel combustion are not considered in the totals, despite clearly being a combustion activity with energy purposes. The reason for this is that, simultaneously with these gas emissions (when biomass is combusted), there is an absorption process (through photosynthesis) by plant species during their growth. It is advisable to evaluate this process jointly, to avoid drawing misleading conclusions based on partial results. Consequently, the calculation of CO<sub>2</sub> emissions and absorption from biomass is recorded in the “Agriculture, Forestry and Other Land Use” (AFOLU) sector of the above-mentioned INGEI. Nonetheless, it is interesting to estimate CO<sub>2</sub> emissions from biomass combustion (firewood, biomass waste, biofuels, etc.), presented as memo items in the energy sector (without including them in the totals, as explained above).

In 2022, **total CO<sub>2</sub> emissions** were 7,204 Gg<sup>18</sup>, 5% less than the previous year. Different behaviors are observed throughout the entire period under study. Between 1965 and 1979, CO<sub>2</sub> emissions remained at an average of 5,000 Gg of CO<sub>2</sub>, peaking at 5,748 Gg (1979). From 1980 onwards, CO<sub>2</sub> emissions decreased sharply and dropped by 42% over six years, reach-

ing a historical minimum in 1986 (3,039 Gg). Subsequently, there was a net growth trend until 2022, when CO<sub>2</sub> emissions reached 7,204 Gg, with increases and decreases that alternated depending on the specific consumption characteristics. Particularly, the drop in emissions during the 2000-2003 period overlapped with the decrease in energy demand caused by the crisis faced by the country at the beginning of the century, as well as a few years of favorable rainfall. In 2012, the highest levels of the entire historical series were recorded (8,191 Gg).

**In 2022, CO<sub>2</sub> emissions from fuel combustion decreased by 5% and were 12% lower than the historical maximum (2012).**



<sup>18</sup>- 1Gg (1 billion grams) equals to 1 kt (one thousand tonnes).

5  
CARBON DIOXIDE EMISSIONS

In 2022, CO<sub>2</sub> emissions were associated with the following categories in decreasing order: transport (4,131 Gg), industrial (969 Gg), power plants for public service (792 Gg), primary activities (430 Gg), residential (400 Gg), own use (371 Gg), and lastly, commercial/services/public sector (102 Gg).

Thus, 16% of CO<sub>2</sub> emissions came from the energy industries (electricity generation and own use in the energy sector) while 84% corresponded to fuel-combustion activities in the different final consumption sectors.

As for the **energy industries**, emissions from electricity generation power plants vary greatly because they are strongly associated with the country's rainfall conditions. For dry years with low hydroelectricity shares, the consumption of oil products in power plants has been high, thus contributing to total CO<sub>2</sub> emissions.

FIGURE 48. CO<sub>2</sub> emissions by sector





FIGURE 49. CO<sub>2</sub> emissions by source



In the last 15 years, the greatest records corresponded to 2008, 2009, and 2012, with 36 %, 31 %, and 36 % in total emissions, respectively. Similarly, 2010 and the years following 2013 are highlighted with good rainfall levels for electricity generation, with a consequent lower consumption of oil products. In particular, hydroelectricity decreased between 2014 and 2018, while the significant increase in electricity from wind power and photovoltaic solar energy made it possible to counteract the situation without resorting to fossil fuel consumption.

In 2022, electricity production delivered to the grid was 7 % lower than in the previous year. When analyzing the inputs used, it is observed that the consumption of oil products decreased by 44 %. This largely contributed to a 45 % decrease in CO<sub>2</sub> emissions associated with power plants for public service compared to the previous year.

When considering the last 19 years, it is observed that 2017 (179Gg) and 2019 (181 Gg) recorded the lowest CO<sub>2</sub> emissions by power plants, while 2008 (2,688Gg) and 2012 (2,927Gg) recorded the highest. In 2021, where CO<sub>2</sub> emissions were 1,429Gg for power plants, it is important to mention that a significant export of fossil-fuel electricity was recorded.

Emissions from the energy sector's own use are mainly due to the operation of the refinery. These emissions have remained relatively constant throughout the series, with shares between 5-8% of total CO<sub>2</sub> emissions. Particularly noteworthy is the 2017 decrease in emissions in this category, resulting from the shutdown of the refinery for maintenance, similar to the 1994 situation.

In 2018 and 2019, refinery operations were as usual and CO<sub>2</sub> emissions due to the energy sector's own use returned to those recorded in previous years. Particularly, in 2020, there was a drop associated with lower refinery production, which, as indicated above, was due to the measures adopted by the country in response to the pandemic, which affected con-

sumption in the transport sector. Lastly, it is worth mentioning that in 2022, the same quantity of crude oil was processed as in the previous year. Meanwhile, emissions from own use were 8 % lower. This resulted from a substitution of sources: more natural gas and less fuel oil were used, a measure that has been implemented in recent years.

### Transport was the main category responsible for CO<sub>2</sub> emissions in 2022.

As for emissions from the **consumption sectors**, the main category has historically been the transport sector, whose share has been increasing over the years. Between 1965 and 1989, transport-related emissions averaged 35 % of total CO<sub>2</sub> emissions (including energy industries). In the following 20 years (1990-2009), this share was 46 %, while for the 2010-2022 period it reached an average of 54 %. The evolution of emissions accompanied the trend of energy consumption in this sector; there was sustained growth between 1987 and 1999, followed by a drop during four years, and finally a net increase until 2022, after the 2020 decrease mentioned above. Since 2006, the increase in CO<sub>2</sub> emissions in the transport sector was mainly marked by emissions associated with gasoline consumption, which increased 168 % in these 16 years. Meanwhile, for gas oil, they only increased 28 %. In 2006, it is noted that CO<sub>2</sub> emissions associated with gasoline consumption in transport were only 27 %, while this share has grown to more than 40 % since 2012.

In comparison to the transport sector, CO<sub>2</sub> emissions in the other consumption sectors, considered as a whole for the 1965-1991 period, averaged a higher value of 2,000Gg. In 1992, emissions from transport surpassed the combined total of all remaining sectors, and thereafter, the growth in emissions from these sectors exhibited a lower rate compared to those of the transport sector. Thus, in 2022, their share was 27 % of total CO<sub>2</sub> emissions. The performance of the industrial sector is noteworthy. Despite remaining relatively constant throughout the series, it has exhibited a net increase in CO<sub>2</sub>

emissions over the past 12 years, rising from 583 Gg in 2010 to 969 Gg in 2022. This was mainly due to higher consumption of petcoke and fuel oil in the industry. CO<sub>2</sub> emissions from the residential, commercial/services/public sector, and primary activities sectors have consistently remained low compared to the remaining sectors, maintaining relative stability throughout the years.

Finally, CO<sub>2</sub> emissions from biomass combustion and international bunkers are presented as **memo items**, since they are not included in the totals according to the methodology applied.

In 2022, emissions from biomass combustion amounted to 8,910 Gg of CO<sub>2</sub>, 5% lower than the previous year. As for fuels, biomass waste had the highest share (74%), followed by firewood and charcoal (24%), and, to a lesser extent, biofuels (2%).

The international bunkers category includes CO<sub>2</sub> emissions from sea and fluvial navigation, as well as aviation, pertaining to journeys originating from one country and concluding in another. In 2022, international bunker emissions reached 532 Gg of CO<sub>2</sub>, marking a 28% increase compared to 2021. Furthermore, a notable reduction of 45% was observed in 2019-2020, attributed to the pandemic, which significantly affected the operations of ports and airports during that period.

In 2022, 43% of emissions in this category came from sea and fluvial transportation through the consumption of marine gas oil (77%) and fuel oil (23%). The remaining 57% corresponded to air transportation, mainly due to the consumption of jet fuel.

FIGURE 50. CO<sub>2</sub> emissions in the transport sector by source




FIGURE 51. Memo items of CO<sub>2</sub> emissions




TABLE 16. CO<sub>2</sub> emissions by sector

| Gg   | 1965                          | 1975                          | 1985                          | 1995                          | 2005                          | 2015                          | 2022                          |
|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Power plants for public service (%)        | 1,009.1<br>21%                | 1,093.5<br>21%                | 101.8<br>3%                   | 318.2<br>7%                   | 795.3<br>15%                  | 700.3<br>11%                  | <b>792.1</b><br><b>11%</b>    |
| Own use (%)                                | 118.1<br>2%                   | 136.5<br>3%                   | 121.8<br>4%                   | 239.4<br>5%                   | 398.9<br>8%                   | 408.3<br>6%                   | <b>370.9</b><br><b>5%</b>     |
| <b>Energy industries SUBTOTAL (%)</b>      | <b>1,127.3</b><br><b>23%</b>  | <b>1,230.0</b><br><b>24%</b>  | <b>223.6</b><br><b>7%</b>     | <b>557.6</b><br><b>13%</b>    | <b>1,194.2</b><br><b>23%</b>  | <b>1,108.6</b><br><b>17%</b>  | <b>1,163.0</b><br><b>16%</b>  |
| Residential (%)                            | 593.6<br>12%                  | 642.1<br>12%                  | 360.8<br>12%                  | 459.9<br>10%                  | 366.8<br>7%                   | 378.9<br>6%                   | <b>399.6</b><br><b>6%</b>     |
| Commercial/services/public sector (%)      | *<br>*                        | *<br>*                        | 92.2<br>3%                    | 129.9<br>3%                   | 133.9<br>3%                   | 83.0<br>1%                    | <b>101.9</b><br><b>1%</b>     |
| Transport (%)                              | 1561.1<br>32%                 | 1644.1<br>32%                 | 1338.0<br>43%                 | 2,182.1<br>49%                | 2,277.6<br>44%                | 3,448.7<br>54%                | <b>4,131.2</b><br><b>57%</b>  |
| Industrial (%)                             | 1275.8<br>26%                 | 1384.9<br>27%                 | 601.8<br>19%                  | 528.7<br>12%                  | 633.5<br>12%                  | 858.8<br>14%                  | <b>969.4</b><br><b>14%</b>    |
| Primary activities (%)                     | 308.2<br>6%                   | 229.4<br>4%                   | 461.9<br>15%                  | 553.8<br>12%                  | 549.2<br>11%                  | 457.9<br>7%                   | <b>429.7</b><br><b>6%</b>     |
| Non-specified (%)                          | 21.6<br>0%                    | 20.6<br>0%                    | 8.1<br>0%                     | 22.1<br>0%                    | 5.2<br>0%                     | 6.0<br>0%                     | <b>9.3</b><br><b>0%</b>       |
| <b>Sectors of consumption SUBTOTAL (%)</b> | <b>3,760.3</b><br><b>77%</b>  | <b>3,921.1</b><br><b>76%</b>  | <b>2,862.8</b><br><b>93%</b>  | <b>3,876.5</b><br><b>87%</b>  | <b>3,966.2</b><br><b>77%</b>  | <b>5,233.3</b><br><b>83%</b>  | <b>6,041.1</b><br><b>84%</b>  |
| <b>TOTAL (%)</b>                           | <b>4,887.6</b><br><b>100%</b> | <b>5,151.0</b><br><b>100%</b> | <b>3,086.4</b><br><b>100%</b> | <b>4,434.2</b><br><b>100%</b> | <b>5,160.4</b><br><b>100%</b> | <b>6,341.9</b><br><b>100%</b> | <b>7,204.2</b><br><b>100%</b> |







NOTAS: 1) CO<sub>2</sub> emissions are calculated according to the "2006 IPCC Guidelines for National Greenhouse Gas Inventories". 2) In 1965 and 1975, the CO<sub>2</sub> emissions of the commercial/services/public sector is included in the residential sector.

TABLE 17. CO<sub>2</sub> emissions by source

| Gg                        | 1965                          | 1975                          | 1985                          | 1995                          | 2005                          | 2015                          | 2022                          |
|---------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Natural gas (%)           |                               |                               |                               |                               | 184.1<br>4%                   | 107.3<br>2%                   | <b>168.2</b><br><b>2%</b>     |
| LPG (%)                   | 54.7<br>1%                    | 109.4<br>2%                   | 131.6<br>4%                   | 248.1<br>6%                   | 255.2<br>5%                   | 345.8<br>5%                   | <b>383.6</b><br><b>5%</b>     |
| Motor gasoline (%)        | 881.8<br>18%                  | 665.9<br>13%                  | 553.3<br>18%                  | 969.7<br>22%                  | 649.9<br>13%                  | 1,619.3<br>26%                | <b>1,804.7</b><br><b>25%</b>  |
| Aviation gasoline (%)     |                               |                               | 10.3<br>0%                    | 9.4<br>0%                     | 6.4<br>0%                     | 7.3<br>0%                     | <b>5.6</b><br><b>0%</b>       |
| Kerosene (%)              | 560.2<br>11%                  | 516.6<br>10%                  | 171.9<br>6%                   | 105.7<br>2%                   | 25.3<br>0%                    | 13.2<br>0%                    | <b>12.0</b><br><b>0%</b>      |
| Jet fuel (%)              |                               |                               | 22.5<br>1%                    | 35.9<br>1%                    | 4.2<br>0%                     | 8.1<br>0%                     | <b>8.4</b><br><b>0%</b>       |
| Gas oil (%)               | 867.4<br>18%                  | 1,205.3<br>23%                | 1,227.9<br>40%                | 1,958.6<br>44%                | 2,544.6<br>49%                | 2,893.6<br>46%                | <b>3,502.9</b><br><b>49%</b>  |
| Fuel oil (%)              | 2,404.8<br>49%                | 2,553.3<br>50%                | 916.1<br>30%                  | 993.6<br>22%                  | 1,089.5<br>21%                | 844.5<br>13%                  | <b>660.1</b><br><b>10%</b>    |
| Petcoke (%)               |                               |                               |                               | 60.8<br>1%                    | 218.0<br>4%                   | 313.9<br>5%                   | <b>457.2</b><br><b>7%</b>     |
| Fuel gas (%)              | 33.7<br>1%                    | 55.9<br>1%                    | 47.5<br>2%                    | 50.3<br>1%                    | 175.1<br>3%                   | 152.4<br>2%                   | <b>164.7</b><br><b>2%</b>     |
| Coal and coke of coal (%) | 84.9<br>2%                    | 44.7<br>1%                    | 5.4<br>0%                     | 2.2<br>0%                     | 8.0<br>0%                     | 0.4<br>0%                     | <b>5.1</b><br><b>0%</b>       |
| Industrial wastes (%)     |                               |                               |                               |                               |                               | 35.9<br>1%                    | <b>31.6</b><br><b>0%</b>      |
| <b>TOTAL (%)</b>          | <b>4,887.6</b><br><b>100%</b> | <b>5,151.0</b><br><b>100%</b> | <b>3,086.4</b><br><b>100%</b> | <b>4,434.2</b><br><b>100%</b> | <b>5,160.4</b><br><b>100%</b> | <b>6,341.9</b><br><b>100%</b> | <b>7,204.2</b><br><b>100%</b> |

NOTAS: 1) CO<sub>2</sub> emissions are calculated according to the "2006 IPCC Guidelines for National Greenhouse Gas Inventories". 2) Gas oil includes diesel oil until and including 2012.

FIGURE 52. CO<sub>2</sub> emissions by source and sector



5  
CARBON DIOXIDE EMISSIONS



## 6. Indicators

This chapter presents a series of indicators that relate energy and CO<sub>2</sub> emissions variables, among others, to economic and demographic variables. Both GDP<sup>19</sup> and population statistical series published by the Central Bank of Uruguay (CBU) and the National Institute of Statistics (INE), respectively, were employed.

It should be noted that for the years before 2015, the GDP series prepared by MEF was utilized with the application of extrapolation. Thus, in this edition of BEN, a global GDP series at constant 2016 prices has been compiled since 1965, encompassing the entire study period of energy variables.

In the case of population, the estimation and projection of its historical series were conducted according to the 2013 Revision<sup>20</sup> for years after 1996. The 1965-1995 period was completed with the estimations corresponding to the 1998 Revision.<sup>21</sup>

### 6 INDICATORS



Ministerio  
de Industria,  
Energía y Minería



19- Central Bank of Uruguay (CBU), *Series del PIB por componentes del gasto en millones de pesos constantes de 2016*, <[https://www.bcu.gub.uy/Estadisticas-e-Indicadores/Cuentas%20Nacionales/1.%20Gasto\\_K.xlsx](https://www.bcu.gub.uy/Estadisticas-e-Indicadores/Cuentas%20Nacionales/1.%20Gasto_K.xlsx)> (07/21/2023).

20- National Statistics Institute (INE), *Uruguay: población estimada y proyectada por año, según sexo y edad simple*, <[https://www5.ine.gub.uy/documents/Demograf%C3%ADay-EESS/SERIES\\_Y\\_OTROS/Estimaciones\\_y\\_proyecciones/Revisi%C3%B3n\\_2013/Total\\_pais\\_poblacion\\_por\\_sexo\\_y\\_edad\\_1996-2050.xls](https://www5.ine.gub.uy/documents/Demograf%C3%ADay-EESS/SERIES_Y_OTROS/Estimaciones_y_proyecciones/Revisi%C3%B3n_2013/Total_pais_poblacion_por_sexo_y_edad_1996-2050.xls)> (07/21/2023).

21- National Statistics Institute (INE), *Uruguay: estimaciones y proyecciones de población por sexo y edad. Total del país, 1950-2050*, <[https://www5.ine.gub.uy/documents/Demograf%C3%ADayEESS/SERIES%20Y%20TROS/Estimaciones%20y%20proyecciones/Revisi%C3%B3n\\_1998.rar](https://www5.ine.gub.uy/documents/Demograf%C3%ADayEESS/SERIES%20Y%20TROS/Estimaciones%20y%20proyecciones/Revisi%C3%B3n_1998.rar)> (07/27/2023).

## 6.1. Final energy intensity

**Final energy intensity** is represented as the ratio between final energy consumption and GDP. It is expressed in tonnes of oil equivalent per millions of Uruguayan pesos at constant 2016 prices (toe/M\$ 2016).


The final energy intensity presented a net decrease throughout the 1965-2022 period, along with a great variability. The historical maximum was recorded in 1972 (3.44 toe/M\$ 2016) while the minimum was recorded in 2005 (2.24 toe/M\$ 2016). In 2022, energy intensity dropped by 4%, after in 2021 it had remained practically similar to the previous year. This drop in intensity resulted from the fact that, although both variables grew, GDP grew at a higher rate than total final consumption.

### Final energy intensity in 2022: 2.7 toe/M\$ 2016.

GDP and individual series for final energy consumption are analyzed to enhance the understanding of this indicator. This is achieved by setting the values of both variables for 1965 as a base equal to 100. Both series have behaved similarly in their evolution in the 1965-2022 period, alternating years of growth and others of decline where the variability recorded has made it possible to identify different periods.

The 1971-1972 and 1982-1983 periods are noteworthy as they recorded sharp increases in energy intensity compared to previous years. In the first case, final energy consumption grew while GDP decreased; in the second, both variables dropped yet GDP did so at a higher rate. Although final energy consumption and GDP recorded a net growth between 1985 and 1999, it was higher for GDP. Consequently, energy intensity recorded a net decline (with some occasional years of growth). Energy demand declined between 2000 and 2003, and afterwards, it returned to an upward trend. In turn, GDP recorded negative growth rates between 1999 and 2002 included. Thereafter, both series showed an upward trend.

**FIGURE 53.** Total final consumption and GDP (constant 2016 prices)



During the 2005-2009 period, energy consumption grew at higher rates than GDP. Notably, there was a significant growth in final consumption within the industrial sector in 2008, marking a 67% increase compared to 2007. This shift had a considerable impact on the country's consumption structure. For these years, energy intensity exhibited an increasing trend. However, in 2010, 2011, and 2012, the opposite pattern emerged. Despite energy consumption and GDP increased, final energy consumption evolved at lower rates, leading to a decrease in energy intensity.

Between 2013 and 2016, final energy consumption increased annually. This was mainly due to higher consumption in the industrial sector associated with the addition of a new cellulose plant. Nevertheless, GDP grew at positive albeit lower rates each year, leading to a rising energy intensity. Similar patterns to the 2010-2012 period reappeared in 2017 and 2018, depicting growth in both final consumption and GDP, albeit at higher rates for the latter. Meanwhile, there was a declining trend in energy intensity.

In 2019, both variables experienced growth rates below 1%, resulting in an energy intensity 0.3% higher than that of 2018. This pattern is typical during economic slowdowns in a pivotal year, which does not imply structural changes. In 2020, both series declined, with GDP experiencing a more significant decrease than energy consumption, leading to an increase in energy intensity. Finally, by 2021 and 2022, both variables resumed their upward trend, but GDP did so to a greater extent, resulting in final energy intensity decreasing by 0.5% and 4.2%, respectively.

## 6.2. Energy and electricity consumption per capita

**Energy consumption per capita** is obtained as the ratio between total final energy consumption and the number of inhabitants, expressed in tonnes of oil equivalent per 1,000 inhabitants (toe/1,000 inhab.) This indicator had a net growth throughout the period under study and increased from 637 toe/1,000 inhab. (1965) to 1,391 toe/1,000 inhab. (2022), reaching an absolute maximum in the last year. The historical minimum was recorded in 1968 and 1985 (591 toe/1,000 inhab.).

Starting in 1969, energy consumption per capita increased for 11 years, reaching a relative peak in 1979, followed by six years of decline. Since 1986, energy consumption per capita has grown steadily. While this growth was interrupted during the economic crisis at the beginning of the 21st century, from 2004 onwards, the upward trend resumed.

In 2007, the previous consumption peak from 1999 (before the crisis) was surpassed, and energy consumption per capita continued to rise until 2018. This was followed by two years of decline and another two years of new growth.


**Electricity consumption per capita** is obtained as the ratio between electricity consumed and the number of inhabitants. It is expressed in kilowatt-hour per inhabitant (kWh/inhab.). Throughout the entire series, electricity consumption per capita generally had an upward trend, except for certain years

when there was a decrease. The economic crisis had an impact on electricity consumption per capita, as it did on the rest of the indicators.

**2022:**  
Final consumption per capita:  
1,391 toe/1,000 inhab.  
Electricity consumption per capita:  
3,305 kWh/inhab.

Electricity consumption per capita increased from 512 kWh/inhab. (1965) to a maximum of 1,917 kWh/inhab. (2000). Then, it dropped to a minimum of 1,788 kWh/inhab. From that year onwards, the trend reversed once again and continued to grow, reaching the historical maximum of 3,276 kWh per inhabitant in 2016. In 2017 and 2019, there were one-off declines of 3% and 2%, respectively, and ultimately, in 2022, electricity consumption per capita increased by 2%.

FIGURE 54. Energy and electricity consumption per capita




### 6.3. Energy intensity by sector

The **energy intensity by sector** is defined as the ratio between a sector's energy consumption and its added value, expressed in tonnes of oil equivalent per million of Uruguayan pesos at constant 2005 prices (toe/M\$ 2005). This represents the amount of energy needed to generate one unit of added value. If, instead of analyzing energy consumption globally in comparison to GDP, the analysis focuses on energy consumption per sector relative to its added value, distinct patterns emerge based on the sectors. Below is the analysis of energy intensities for three sectors considering the 1997-2019 period (prepared by MIEM-DNE based on CBU data<sup>22</sup>). Note that this analysis could not be conducted for later years, since the change of base made by the CBU (2016 base) did not allow for a sectoral breakdown (at least at the time of this publication).

The **industry/primary activities** series clearly shows the impact of the new cellulose industries entering the market, which caused a sharp increase in energy intensity between 2008 and 2014. Until 2007, sectoral energy intensity remained between 5.8 and 6.4 toe/M\$ 2005 and increased by 48% in 2008. From that year, energy intensity has reported an upward trend, except for 2009, 2011, and 2012, which reported a slight drop associated with the slower energy consumption growth in the industrial sector compared to economic growth.

Notably, in 2012, energy consumption decreased compared to the previous year. Between 2013 and 2016, both energy consumption and added value recorded growth, reflecting an increase in energy intensity. Over the last three years, the strong growth in energy consumption has decelerated. Although the sector's added value decreased, the energy intensity of the industrial/ primary activities sector has also increased.

FIGURE 55. Energy intensity of industrial/primary activities sector



NOTE: without 2020-2022 data, CBU did not publish the information to build this indicator.



22- Central Bank of Uruguay (CBU), *Producto Interno Bruto por Industrias, Serie anual, precios constantes referencia 2005 por empalme*, <[https://www.bcu.gub.uy/Estadisticas-e-Indicadores/Cuentas%20Nacionales/cuadro\\_14a.xls](https://www.bcu.gub.uy/Estadisticas-e-Indicadores/Cuentas%20Nacionales/cuadro_14a.xls)> (07/01/2021).


The series did not vary significantly regarding energy intensity in the **commercial/services/public** sector and remained relatively constant in the period under study (1997-2019), showing a net decrease. The maximum value was reached in 2007 (1.02 toe/M\$ 2005) and since 2008, there has been a downward trend, although both energy consumption and added value of the sector increased in such years. This is explained by the fact that the sector's energy consumption has exhibited a lower growth rate than its added value, potentially resulting from the implementation of energy efficiency measures in the sector. The lowest historical values of energy intensity in the commercial/services/public sector (0.73 toe/M\$ 2005 in 2019) were recorded in the last five years.

The energy intensity of the transport sector is analyzed in two different ways: using the sector's added value and the global GDP. This last approach is important because transport is a cross-cutting sector for the economy.

The energy intensity of transport per unit of added value in this sector reached historical minimum values in 2000 and 2008 (33.5 toe/M\$ 2005). It recorded variable behaviors over most of the period under study, showing both positive and negative growth rates. The growth (8%) recorded in energy intensity between 2008 and 2009 may have been caused by the international crisis because the added value generated in transport was barely higher than the previous year, while energy consumption maintained its historical growth.

The years 2015 and 2016 are noteworthy because the increase in energy consumption and the decline in added value resulted in 14% and 11% growth in the energy intensity of the transport sector. In 2018 and 2019, energy intensity grew again (annual 2%) following the drop recorded in 2017 (2%).

FIGURE 56. Energy intensity of the commercial/services/public sector




NOTE: without 2020-2022 data, CBU did not publish the information to build this indicator.



Finally, the energy intensity of transport per GDP unit had a quite different behavior from the previous analysis, not only in its trend but also in the magnitude of values. Between 1997 and 2022, energy consumption in the transport sector and GDP showed a similar evolution; there was a net growth in the whole period, with a sharp decline at the beginning of the century resulting from the above-mentioned crisis. Energy intensity peaked in 1999 (0.85 toe/M\$ 2016) followed by a decline until 2005 (0.70 toe/M\$ 2016), since energy consumption declined at higher rates than GDP. From that year until 2020,

energy intensity fluctuated between annual increases and decreases, with values between 0.70 and 0.75 toe/M\$ 2016. In 2021, energy consumption in the transport sector increased by 9% while GDP did so by 5%. This translated into a 4% growth in energy intensity. In 2022, energy consumption grew at a slower rate than GDP, and resulted in a 1% drop in energy intensity.

FIGURE 57. Energy intensity in the transport sector



### 6.4. CO<sub>2</sub> emissions per GDP and per capita

**CO<sub>2</sub> emissions intensity** is represented as the ratio between CO<sub>2</sub> emissions and GDP. It is expressed in tonnes of CO<sub>2</sub> per million of Uruguayan pesos at constant 2016 prices (tCO<sub>2</sub>/M\$2016). In the 1965-2022 period, this indicator had a net decrease from 9.7 to 3.9tCO<sub>2</sub>/M\$2016, displaying high variability throughout the series. The years with the highest emission intensity levels were 1965 and 1972 (9.7tCO<sub>2</sub>/M\$2016). Meanwhile, the lowest values were recorded between 2014 and 2020 (at an average of 3.6tCO<sub>2</sub>/M\$2016). In 2022, CO<sub>2</sub> emissions fell by 5% compared to the previous year while GDP grew by 4.9%, resulting in a 9% drop in CO<sub>2</sub> emissions intensity.


In turn, to better understand the evolution of this indicator, individual series of CO<sub>2</sub> emissions from fuel combustion activities and GDP are analyzed; to this end, the values of both variables for the year 1965 are taken as a base equal to 100.

CO<sub>2</sub> emissions have varied throughout the entire series and have accompanied the evolution of GDP. This behavior is also reflected in the intensity of CO<sub>2</sub> emissions. The large fluctuations in total CO<sub>2</sub> emissions were strongly associated with the changes in emissions from thermal power plants for electricity generation, caused by the consumption of oil products for electricity generation as a hydroelectricity complement. Regarding low hydropower availability, 2020 was similar to 2006, and 2021 was similar to 2012. This was reflected in higher CO<sub>2</sub> emissions compared to other years with better flow rates and their corresponding lower consumption of oil products for electricity generation.

The last eight years, in particular, featured a large increase in wind and photovoltaic electricity. This offset the decrease in hydroelectricity and resulted in a lower consumption of oil products, with the subsequent decline in CO<sub>2</sub> emissions for electricity generation. The presence of these renewable energy sources in the electricity generation matrix resulted in a more moderate impact on CO<sub>2</sub> emissions during dry years such as 2020-2022.

In 2020, this situation was paralleled by a sharp GDP drop, thus increasing the intensity of emissions. In 2021, the rise in intensity was more influenced by the increase in emissions, due to the higher consumption of fossil fuels for electricity production.

FIGURE 58. Total CO<sub>2</sub> emissions and GDP



**CO<sub>2</sub> emissions per capita** are represented as the ratio between total CO<sub>2</sub> emissions and population. They are expressed in tonnes of CO<sub>2</sub> per inhabitant (tCO<sub>2</sub>/inhab.). The 1965-2022 period recorded a slight net growth, showing considerable variability. This behavior, which alternates maximum and minimum records, is correlated with a variation in fossil fuel consumption in thermal power plants. The minimum CO<sub>2</sub> emissions per capita were recorded in 1986 (1.0 tCO<sub>2</sub>/inhab.), while maximum emissions were recorded in 2012 (2.4 tCO<sub>2</sub>/inhab.). CO<sub>2</sub> emissions per capita decreased by 5% in 2022 to 2 tCO<sub>2</sub>/inhab.

FIGURE 59. CO<sub>2</sub> emissions per capita



2022:  
CO<sub>2</sub> emissions intensity: 3.9tCO<sub>2</sub>/M\$ 2016  
CO<sub>2</sub> emissions per capita: 2.0tCO<sub>2</sub>/inhab.



### 6.5. CO<sub>2</sub> emission factor of the SIN


The **emission factor of the SIN** represents the amount of CO<sub>2</sub> generated per GWh of produced electricity delivered to the grid. It is determined as the ratio of CO<sub>2</sub> emissions from power plants for public service and the electricity generated by such generators and delivered to the SIN. The emission factor varies from one year to another according to the mix of fuels used for electricity generation delivered to the grid.

The emission factor has varied considerably throughout the whole series. Such an effect is related to the great influence of rainfall levels on the country's electricity generation and the consequent amount of fossil fuels used, as mentioned above. In recent years, Uruguay has recorded significant growth in the generation of electricity from renewable sources, especially wind energy and, to a lesser extent, photovoltaic solar energy. This seems to suggest that, together with hydroelectricity, these sources have led to a reduction in the use of fossil fuels.

The emission factor of the SIN recorded its highest levels in the entire historical series during the 1965-1979 period, with an average of 400 tCO<sub>2</sub>/GWh. Maximum values were recorded

in 1965 (612 tCO<sub>2</sub>/GWh), 1972 (494 tCO<sub>2</sub>/GWh), and 1975 (461 tCO<sub>2</sub>/GWh). As of 1980, the emission factor of the SIN decreased and has remained at an average of 103 tCO<sub>2</sub>/GWh to date. The minimum values were recorded between 2001-2003 (ranging from 1 to 3 tCO<sub>2</sub>/GWh) and in 1984-1986 (approximately 20 tCO<sub>2</sub>/GWh). Practically 100% of electricity was generated from hydropower during those years. In 2020, a dry year (similar to 2006), when hydroelectricity accounted for only 30% of total generation, the SIN emission factor was 45 tCO<sub>2</sub>/GWh; three times higher than the previous year. In 2021, the emission factor recorded significant growth again, amounting to 101 tCO<sub>2</sub>/GWh. In 2022, the emission factor was 60 tCO<sub>2</sub>/GWh, 40% lower than the previous year.

FIGURE 60. CO<sub>2</sub> emission factor of the SIN



In 2022, the emission factor of the SIN was 60 tCO<sub>2</sub>/GWh.



## 6.6. Electrification rate


The **electrification rate** expresses the percentage of houses that have electricity in relation to the total number of occupied dwellings. This indicator is developed for urban areas, rural areas, and the country total.

Between 1975 and 2017, the total electrification rate increased from 79.0% to 99.8% and remained constant until 2019. When analyzing the indicator separated by urban and rural areas, a more accentuated evolution can be observed for the rural electrification rate, which increased from 25.1% in 1975 to 98.9% in 2019. In turn, the urban electrification rate increased from 89.0% to 99.9% in such period. Note that this indicator could not be updated for 2020, as the base information from the Continuous Household Survey, the statistical operator used for the calculation, was not collected due to the pandemic.

The total electrification rate rose from 79.0% to 99.9% between 1975 and 2022.

In 2022, the total electrification rate was 99.9%. In other words, only 0.1% of the total number of occupied dwellings did not have electricity supply, either supplied by UTE or their own (engine-generator and/or battery charger through a wind or solar generator); the figure corresponded to 844 dwellings. The distribution was 570 dwellings in urban areas and 274 in rural areas.

FIGURE 61. Electrification rate



## 6.7. Energy path

The **energy path** is a graphic representation of two indicators: final energy intensity and GDP per capita. Final energy intensity is expressed in tonnes of oil equivalent per millions of Uruguayan pesos at constant 2016 prices (toe/ M\$ 2016), while GDP per capita is expressed in thousands of Uruguayan pesos at constant 2016 prices per inhabitant (thousands \$ 2016/inhab.). The energy path also includes the total final consumption per capita through isoquant curves and expressed in tonnes of oil equivalent per thousand inhabitants (toe/1,000 inhab.).

Between 1965 and 2022, Uruguay's energy path had an overall evolution towards economic growth and decreased energy intensity. Throughout these 58 years, different behaviors associated with particular stages that the country went through can be identified.

In the 1965-1970 period, energy intensity fell, and GDP per capita increased. 1971 and 1972 had a particular behavior, as energy demand grew together with the decrease in GDP. This resulted in a significant increase in energy intensity, which reached its historical maximum (3.44 toe/M\$ 2016). From that moment on and for nine consecutive years, energy intensity decreased at an average rate of 3% per year, whereas the economy grew steadily.

Meanwhile, 1982 and 1983 saw another particular behavior marked by a decrease in GDP per capita and an increase in energy intensity, which caused a setback in the energy path. In the 1983-1998 period, the evolution of the indicators varied to a certain extent, but the trend was towards a decrease in energy intensity and a growth in GDP per capita.

The following years reflect the country's economic crisis at the beginning of the century through a further downturn of the energy path, marked by a decrease in GDP per capita and an almost constant energy consumption per GDP unit.

The 2002-2005 period was marked by economic growth without significant structural changes. The construction sector did not show economic recovery in this post-crisis period and the production system's evolution did not involve investing in equipment and infrastructure as existing idle capacity was used. In turn, energy demand declined until and including 2003. After this year, it resumed its upward trend. As GDP grew at a higher rate than energy consumption, energy intensity declined.

In the 2005-2009 period, the industrial sector's share in GDP grew by one percentage point and, within the industry, the share of the paper and cellulose sectors rose from 9% to 19%. This sharp industrial growth coupled with the addition of one cellulose plant and the growth of the construction sector caused energy demand to skyrocket. The industrial sector doubled its energy consumption, while final energy consumption—which had previously recorded 3% and 4% annual growth rates—rose to 17% in 2008. This major change in the economic and energy structure led to a significant increase in energy intensity.

In turn, from 2009-2012, economic and energy consumption structures remained practically constant. Thus, the drop in energy intensity could be linked to the implementation of energy efficiency projects and measures.

In the 2012-2016 period, energy demand underwent structural changes again. The share of industrial consumption increased from 34% to 43% of total final energy consumption, which was strongly associated with the new cellulose plant. In terms of economic structure, there was no significant overall change as the industrial sector still accounted for 15% of GDP. However, the analysis of industrial subsectors shows structural changes, as the paper and cellulose sector's added value grew from 19% to 28% compared to the whole industry. This behavior was similar to that recorded in the 2005-2009 period.

It is worth noting that the 2016-2019 period was similar to 2009-2012 in terms of energy intensity and GDP per capita but it was also coupled with an economic slowdown. In 2020, the situation shifted again, and the pattern was similar to that described in 2002: the economy fell by 6% and determined a setback in the energy path. In 2021, the country's economy resumed a favorable development and the energy intensity remained similar to the previous year. By 2022, GDP per capita continued to increase (5%) and a drop in energy intensity (4%) was recorded.

FIGURE 62. Energy path




Finally, final consumption per capita, the third indicator represented in the energy path, has already been mentioned in previous sections. It is interesting to observe its net growth evolution throughout the period, which alternates years of increases and decreases. Since 1965 and for 40 years, final consumption per capita remained at values between 600 and 800 toe/1,000 inhab. However, since 2005 there has been a sustained growth from 718 toe/1,000 inhab. (2005) to 1,391 toe/1,000 inhab. (2022), practically doubling its value in the last 17 years. The maximum consumption per capita was recorded precisely in the last year of the series.

6 INDICATORS




FIGURE 63. Energy path/expanded details

EVOLUTION 1991-2005



EVOLUTION 1998-2022



## 7. Sustainable development goal 7 (SDG 7)

The Sustainable Development Goals (SDGs) approved by the United Nations (UN) in 2015 address, in an integrated manner, the challenges surrounding the three dimensions of sustainable development that are key to the future of the planet: economic, social, and environmental. The Government of Uruguay, working transversally at all the ministries, autonomous bodies, and decentralized services, has assumed the responsibility of guiding its public policies regarding the fulfillment of the SDGs to make progress in each of them towards the year 2030.<sup>23</sup>

In particular, SDG 7 aims to ensure access to affordable, safe, sustainable, and modern energy for all. The MIEM is the reference body for this goal.

By 2015, the country already had an Energy Policy first developed in 2005, in permanent dialogue with all the public stakeholders involved in the matter. While it was approved in 2008, its implementation had already begun. In 2010, it was endorsed by a multi-party commission composed by representatives of the entire political sector, thus becoming state policy. Although the Energy Policy was devised and designed based on the country's reality and institutional capacities, it matches the content and timeframe (2030) set by the United Nations to fulfill the SDGs. This explains why, by 2015, Uruguay already had indicators reflecting a transformed energy reality and was moving towards the achievement of SDG 7.

As Uruguay implements the 2030 Energy Policy, it aligns with the path outlined by the United Nations to ensure universal access to affordable, reliable, sustainable, and modern energy.

In 2018, Uruguay reaffirmed its commitment to fulfilling the 2030 Agenda by voluntarily submitting the second country report to the UN. At that time, five SDGs were reported, including SDG 7 “Affordable and clean energy.”<sup>24</sup>

The indicators for SDG 7 are the following:

- 7.1.1.  
Proportion of population with access to electricity
- 7.1.2.  
Proportion of population with primary reliance on clean fuels and technology
- 7.2.1.  
Renewable energy share in the total final energy consumption
- 7.3.1.  
Energy intensity measured in terms of primary energy and GDP

For further information, please refer to “Uruguay’s 2018 Voluntary National Review.”

### 7 SUSTAINABLE DEVELOPMENT GOAL 7 (SDG 7)




<sup>23</sup> Sustainable Development Goals (SDGs), *Qué son los ODS*, <<https://ods.gub.uy/index.php/quesonlosods>> (08/28/2023).

<sup>24</sup> Presidency - República Oriental del Uruguay, “Informe Nacional Voluntario – Uruguay 2018”, <[https://ods.gub.uy/images/2018\\_Informe\\_Nacional\\_Voluntario\\_Uruguay\\_ODS.pdf](https://ods.gub.uy/images/2018_Informe_Nacional_Voluntario_Uruguay_ODS.pdf)> (08/28/2023).

**7**  
SUSTAINABLE  
DEVELOPMENT GOAL 7 (SDG 7)

**FIGURE 64.** Proportion of the population with access to electricity



**FIGURE 65.** Proportion of population with primary reliance on clean fuels and technology



**FIGURE 66.** Renewable energy share in total final energy consumption



**FIGURE 67.** Energy intensity measured in terms of primary energy and GDP



## 8. Methodology

### 8.1. General definitions

- **Primary energy source:**

it is the energy source provided directly by nature, like hydro-power and wind energy; after going through a mining process like hydrocarbons, natural gas, and coal; or through photosynthesis like firewood and biomass waste (from urban, agriculture and livestock, and agro-industrial activities).

- **Secondary energy source:**

it is the energy obtained from a primary source (or another secondary source) after undergoing a physical-chemical process that modifies its original characteristics.

- **Gross energy:**

it is the primary or secondary energy, from which losses in transformation, transmission, transport, distribution, and storage have not been deducted, including the remaining amount of energy not used.

- **Net energy:**

it is the primary or secondary energy for consumption purposes, from which the losses mentioned above, and the energy not used have been deducted.

- **Final energy:**

it is the primary or secondary energy directly used by socio-economic sectors. It is the energy that enters the consumption sector and differs from the previous one due to its own use in the energy sector. It includes energy and non-energy consumption.

- **Transformation center:**

it is the facility where primary or secondary energy undergoes processes that modify its properties or original nature through physical-chemical changes, aiming to transform it into another form of energy that is more suitable for consumption. They are classified into “primary” if they only process primary sources, and “secondary,” if primary and/or secondary sources enter the transformation center.

- **Consumption sector:**

it is the part of the socioeconomic activity that receives final energy for its utilization. Own use is considered separately; it corresponds to the energy consumed by the energy sector for production, transformation, transportation, and distribution of energy (not including the energy used as input for transformation into other energy types).

## 8.2. Structure

The National Energy Balance (BEN) provides a representation of the energy system's structure and operation. This is done in an organized and systematic manner, summarizing the information in a "general summary matrix" also known as "consolidated matrix." This enables the analysis of all the processes and transformations that a given source undergoes throughout the entire system, as well as for each category (the magnitudes corresponding to each source). The "general summary matrix" is comprised of the following five submatrices:

- Primary energy balance
- Balance of transformation centers (primary and secondary)
- Secondary energy balance
- Gross supply and net consumption
- Distribution of final energy consumption by sector

This figure shows a schematic representation of how these submatrices are located in the "summary matrix." Subsequently, an analysis of each of these submatrices is presented.

| ENERGY BALANCE                   | Primary sources | Secondary sources | Losses | TOTAL |
|----------------------------------|-----------------|-------------------|--------|-------|
| Primary energy                   | (1)             |                   |        |       |
| Transformation centers           |                 | (2)               |        |       |
| Secondary energy                 |                 | (3)               |        |       |
| Gross supply and net consumption |                 | (4)               |        | (4)   |
| Final energy consumption         |                 | (5)               |        | (5)   |

### NOTES:

- (1) Primary energy balance
- (2) Balance of transformation centers
- (3) Secondary energy balance
- (4) Gross supply and net consumption
- (5) Distribution of the final energy consumption by sector

The summary matrix has a standard format for all years in the historical series. However, it is modified as new energy sources emerge, or as more detailed information becomes available, either hiding or revealing the relevant fields. It is worth mentioning the greater disaggregation in the consumption sectors (available from 2013 onwards), and the breakdown by source for public service and autoproduction power plants (available from 2010).

### 8.2.1. Balance of primary energy sources

It corresponds to the supply of primary energy sources. This BEN edition includes: crude oil, mineral coal, natural gas, hydropower, wind energy, solar energy, firewood, biomass waste, biomass for biofuels, and industrial waste.

Below are a few clarifications for some of the primary sources:

- **Mineral coal:** includes anthracite, peat, coal tars, pitch and other types of coal. Non-energy peat is not considered, as per IRES methodology.
- **Natural gas:** data are considered for standard conditions (1 atm and 15°C).
- **Hydropower:** the summary matrices include the theoretical equivalent.
- **Solar energy:** includes photovoltaic solar energy and solar thermal energy.

- **Biomass waste:**  
includes rice and sunflower husks, sugarcane bagasse, black liquor, odorous gases, methanol, barley husks, forestry and sawmill waste (chips, sawdust, pellets, etc.), glycerin, and rumen.

- **Biomass for biofuel production:**  
includes bioethanol and biodiesel production.

- **Industrial waste:**  
includes non-renewable industrial waste such as: end-of-life tires (ELT), alternate liquid fuels (ALF), used oils, and solid recovered fuels (SRF). Note that this waste contains a blend of products that cannot be disaggregated and may thus contain a small fraction of some renewable waste.

The primary energy balance includes eight categories: production, import, export, losses, stock change, not used, adjustments, and supply. Since the categories also apply to the secondary energy balance, the definitions for both cases are listed below:

- **Production:**  
it is the amount of primary energy extracted from nature or the amount of secondary energy originated in a transformation center.

- **Import:**  
it is the primary or secondary energy that comes from outside the country.

- **Export:**  
it is the primary or secondary energy that is sent outside the country. Exports to the free trade zone are not considered exports per se. Instead, they are included in the final consumption as sales in the domestic market.

- **Losses:**  
these are energy losses incurred during transportation, storage, transmission and distribution (technical losses). Until

2005, non-technical losses in the electricity sector were recorded as “losses.” From 2006 onwards, these losses are recorded under “final consumption,” considering social losses in the residential sector. The remaining non-technical losses are distributed based on the electricity consumption share of the remaining sectors.

- **Stock change:**  
it is the difference between the stock of an energy source by December 31 of year  $i-1$  and December 31 of year  $i$ .

- **Energy not used:**  
it is the amount of energy that, either for the technical and/or economic nature of its exploitation, is not currently being used.

- **Adjustments:**  
it is the statistical adjustment that makes supply and consumption data compatible, as well as differences arising from the rounding of figures.

- **Supply:**  
it is the total energy effectively available for consumption. It is obtained using the equation below:

$$\text{Supply} = \text{Production} + \text{Import} - \text{Export} - \text{Losses} + \text{Stock change} - \text{Energy not used} + \text{Adjustments}$$

**Note:**  
in the summary matrices, “export,” “losses,” and “energy not used” values appear with a negative sign, so the “supply” value is obtained algebraically by adding these values to those corresponding to “production,” “import,” “stock change,” and “adjustments.”

### 8.2.2. Balance of transformation centers

It reflects the activity of both primary and secondary transformation centers. The negative signs represent incomes (inputs), while the positive ones represent outgoings (outputs). The processes carried out in these centers result in transformation losses, calculated by adding the inputs and outputs algebraically.

Transformation centers include:

- **Refinery:**  
an industrial facility where crude oil is subjected to physical and chemical transformation processes to obtain compounds and oil products of greater market value.
- **Power plants for public service:**  
include plants that deliver the electricity generated to the grid, such as hydroelectric, wind, solar photovoltaic, and thermoelectric plants.
- **Autoproduction power plants:**  
include power plants where the electricity produced is to be consumed by autoproducers themselves, excluding delivery to the grid.
- **Biomass distilleries:**  
industrial bioethanol production plants.
- **Biodiesel plants:**  
industrial biodiesel production plants.
- **Coal plants:**  
transformation center where charcoal is produced from firewood.
- **Gas plants:**  
transformation center where gas is manufactured from light naphtha.

- **Coke plants:**

transformation center where coke of coal is produced.

Cogeneration plants have an overall efficiency of 70-85%. Such efficiency depends on the type of technology used and how the energy is used in the process. "Overall efficiency" is defined as the ratio of the total energy produced by the system (electricity and heat) to the energy consumed.

### 8.2.3. Balance of secondary energy sources

It corresponds to the supply of secondary energy sources. This BEN edition includes the following secondary energy sources: LPG, motor gasoline, aviation gasoline, kerosene, jet fuel, gas oil, fuel oil, petcoke, non-energy products, fuel gas, bioethanol, biodiesel, coke of coal, charcoal, and electricity. Other secondary sources include light naphtha, diesel oil, and manufactured gas, which, although not currently used in the country, are included in the applicable years of the historical series.

Below are certain clarifications for some of the secondary sources:

- **LPG:**  
includes LP gas and propane. It is worth noting that the 2020 edition improved the allocation of LPG consumption across various activity sectors. For this reason, other classification criteria are implicit in the sectoral consumption of LPG until 2019. LPG consumption in the "remaining agriculture" sector was estimated in 2019 based on the total "agriculture" value and the new consumption estimate for the "poultry" subsector. For this reason, the drop in consumption towards 2020 is partly due to a change in methodology.
- **Motor gasoline:**  
it does not include bioethanol, which is reported separately. Exports consist of isomerates, reformates, and petrochemical naphtha.

- **Gas oil:**  
it does not include biodiesel, which is reported separately.
- **Petcoke:**  
it includes non-calcined petcoke, calcined petcoke, and refinery coke. Up to and including BEN 2012, it was referred to as “other energy products.” Calcined petcoke is recorded as non-energy consumption.
- **Non-energy products:**  
these include solvents, lubricants, and asphalts. As of 2013, with the startup of the desulfurization plant, “liquid sulfur” has been included as a new non-energy product.
- **Fuel gas:**  
its production was considered equal to own use until and including 2012. Since 2013, volume “not used” and “losses” have been included. Consequently, production is greater than the refinery’s own use. This change in methodology has been applied since 2013.
- **Coke of coal:**  
it corresponds to coke of hard coal. Until the 2012 BEN, it was referred to as “coke.”
- **Electricity:**  
in recent years, electricity consumption associated with transport includes captive and private fleets.

The categories for the secondary energy balance are the same as the ones described above for primary energy, except for one additional category:

- **International bunker:**  
it is the energy sold to sea vessels and aircrafts on international voyages; that is, voyages departing from one country and arriving in another. This activity was included under “exports” until 2012. From 2013 onwards, it is represented independently.

#### 8.2.4. Gross supply and consumption

This submatrix displays the gross energy supply and total net consumption, along with a breakdown of the items contributing to the latter.

- **Gross supply:**  
it is the supply of each energy source as shown in the corresponding balance. It includes additions of losses and the quantity not used indicated in such balance.

Unlike other rows in the matrix, total gross supply is not obtained by adding the primary and the secondary energy sources. Such an addition would result in duplicates as the production of secondary sources would be added to the primary sources from which they were obtained. Therefore, the correct way to calculate it is by deducting the production of secondary sources from the addition.

- **Total net consumption:**  
is the total final consumption plus the energy sector’s own use.
- **Own use:**  
the amount of primary and/or secondary energy that the energy sector uses for its operation, including production, transformation, transport, and energy distribution. It does not include the energy used as input for transformation into another energy type in the transformation centers.
- **Total final consumption:**  
the addition of the final energy consumption and the non-energy consumption.

### 8.2.5. Distribution of final energy consumption by sector

This last part of the consolidated matrix shows how final energy consumption is distributed across the various socio-economic activity sectors. Since the elaboration of the 2013 BEN, consumption data collection has been improved through new sectoral surveys. The traditional “Survey on firewood and biomass waste” became part of the “Survey on energy consumption in the industrial sector,” which includes other energy sources and was conducted for the years 2011, 2013, 2014, 2014, 2015, 2015, 2016, 2017, 2018, 2020 and 2021. Likewise, there were energy consumption surveys in the residential sector in 2013 and in the commercial/services/public sector in 2013, 2014, and 2015. Note that the results of this last survey will be included in future publications. As an improvement in the 2020 BEN, surveys were conducted in the mining sector and the “poultry” subsector within the agriculture sector.

As of 2013, final energy consumption is included with a broader disaggregation by sector. Sector consumptions lower than 1 ktoe are not reported, as they involve very small values. Exceptions are made in cases where they correspond to only one subsector. Neither is the breakdown made if there is only one company per sector—grouped consumption must be reported— or if there is no available information for classification.

The disaggregation by sector and subsector is the following:

- **Residential sector:** includes the caloric, electric, and mechanical consumption of rural and urban families to meet household energy needs. Personal transport is not included; it is reported within the transport sector.

As of 2013, consumptions are reported with the following breakdown:

| Residential sector  |
|---------------------|
| Montevideo          |
| Rest of the country |

For firewood and LPG, the breakdown is based on the results of the “Survey on energy consumption and use in the residential sector 2013.” Meanwhile, administrative data are used for electricity and natural gas. As for biomass waste, all consumption is associated with the rest of the country. Since 2013, there has been no breakdown for the remaining energy sources due to insufficient information for proper classification (solar, kerosene, gas oil, fuel oil, charcoal).

- **Commercial/services/public sector:** includes tertiary sector activities such as schools, hospitals, stores, hotels, restaurants, public lighting, public administration, among others. It encompasses sections D to U according to the “International Standard Industrial Classification” (ISIC) revision 4 and public lighting.

As of 2013, consumptions are reported with the following breakdown:

| Commercial/services/public sector | Associated ISIC Revision 4                            |
|-----------------------------------|---|
| Public lighting                   | -   |
| Public administration and defense | Section O   |
| Electricity, gas, and water       | Sections D and E                                      |
| Others                            | Sections G, H*, I, J, K, L, M, N, P, Q, R, S, T and U |

NOTE: (\*) This only includes consumption within the establishments.

- **Transport sector:**

includes the individual and collective movement of people and cargo by air, land, and water. It excludes internal transportation within the establishments comprised in the remaining sectors. International air and fluvial travel are not included either. Their consumption is recorded under exports until 2012, and, starting from 2013, it is recorded under international bunker.

As of 2013, consumptions are reported with the following breakdown:

| Transporte sector |
|-------------------|
| Road              |
| Rail              |
| Air               |
| Sea and fluvial   |

For private vehicles, results from consumption surveys conducted in the residential and industrial sectors in 2013 were considered, providing valuable information.

As of 2016, aviation fuels (aviation gasoline and jet fuel) have been surveyed by means of an annual company survey. It is noted that these consumptions associated with aero-agricultural activities have been reported under the agriculture sector, within primary activities. In this BEN edition, they are reported once again in the transport sector, following the IRES methodology.

- **Industrial sector:**

it includes the manufacturing industry and construction, corresponding to sections C and F of the ISIC Rev.4 industrial classification, respectively. It is essential to mention that agro-industries and the fishing industry are considered within this sector.

As of 2013, consumptions are reported with the following breakdown:

| Industrial sector                               | Associated ISIC Revision 4                     |
|---|--|
| Slaughterhouses                                 | Group 101                                      |
| Diary   | Group 105                                      |
| Mills   | Class 1061                                     |
| Other food industries                           | Groups 102, 103, 104, 107 and 108              |
| Beverages and tobacco                           | Divisions 11 and 12                            |
| Textile   | Divisions 13 and 14                            |
| Leather   | Division 15                                    |
| Wood  | Division 16                                    |
| Paper and cellulose                             | Divisions 17 and 18                            |
| Chemical, rubber, and plastic                   | Divisions 19*, 20, 21 and 22                   |
| Cement  | Classes 2394 and 2395                          |
| Other manufacturing industries and construction | Division 23** / Divisions 24 to 33 / Section F |

**NOTES:** (\*) excluding the refinery (19201); its consumption is considered under "own use."  
 (\*\*) Including all the classes of division 23 except for those corresponding to the "cement" subsector.

- **Primary activities:**

they refer to agriculture, livestock, and forest extraction production, plus commercial fishing on the high seas, coast, coastal and estuarine fishing. It includes activities carried out by factory ships and fleets involved in fishing and its processing. It also includes mining. Until BEN 2019, it was referred to as “agriculture/fishing/mining.”

As of 2013, consumptions are reported with the following breakdown:

| Primary activities |
|--------------------|
| Agriculture        |
| Mining             |
| Fishing            |

**Agriculture:** it includes the consumption of energy sources within agricultural and forestry establishments. The consumption of the “poultry” subsector has been reported since BEN 2020, separating it from the other agricultural subsectors.

| Agriculture sector               |
|----------------------------------|
| Poultry                          |
| Remaining agriculture subsectors |

To this end, an energy consumption survey was conducted among Uruguayan poultry farms in 2020, with a response rate of 50%, but representing 81% of national production. Technical coefficients of energy consumption per head of poultry were calculated, and the results were scaled up to obtain nationwide figures (INAC data). This survey was also used to obtain information for 2019. For 2021 and from now on, poultry energy consumption is determined based on the national production values for each year under consideration, using the technical coefficients developed.

In line with the implementation of improvements, a review and refinement were conducted in 2020 to estimate the consumption of other energy sources for the remaining subsectors

within agriculture. Other information sources were considered, mainly data from gas distributors. Publications were also analyzed, such as the 2006 “Energy Use and Consumption Survey,” and MGAP (Ministry of Livestock, Agriculture, and Fisheries) reports and studies, particularly studies carried out by OPYPA regarding intermediate consumption of agricultural activities. Technical coefficients were elaborated with the analysis of these reports, together with DIEA data publications; depending on the activity, in some cases, they were liters/hectare, and in others, such as dairy, they were liters/liters of milk produced, or liters/head for cattle. This made it possible to obtain energy consumption for different years. Further analysis was conducted on the sector’s consumption of gas oil and gasoline.

In 2021, joint work was carried out with OPYPA to consolidate and adjust the methodology for calculating the technical coefficients mentioned above; to this end, the latest available information was employed. This allowed for the obtention of unique and common technical coefficients for both the BEN and the different reports prepared by OPYPA. In 2022, the adjustment of the technical coefficients with OPYPA was completed. This entailed adjusting the gas oil consumption for agriculture in the 2019-2021 series.

It should be noted that for the agriculture sector, the mobile year July/“year *i-1*” - June/“year *i*” is considered; that is, for the 2021 BEN year, the data for the period July/2020-June/2021 of the Agricultural Statistical Yearbook is considered.

**Mining:** In the 2020 BEN edition, the separation of mining sector statistics was achieved, which until BEN 2019 had been reported with agriculture. A company survey was conducted, enabling 50% of the mines in Uruguay to be interviewed. Consumption of the different energy sources was obtained and technical coefficients of mineral consumption/production were calculated.

With the national mineral production data (provided by DINAMIGE), it was possible to obtain national energy consumption results for 2019 and 2020. For 2021 and onwards, energy consumption is determined based on the mining production data provided by DINAMIGE, using the technical coefficients developed. It should be noted that the moving year April/ "year *i*" - March/ "year *i+1*" is considered, that is, for the year 2022 of BEN, the mining production data refers to the period April/2022-March/2023.

Data on electricity consumption are obtained from the UTE database and by cross-checking information with the surveys.

**Fishing:** the estimates of energy consumption for industrial fishing are based on administrative data on fuel sales and volumes declared in the records of the National Directorate of Aquatic Resources (DINARA) of the Ministry of Livestock, Agriculture and Fisheries (MGAP). As of 2014, the administrative data on non-industrial fishing comes from the General Registry of Fishing and the current tax exemption agreement on purchased fuel.

- **Not identified:** a sixth category that includes consumption coming from sectors not identified. In the case of propane gas (LPG), it includes consumption by companies whose main activity is classified as Section V of ISIC, Revision 4 (corresponding to the annex included by Uruguay for exclusive use by local agencies).

### 8.3. Units and data formats

The unit used to express the energy flows comprising the National Energy Balance is the ktoe (thousands of tonnes of oil equivalent).

**1 ktoe = 1,000 toe**

**1 toe = 10,000,000 kcal**

The conversion of the magnitudes corresponding to each source to its expression in toe is done through its respective Lower Heating Value (LHV). The 0.086toe/MWh technical criterion is applied in the case of electricity. Note that any decimal place differences in the values reported in tables, charts, and texts are due to rounding of the figures. In turn, for the same reason, the addition of subtotals may not reproduce the exact total.

Finally, when a value is represented as "0" (zero), it means that it exists and is very small (less than 0.1). When the cell appears empty, it means that the flow does not correspond to Uruguay or that the information necessary to quantify the magnitude is not available.

## 8.4. Special comments

### 8.4.1. Hydroelectric energy

Hydropower is evaluated using the theoretical equivalent criterion; the turbined flow is used to determine the energy that enters the primary transformation centers (hydroelectric power plants).

Hydropower production is calculated as follows:

$$E_{\text{hydro}} = k \times \beta \times g \times t \times h \times Q$$

Where:

- $E_{\text{hydro}}$ : Hydropower production (kWh/year)
- $k$ : Coefficient for unit conversion
- $\beta$ : Water density (kg/m<sup>3</sup>)
- $g$ : Gravity acceleration (m/s<sup>2</sup>)
- $t$ : Operational time of the plant (hours/year)
- $h$ : Average fall height (m); daily water levels are considered
- $Q$ : Turbined flow (m<sup>3</sup>/s)

### 8.4.2. Wind energy

In 2008, the country's first wind farms connected to the grid came into operation. Thus, since that year, wind energy has been included in the balance matrix. For previous years, no data on wind energy were included since the current estimates of the number of windmills and wind turbines vary significantly depending on the information source.

The methodology applied by OLADE is used to determine wind energy; it is done using the electricity generated by each wind farm/wind turbine, and considering as "wind energy produced" the same value as the electricity generated. UTE provides information on electricity generated from wind energy, encompassing both large-scale and microgeneration units connected to the grid. An annual census is conducted for those that operate autonomously and are not connected to the grid.

As of BEN 2020, the concept of wind energy not used due to Operational Restrictions (OR) is introduced, and data from 2018 onwards are considered. This concept arises from a decree, where UTE is urged to pay for energy to wind energy generators that can generate energy but, due to an operational restriction established by the National Load Dispatcher, cannot deliver it to the grid.

Operational Restrictions (OR) are defined as those generation reductions imposed by ADME (Electricity Market Administration) for the safe operation of the system. In particular, Operational Restrictions due to Excess Generation refer to limitations on generation in situations where, without the reduction, the total generation would exceed the value of energy demand (Uruguayan demand plus export) minus the reserve margin and forcings defined by ADME for the safe operation of the National Interconnected System (SIN).

ADME provides data on wind energy not used by each generator according to their OR, as described above.

Information on models for OR calculation can be found in the following documents<sup>25</sup>:

- "Procedure for operational restrictions applicable to wind and solar generators of the National Interconnected System (SIN)."<sup>26</sup>
- Wind power plant model.<sup>27</sup>

### 8.4.3. Solar energy

As of 2014, the BEN included solar energy estimations, as well as solar thermal and photovoltaic energy.

<sup>25</sup>- Electricity Market Administration (ADME), *Documentos sobre los modelos para el cálculo de las R.O.* <[https://adme.com.uy/lmasd/simsee\\_principal/adme\\_windsim.php](https://adme.com.uy/lmasd/simsee_principal/adme_windsim.php)> (07/30/2022).

<sup>26</sup>- Electricity Market Administration (ADME), *Procedimiento para restricciones operativas aplicable a generadores de fuente eólica y solar del Sistema Interconectado Nacional (SIN)*, <[https://adme.com.uy/db-docs/Docs\\_secciones/nid\\_78/ProcedimientoParaGestiondeRestriccionesOperativas\\_v201512091831.pdf](https://adme.com.uy/db-docs/Docs_secciones/nid_78/ProcedimientoParaGestiondeRestriccionesOperativas_v201512091831.pdf)> (07/21/2022).

<sup>27</sup>- Chaer Ruben, Palacio Felipe, Soubes Pablo for Electricity Market Administration (ADME), *Modelo de central de generación eólica*, <[https://adme.com.uy/db-docs/Docs\\_secciones/nid\\_324/Modelo-CentralGeneradoraEolica.pdf](https://adme.com.uy/db-docs/Docs_secciones/nid_324/Modelo-CentralGeneradoraEolica.pdf)> (08/13/2023).

- **Solar thermal energy:**

to estimate solar thermal energy, the total aperture area of both imported and domestically manufactured equipment is calculated. The assumption that there is no stock for more than a few months is made, asserting that what is imported or produced in a given year is practically installed in the same year. Additionally, a lifespan of 15 years is considered to determine the cumulative installed equipment.

In 2017, local manufacturers were surveyed to determine the domestic production of solar thermal collectors. As of that year, the actual area of installed domestic production is reported. Up to and including 2016, the share of national producers is estimated to be 20% of the total. It is noted that as of the year 2020 there are no records of domestic production.

The energy generated is calculated from the “average annual irradiance on a horizontal plane” and the installed area; an overall efficiency of 40% is considered:

$$E_{\text{solar thermal}} = Ef \times H_0 \times A \times \frac{0.086 \left( \frac{\text{toe}}{\text{MWh}} \right)}{1,000,000}$$

Siendo:

$E_{\text{solar thermal}}$ : Production of solar thermal energy (ktoe/year)

$Ef$ : Overall efficiency (0.40)

$H_0$ : Annual average irradiance on a horizontal plane (kWh/m<sup>2</sup>-year)<sup>28</sup>

$A$ : Aperture area of solar thermal collectors/heaters (m<sup>2</sup>)

The solar thermal energy generated corresponds to energy available for heating water. From a balance perspective, it can be interpreted as a potential, as it represents the energy captured by the equipment and not the energy consumed. In practice, not all of that energy may be consumed.

28- “Mapa solar del Uruguay”. Second version, June 2017. Source: Alonso-Suárez, R., Abal, G., Siri, R., Muse, P., (2014). Satellite-derived solar irradiation map for Uruguay. Energy Procedia 57:1237-1246, 10.1016/j.egypro.2014.10.072.

Until and including 2016, the sectoral allocation of final energy consumption is theoretical, considering typical shares from literature: 85% residential sector, 14.5% commercial/services/public sector, and 0.5% industrial sector. It is important to note that this information is challenging to gather in the sectoral surveys conducted periodically due to the sample size not adequately reflecting the population using this technology.

As of 2017, an industrial consumption value associated with the area surveyed in the annual industrial survey is estimated. Since 2019, it has been complemented with imports from companies with an industrial line of business. The theoretical share is maintained for the commercial/services/public sector, and the balance is closed with the residential sector (by difference).

Additionally, reference is made to the solar technology census conducted in 2018 among companies and institutions in the commercial and services areas. Only the subsectors most likely to own solar equipment under the Solar Thermal Energy Law (Law 18,585 of September 2009) were surveyed. The census, along with other surveys in the sector, allowed the estimation of an installed area of 5,783 m<sup>2</sup> of solar thermal collectors, equivalent to 0.3 ktoe. A higher value was verified for the theoretical estimate applied to the commercial/services/public sector. For this reason, the data collected in these statistical studies are correctly included in the calculation since the total number of companies in the industry using this technology is unknown.

- **Photovoltaic solar energy:**

to determine photovoltaic solar energy, the methodology applied by OLADE and other international organizations is considered. This methodology regards the “produced photovoltaic energy” as the same value as the electricity generated by photovoltaic panels. This methodology has been applied since BEN 2015 for the series since 2014.

Electricity generation from photovoltaic panels is determined in several ways, depending on the installed capacity of the equipment. Producers can be grouped into the following two types:

### 01. Producers with an installed capacity greater than 150 kW.

- On-grid solar plants; for which the annual data supplied by UTE is considered.
- Autonomous producers with installed capacities higher than 150 kW, who do not supply energy to the grid, are surveyed.

### 02. Producers with an installed capacity lower than 150 kW (microgenerators).

- Small producers who supply energy to the grid; the annual microgeneration data provided by UTE is used. As of 2019, UTE has not provided annual generation data, so a theoretical annual generation is estimated from the installed capacity data. UTE's information on energy delivered to the grid is available, and the difference is used to obtain data on self-consumed energy.
- For small autonomous producers with estimated installed capacities below 150 kW, who do not supply to the grid, the same ratio of energy generated to installed capacity is applied as that of producers who contribute to the grid and have known data. A survey is conducted for the remaining small autonomous producers for whom information is available.

Starting from BEN 2020, the concept of photovoltaic solar energy not used due to Operational Restrictions (OR) is introduced and is considered from 2018 onwards. As previously mentioned for wind generators, it is decreed that UTE must compensate solar generators for all the electricity they are capable of generating but, due to OR set by the National Load Dispatcher, is not delivered to the grid.

ADME provides data on the solar energy not used in each photovoltaic plant according to their OR, as described above.

Information on models for OR calculation can be found in the following documents:<sup>29</sup>

- “Procedure for operational restrictions applicable to wind and solar generators of the National Interconnected System (SIN).”<sup>30</sup>
- “Annex C): Model of a photovoltaic solar power plant”<sup>31</sup>



29- Electricity Market Administration (ADME), *Documentos sobre los modelos para el cálculo de las R.O.*, <[https://adme.com.uy/imasd/simsee\\_principal/adme\\_windsim.php](https://adme.com.uy/imasd/simsee_principal/adme_windsim.php)> (09/13/2023).

30- Electricity Market Administration (ADME), *Procedimiento para restricciones operativas aplicable a generadores de fuente eólica y solar del Sistema Interconectado Nacional (SIN)*, <[https://adme.com.uy/db-docs/Docs\\_secciones/nid\\_78/ProcedimientoParaGestion-deRestriccionesOperativas\\_v201512091831.pdf](https://adme.com.uy/db-docs/Docs_secciones/nid_78/ProcedimientoParaGestion-deRestriccionesOperativas_v201512091831.pdf)> (09/13/2023).

31- Pablo Soubes, Felipe Palacio y Ruben Chaer for Electricity Market Administration (ADME), *Anexo C): Modelo de central generadora solar fotovoltaica*, <[https://adme.com.uy/db-docs/Docs\\_secciones/nid\\_324/ModeloSolarPV.pdf](https://adme.com.uy/db-docs/Docs_secciones/nid_324/ModeloSolarPV.pdf)> (09/13/2023).

#### 8.4.4. Firewood

The production of firewood is calculated by adding the total energy consumption of firewood to the firewood used in the following transformation centers: public service power plants, autoproduction power plants, and coal plants. It is noted that coal plants were in operation until 2004 inclusive.

For the industrial sector, firewood consumption is estimated through annual surveys conducted by DNE-MIEM. In the absence of an industrial survey for a particular year, firewood consumption is extrapolated from the data of preceding years. This survey is not conducted annually for the remaining sectors, and in survey-absent years, the consumption value from the last survey is retained.

In BEN 2020, firewood consumption in the “primary activities” sector was adjusted based on the 2015 OPYPA report for the sector and the 2020 poultry subsector survey.

The quantity of firewood entering public service power plants and autoproduction power plants is estimated from the annual census conducted by DNE-MIEM. Conversely, the amount of firewood entering coal plants is calculated based on domestically-produced charcoal.

#### 8.4.5. Biomass waste

Biomass waste production is accounted for by adding energy consumption and transformation center inputs. This approach is adopted due to the lack of information to estimate the production not used of other types of biomass waste, such as forestry waste.

This criterion has been applied since 2008 and is widely employed in other countries. In previous years, biomass waste production was calculated based on the annual output of crops generating them (such as rice, sunflower, barley) and the proportion of their waste relative to the total weight. This

information was sourced from the statistical yearbooks of DIEA (Agricultural Statistics Office) of the MGAP. Under this criterion, production was significantly higher than the consumption of these energy sources.

Also, trade data (import and export) is taken into account for applicable waste, such as pellets and briquettes.

For the industrial sector and power plants for autoproduction and public service, the consumption of biomass waste is estimated based on data collection surveys conducted annually by DNE-MIEM among companies using this energy source. As for the residential sector, the 2006 “Energy Use and Consumption Survey” results and the “2013 Residential Survey” have been used in the last few years.

#### Biogas:

Biomass waste also includes biogas used for electricity production, expressed as methane. The values are very small in relation to the total (around 0.3 ktoe).

Since 2008, “Las Rosas” plant (Maldonado) has been accounted for in the electricity production of “power plants for public service” as the first electricity generator using biogas produced from urban waste. In 2014, a second electricity generator fueled by biogas was introduced, produced by treating effluents from a wool-washing plant. Between 2019 and 2021, two electricity generators running on biogas came into operation, produced from the treatment of effluents from a dairy farm.

In 2022, a fifth generator was introduced. However, unlike previous ones, it is categorized under “autoproduction power plants” for electricity production since it does not deliver energy to the grid. This generator has a unique feature: a portion of the generated biogas is utilized for electricity generation, while the remaining biogas serves as thermal energy. In 2022, only 5% of the total utilized biogas was allocated to electricity generation.

#### 8.4.6. Biomass for biofuels

The primary energy source called “biomass for biofuels” considers the production of bioethanol and biodiesel. In BEN 2021, a change in estimation criteria was introduced, where primary biomass is now considered equal to the production of each biofuel. Also, corrections have been made to the historical series since 2010. This change is in line with the International Recommendations for Energy Statistics (IRES), which considers biofuels as primary energy sources.

The current edition of BEN adopts a different criterion in line with the IRES methodology, focusing solely on the production of bioethanol and biodiesel for energy purposes. It is noted that, while this was accompanied by a correction of the historical series, the impact was very small in terms of magnitude.

The following considerations were made in the estimations using the previous criterion, where under the denomination “biomass for biofuels,” the consumption of energy (grains, crude oils, sugarcane juice, etc.) associated with the production of biofuels was considered.

- **Biomass for bioethanol production:**

- **Bella Unión sugar factory:**

The amount of primary source used for bioethanol was determined based on the production data of bioethanol/sugar, considering the average performance of the sugar-alcohol factory (fermentation + distillation), along with other factors (stoichiometric, density, heating value, etc.), as per the following equation (Eq.1):

$$\text{Biomass for bioethanol (ktoe)} = \frac{\text{Bioethanol prod. (m}^3\text{)}}{(\text{TP} \times \text{AFP} \times \text{EMP})} \times \frac{\text{LHV sugar (kcal/kg)}}{10,000,000}$$

Where:

**TP:** Theoretical Performance (m<sup>3</sup> bioethanol / t sugar)

**AFP:** Average performance of the sugar-alcohol factory (fermentation + distillation)

**EMP:** Extraction-milling production ratio

**LHV sugar:** Lower heating value of reducing sugars. Taking the value of 4,000 kcal/kg (data from the literature)

### Determination of the theoretical performance of ethanol production (TP):

The chemical reaction of ethanol production is considered from the reducing sugars and their stoichiometric ratio. Then, the TP is determined from ethanol density in the appropriate units for its use in the above equation.

|  |      |      |
|--|------|------|
| <b>Chemical reaction</b>                                   |      |      |
| $C_6H_{12}O_6 \rightarrow 2 CH_3CH_2OH + 2 CO_2$           |      |      |
| <b>Stoichiometric ratio</b>                                |      |      |
| 180 g  | 92 g | 88 g |
| <b>Theoretical performance (TP)</b>                        |      |      |
| 92 g of produced bioethanol for every 180 g sugar consumed |      |      |
| <b>Bioethanol density</b>                                  |      |      |
| 0.7915 kg/l  |      |      |
| <b>Theoretical performance (TP)</b>                        |      |      |
| 0.6457 m <sup>3</sup> bioethanol / sugar tonne             |      |      |

Therefore, Eq. 1 results in the following simplified equation (Eq.2):

$$\text{Biomass for bioethanol (ktoe)} = \frac{[ 4 \times \text{Bioethanol prod. (m}^3\text{)} ]}{[ TP \times EMP \times 6,457 ]}$$

It is noted that bioethanol production, average factory performance, and extraction-milling production ratio were data reported by the sugar-ethanol complex. Additionally, in recent years, the amounts of sweet sorghum used for bioethanol production were insignificant compared to the total amount of sugarcane. Therefore, it is considered to have similar characteristics to sugarcane.

### – Paysandú sugar factory:

Primary source consumption for bioethanol production from grains is directly estimated using the actual quantity of processed grains, taking into account the average humidity and the heating value for this raw material. The sugar factory provides both the grain consumption and average humidity, while a heating value of 4,000 kcal/kg is considered for grains (data from the literature).

- **Biomass for biodiesel production:** For biodiesel, the type of grain used and heating value from the literature are considered to estimate the primary sources. In recent years, biodiesel production was mainly from soybean and rapeseed, and sunflower was not used. Tallow has also been considered as a primary source for biodiesel production, along with crude and cooking oil. These are the reference values used for the heating values:

- Soy: 2,050 kcal/kg
- Sunflower: 5,189 kcal/kg
- Tallow: 9,200 kcal/kg
- Rapeseed: estimated using a 44% oil content in the seed and an oil heating value of 8,811 kcal/kg (data from the literature).
- Other oils: as no specific composition data were available, the heating value of an 80% blend of sunflower oil and 20% soy oil was considered, resulting in a value of 8,527 kcal/kg.

### 8.4.7. Kerosene

In this BEN edition, enhancements have been implemented in the methodology for calculating kerosene consumption. This involves using information gathered from surveys conducted by DNE-MIEM (Industrial and Mining Survey; Useful Energy Balances) as well as data from the Expenditure and Income Survey (ENGIH) and the Continuous Household Survey (ECH) conducted by the INE.

As for the residential sector, an average consumption per household was calculated for those using kerosene as the main cooking source and an average consumption for the remaining households. This calculation was based on the 2006 residential BNEU and the 2005-2006 ENGIH. Then, a projection for residential consumption for the 2006-2015 series was made based on the total number of households and those with kerosene as the main source for cooking as reported in the ECHs.

For years after 2016, an average consumption per household was computed based on the 2016-2017 ENGIH for those utilizing kerosene as the primary heating source, along with an average consumption for the remaining households. Then, a projection for 2016-2022 residential consumption was made based on the total number of households and those using kerosene as the main heating source as reported in the ECHs.

According to the above methodology, applicable to years before 2005, kerosene consumption of the residential sector was allocated as the difference between the total final energy consumption and the consumption of the remaining sectors. Using this new methodology, a more precise estimation of residential consumption is imputed, and the difference from the final energy consumption is attributed as “not identified.” This categorization is made due to the absence of sufficient information to classify it within any other sector.

For the mining sector, the values collected through surveys since 2019 are imputed. In turn, non-energy consumption of kerosene obtained in the industrial survey is considered. This information is used for the years 2016 and onwards. For years where no new information is available, the same values as the last available survey are maintained. It should be noted that both consumptions are very small, being represented in the results matrix with 0.0ktoe values.

Finally, it is noted that for the commercial/service/public sector kerosene consumption is based on administrative sales data and it is considered that it may be underestimated. Provided that reliable information is available from the statistical surveys, improvements can be incorporated into future BEN editions.

### 8.4.8. CO<sub>2</sub> emissions

The BEN publication includes carbon dioxide (CO<sub>2</sub>) emissions corresponding to fuel combustion activities in the energy industries and sectors of consumption. CO<sub>2</sub> emissions from biomass combustion and international bunkers are also included. These are presented as memo items since they are not considered in the totals. The series began in 1965.

CO<sub>2</sub> emissions are calculated according to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories.

The reported categories are detailed below:

- **Energy industries:** The emissions from the following transformation centers are considered, as well as the energy sector's own use. It should be noted that CO<sub>2</sub> emissions from autoproduct power plants are included in the industrial sector, according to the employed methodology.
  - Power plants for public service
  - Own use

- **Consumption sectors:** The same sectors included in the BEN and detailed in the “structure” section of this methodology description are considered.

- Residential
- Commercial/services/public sector
- Transport
- Industrial
- Primary activities
- Not identified

- **Memo items:** they are presented separately and are not included in the total CO<sub>2</sub> emissions of the following categories:

- Biomass combustion: it includes firewood, biomass waste, and charcoal for the entire series and, as of 2010, biofuels are included too. Emissions in this category correspond to biomass combustion in public service and autoproduction power plants, as well as in the different activity sectors.
- International bunkers: refer to emissions from international marine and aviation bunkers.

The default CO<sub>2</sub> emission factors (EFs) for combustion, shown in Table 1.4 of the 2006 IPCC Guidelines, are used to estimate emissions. Volume 2: Energy.

The BEN publication also includes the “CO<sub>2</sub> emissions by source” and “CO<sub>2</sub> emissions by source and sector” series. For the latter, the breakdown is done considering the main categories associated with the emissions of each source.

#### 8.4.9. Primary matrix (energy supply)

The “primary matrix”, also called the “supply matrix,” represents the country’s energy supply with the following breakdown: “electricity,” “solar,” “oil and oil products”, “natural gas,” “biomass,” and “coal/coke.” For its preparation, as a general methodology, the supply activities for each energy source are considered (production, import, export, and international bunker). Production is not considered for secondary sources because such contribution is already included in the primary source from which it originates.

As for **hydrocarbons**, the imports of crude and natural gas are reported, and the net balance of foreign trade of oil products is calculated as the difference between imports and exports (including international bunker).

For **hydropower**, hydroelectricity is considered. As an exception for this primary source, hydropower production is not considered for determining supply.

In the case of **wind energy**, electricity generated from wind power (both public service and autoproduction) is considered. As in the previous case, wind energy production is not considered.

Solar energy includes **solar photovoltaic energy** and solar thermal energy. The supply of solar photovoltaic energy is determined by considering the electricity generated from photovoltaic sources (both public service and autoproduction). As in the case of hydropower, production data is not considered.

Regarding **thermal solar energy**, supply is determined based on production. It is noted that both types of solar energy are presented together in the BEN results matrix, thus solar energy production includes both thermal and photovoltaic. For this reason, the data on solar thermal energy production should be calculated as follows: solar production minus solar energy “not used”, minus transformation center inputs (SP+AP).

For **biomass**, the production of firewood, biomass waste, and biomass for biofuels is considered, as well as the net foreign trade balance of biomass waste, bioethanol, biodiesel and charcoal, calculated as the difference between imports and exports.

To quantify **coal and coke** supply, imports of mineral coal and coke of coal are recorded. In the case of **industrial waste**, supply takes production into account.

Finally, for electricity, imports from neighboring countries must be considered. It is worth noting that, as an exception to the general rule, electricity exports are not considered because their deduction as such is not possible.

Additionally, two classifications are added to the analysis of energy supply by source:

#### By origin:

- Local: national production.
- Imported: net imports.

#### By type:

- Renewable: hydroelectricity, wind, photovoltaic and solar electricity/biomass/solar thermal.
- Non-renewable: natural gas/oil and oil products/coal and coke.
- Imported intensity.

# ANNEX I.

## Supplementary information

### I.1. Conversion of units

**TABLE 18.** Most common prefixes for multiple and submultiple units

| Multiple                  | Submultiple                |
|---------------------------|----------------------------|
| 10 <sup>3</sup> kilo (k)  | 10 <sup>-3</sup> milli (m) |
| 10 <sup>6</sup> mega (M)  | 10 <sup>-6</sup> micro (μ) |
| 10 <sup>9</sup> giga (G)  | 10 <sup>-9</sup> nano (n)  |
| 10 <sup>12</sup> tera (T) | 10 <sup>-12</sup> pico (p) |

**TABLE 19.** Conversion ratios between energy units

| 1) TO convert from: | 2) Into:   |             |         |          |
|---------------------|------------|-------------|---------|----------|
|                     | TJ         | kcal        | ktoe    | MWh      |
| 3) Multiply by:     |            |             |         |          |
| Terajoule (TJ)      | 1          | 238,845,897 | 2.4E-02 | 277.8    |
| Kilocalorie (kcal)  | 4.1868E-09 | 1           | 1E-10   | 1.16E-06 |
| ktoe                | 41.868     | 1E+10       | 1       | 11,630   |
| Megawatt-hour (MWh) | 3.6E-03    | 859.845     | 8.6E-05 | 1        |

## I.2. Conversion factors (based on the LHV)

**TABLE 20.** Constant conversion factors in the historical series

|                  | unit                               | value  |
|------------------|------------------------------------|--------|
| Asphalts         | toe/m <sup>3</sup>                 | 0.9640 |
|                  | toe/t                              | 0.9640 |
| Sulphur          | toe/m <sup>3</sup>                 | 0.3928 |
| Biodiesel        | toe/m <sup>3</sup>                 | 0.8312 |
|                  | toe/t                              | 0.9500 |
| Bioethanol       | toe/m <sup>3</sup>                 | 0.5066 |
|                  | toe/t                              | 0.6400 |
| Charcoal         | toe/t                              | 0.7500 |
| Rice husk        | toe/t                              | 0.2850 |
| Sunflower husk   | toe/t                              | 0.3800 |
| Barley husk      | toe/t                              | 0.3712 |
| Coke of coal     | toe/t                              | 0.6800 |
| Petcoke          | toe/t                              | 0.9386 |
| Imported petcoke | toe/t                              | 0.8000 |
| Fuel gas         | toe/10 <sup>3</sup> m <sup>3</sup> | 1.1000 |
| Natural gas      | toe/10 <sup>3</sup> m <sup>3</sup> | 0.8300 |
| Odorous gases    | toe/10 <sup>3</sup> m <sup>3</sup> | 0.2400 |
| Firewood         | toe/t                              | 0.2700 |
| Lubricants       | toe/m <sup>3</sup>                 | 0.9090 |
|                  | toe/t                              | 1.0100 |
| Methanol         | toe/t                              | 0.3600 |

**NOTE:** Natural gas: the data are considered under standard conditions (1 atm and 15°C).

**ANNEX I**  
SUPPLEMENTARY INFORMATION



**TABLE 21.** Variable conversion factors in the historical series

|  | unit               | 2022          |
|--|--------------------|---------------|
| Sawdust, chips, forest wastes <sup>(1)</sup>                   | toe/t              | <b>0.2702</b> |
| Bagasse  | toe/t              | <b>0.1769</b> |
| Deodorized butane  | toe/m <sup>3</sup> | <b>0.6094</b> |
|  | toe/t              | <b>1.0946</b> |
| Coal   | toe/t              | <b>0.2740</b> |
| Medium fuel oil <sup>(3)</sup>                                 | toe/m <sup>3</sup> | <b>0.9156</b> |
|  | toe/t              | <b>0.9958</b> |
| Intermediate fuel oil (IFO) <sup>(1)</sup>                     | toe/m <sup>3</sup> | <b>0.9197</b> |
|  | toe/t              | <b>0.9934</b> |
| Heavy fuel oil   | toe/m <sup>3</sup> | <b>0.9257</b> |
|  | toe/t              | <b>0.9896</b> |
| Fuel oil <sup>(4)</sup><br>(for electricity generation)        | toe/m <sup>3</sup> | <b>0.9201</b> |
|  | toe/t              | <b>0.9932</b> |
| Fuel oil<br>(for cellulose plants)                             | toe/m <sup>3</sup> | <b>0.9309</b> |
|  | toe/t              | <b>0.9843</b> |
| Gas oil <sup>(5)</sup><br>(Sulphur content < 10 ppm)           | toe/m <sup>3</sup> | <b>0.8521</b> |
|  | toe/t              | <b>1.0270</b> |
| Gas oil <sup>(5)</sup><br>(Sulphur content < 50 ppm)           | toe/m <sup>3</sup> | <b>0.8554</b> |
|  | toe/t              | <b>1.0259</b> |
|  | blend %            | <b>0.70 %</b> |
| Marine gas oil <sup>(5)</sup>                                  | toe/m <sup>3</sup> | <b>0.8724</b> |
|  | toe/t              | <b>1.0192</b> |
| Aviation gasoline<br>(OCTANE NUMBER -<br>AVIATION METHOD: 100) | toe/m <sup>3</sup> | <b>0.7486</b> |
|  | toe/t              | <b>1.0571</b> |
| Gasoline <sup>(6)</sup><br>(OCTANE NUMBER RON: 97)             | toe/m <sup>3</sup> | <b>0.7860</b> |
|  | toe/t              | <b>1.0473</b> |
| Gasoline <sup>(6)</sup><br>(OCTANE NUMBER RON: 95)             | toe/m <sup>3</sup> | <b>0.7788</b> |
|  | toe/t              | <b>1.0493</b> |

|                                  | unit               | 2022          |
|----------------------------------|--------------------|---------------|
| Black liquor <sup>(1)</sup>      | toe/t              | <b>0.3016</b> |
| Crude oil                        | toe/m <sup>3</sup> | <b>0.8416</b> |
|                                  | toe/t              | <b>1.0288</b> |
| Propane                          | toe/m <sup>3</sup> | <b>0.5700</b> |
|                                  | toe/t              | <b>1.1000</b> |
| Kerosene                         | toe/m <sup>3</sup> | <b>0.8299</b> |
|                                  | toe/t              | <b>1.0342</b> |
| Industrial wastes <sup>(1)</sup> | toe/t              | <b>0.7048</b> |
| Solvents <sup>(1)</sup>          | toe/m <sup>3</sup> | <b>0.7993</b> |
|                                  | toe/t              | <b>1.0431</b> |
| LP gas                           | toe/m <sup>3</sup> | <b>0.6109</b> |
|                                  | toe/t              | <b>1.0918</b> |
| Jet fuel                         | toe/m <sup>3</sup> | <b>0.8304</b> |
|                                  | toe/t              | <b>1.0340</b> |

**NOTES:**

**1)** Weighted average. **2)** Data on gaseous products are estimated (ASTM D3588), under atmospheric pressure conditions and at 15.6°C. **3)** Medium fuel oil corresponds to heating fuel oil. **4)** Corresponds to fuel oil used by UTE to generate electricity. Values up to 2010 are reported by ANCAP as "FUELOIL UTE" and after 2011 as "FUELOIL UTE MOTORES". **5)** For gas oil with sulphur content lower than 50 ppm, the reported parameter corresponds to the mixture of gas oil with biodiesel; blend percentage is reported. The other types of gas oil are not sold with biodiesel. **6)** For motor gasoline, the reported parameters correspond to the fuel before the addition of bioethanol.

I.3. CO<sub>2</sub> emission factorsTABLE 22. CO<sub>2</sub> emission factors, 2022

| Fuel by Energy Balance                        | Fuel by IPCC                | CO <sub>2</sub> EF (kg/TJ) |
|---|-----------------------------|----------------------------|
| Biodiesel                                     | Biodiesel                   | 70,800                     |
| Bioethanol                                    | Biogasoline                 | 70,800                     |
| Coal <sup>(2)</sup>                           | Lignite                     | 101,000                    |
| Charcoal                                      | Charcoal                    | 112,000                    |
| Coke of coal                                  | Coke oven coke              | 107,000                    |
| Petcoke                                       | Petroleum coke              | 97,500                     |
| Fuel oil                                      | Residual fuel oil           | 77,400                     |
| Fuel gas                                      | Refinery gas                | 57,600                     |
| Natural gas                                   | Natural gas                 | 56,100                     |
| Gas oil                                       | Gas/diesel oil              | 74,100                     |
| Firewood                                      | Wood                        | 112,000                    |
| Motor gasoline                                | Motor gasoline              | 69,300                     |
| Aviation gasoline                             | Aviation gasoline           | 70,000                     |
| Propane                                       | Liquefied petroleum gases   | 63,100                     |
| Kerosene                                      | Other kerosene              | 71,900                     |
| Biomass wastes<br>PUBLIC SERVICE POWER PLANTS | Other primary solid biomass | 97,415                     |
| Biomass wastes<br>AUTOPRODUCTION POWER PLANTS | Other primary solid biomass | 95,922                     |
| Biomass wastes<br>RESIDENTIAL                 | Other primary solid biomass | 100,000                    |
| Biomass wastes<br>INDUSTRIAL                  | Other primary solid biomass | 96,572                     |
| Industrial wastes <sup>(3)</sup>              | Industrial wastes           | 104,960                    |
| LP gas  | Liquefied petroleum gases   | 63,100                     |
| Jet fuel                                      | Jet kerosene                | 71,500                     |

1) IPCC, 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Volume 2: Energy, Chart 1.4: Default CO<sub>2</sub> emission factors for combustion, <[https://www.ipcc-nggip.iges.or.jp/public/2006gl/pdf/2\\_Volume2/V2\\_1\\_Ch1\\_Introduction.pdf](https://www.ipcc-nggip.iges.or.jp/public/2006gl/pdf/2_Volume2/V2_1_Ch1_Introduction.pdf)> (07/21/2023). 2) Heating value of coal used in 2022 was similar to lignite. 3) Weighted average.

ANNEX I  
SUPPLEMENTARY INFORMATION

## I.4. Acronyms

TABLE 23. Acronyms

|                 |   |
|-----------------|---|
| ADME            | Electricity Market Administration   |
| AGESIC          | National Agency for the Development of e-Government and the Information Society |
| ALUR            | Alcohols of Uruguay   |
| ANCAP           | National Administration of Fuels, Alcohol, and Portland                         |
| BEN             | National Energy Balance   |
| CALNU           | Limited Agrarian Cooperative of Northern Uruguay                                |
| CBU             | Central Bank of Uruguay   |
| CO <sub>2</sub> | Carbon dioxide  |
| DIEA            | Agricultural Statistics Office  |
| DINAMIGE        | National Directorate of Mining and Geology                                      |
| DNE             | National Directorate of Energy  |
| EF              | CO <sub>2</sub> emission factor   |
| GDP             | Gross Domestic Product  |
| Gg              | Gigagram  |
| HHV             | Higher Heating Value  |
| INAC            | National Meat Institute   |
| INE             | National Statistics Institute   |
| INGEI           | National greenhouse gas inventories   |
| inhab.          | Inhabitants   |
| IPCC            | Intergovernmental Panel on Climate Change                                       |
| IRES            | International Recommendations for Energy Statistics                             |
| ISIC            | International Standard Industrial Classification                                |
| kcal            | Kilocalorie   |
| ktoe            | Kilotonnes of oil equivalent  |
| kWh             | Kilowatt-hour   |
| kWp             | Kilowatt peak   |
| LHV             | Lower Heating Value   |
| LPG             | Liquefied petroleum gas   |
| M\$ 2005        | Millions of Uruguayan pesos at constant 2005 prices                             |
| M\$ 2016        | Millions of Uruguayan pesos at constant 2016 prices                             |
| m <sup>3</sup>  | Cubic meter   |
| MGAP            | Ministry of Livestock, Agriculture and Fisheries                                |
| MIEM            | Ministry of Industry, Energy and Mining   |
| MW              | Megawatt  |
| MWh             | Megawatt-hour   |
| NCM             | Mercosur Common Nomenclature  |
| OLADE           | Latin American Energy Organization  |
| OPYPA           | Office of Programming and Agricultural Policy                                   |
| PEB             | Planning, Statistics and Balance Area (at DNE)                                  |
| ppm             | Parts per million   |
| SIN             | National Interconnected System  |
| t               | Tonne   |
| toe             | Tonne of oil equivalent   |
| UTE             | National Administration of Power Plants and Electrical Transmissions            |

### ANNEX I SUPPLEMENTARY INFORMATION



## ANNEX II. Consolidated matrix and flow chart

### General remarks

1. The consolidated matrix and flow chart for the year 2022 is presented.

The complete matrix series for the 1965-2022 period is available at:

<https://ben.miem.gub.uy/matrices.php>

Flow charts for the years 1965, 1980, 1996, 1996, 2001, 2005, 2010 and from 2015 onwards can be downloaded from:

<https://ben.miem.gub.uy/anteriores.php>

2. Energy flows are expressed in ktoe (thousand tonnes of oil equivalent)

**1 ktoe = 1,000 toe**

**1 toe = 10,000,000 kcal**

**ANNEX II**  
CONSOLIDATED MATRIX  
AND FLOW CHART




| CONSOLIDATED MATRIX<br>2022<br>(ktoe)    | ▼ Primary energy source |              |             |               |               |              |                |                |                      |                  |                 | ▼ Secondary energy source |                |                   |            |             |                |              |              |                     |             |             | TOTAL       | TRANSFORMATION LOSSES | TOTAL      |                |                |                |               |         |         |
|--|-------------------------|--------------|-------------|---------------|---------------|--------------|----------------|----------------|----------------------|------------------|-----------------|---------------------------|----------------|-------------------|------------|-------------|----------------|--------------|--------------|---------------------|-------------|-------------|-------------|-----------------------|------------|----------------|----------------|----------------|---------------|---------|---------|
|  | CRUDE OIL               | MINERAL COAL | NATURAL GAS | HYDROPOWER    | WIND ENERGY   | SOLAR ENERGY | FIREWOOD       | BIOMASS WASTE  | BIOMASS FOR BIOFUELS | INDUSTRIAL WASTE | TOTAL           | LPG                       | MOTOR GASOLINE | AVIATION GASOLINE | KEROSENE   | JET FUEL    | GAS OIL        | FUELOIL      | PETCOKE      | NON-ENERGY PRODUCTS | FUELGAS     | BIOETHANOL  |             |                       |            | BIODIESEL      | COKE OF COAL   | CHARCOAL       | ELECTRICITY   | TOTAL   |         |
|  | PRODUCTION              |              |             |               | 605.4         | 421.8        | 51.3           | 465.3          | 1,688.9              | 58.5             | 7.2             | 3,298.4                   | 105.3          | 105.3             |            |             |                |              |              |                     |             | 28.6        |             |                       |            | 3.0            | 71.5           | 46.1           | 12.4          |         | 1,269.2 |
| IMPORT                                   | 2,092.6                 | 1.6          | 71.9        |               |               |              |                |                |                      |                  | 2,169.3         | 43.6                      | 43.6           | 1.5               |            |             |                |              |              |                     | 22.9        | 54.2        |             |                       |            | 0.1            | 3.4            | 7.2            | 529.8         |         |         |
| EXPORT                                   |                         |              |             |               |               |              |                |                |                      |                  | -0.6            | -0.7                      | -0.7           |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                | -121.8         | -131.4        |         |         |
| INTERNATIONAL BUNKER                     |                         |              |             |               |               |              |                |                |                      |                  |                 |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                |               |         |         |
| LOSSES                                   | 0.0                     |              | -0.2        |               |               |              |                | -66.6          |                      |                  | -66.8           | -0.8                      | -0.8           | -0.1              |            |             | -75.9          | -75.9        | -21.2        |                     |             |             |             |                       |            |                |                | -112.4         | -115.9        |         |         |
| STOCK CHANGE                             | 51.4                    | -0.4         |             |               |               |              |                |                |                      |                  | 51.0            | -2.1                      | -2.1           | 0.5               | -0.6       | -7.6        | -25.5          | -21.7        |              | 30.1                | -3.8        |             |             |                       |            |                |                |                | -35.2         |         |         |
| ENERGY NOT USED                          |                         |              |             | -56.7         | -10.5         | -0.8         |                |                |                      |                  | -68.0           |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | -3.2          |         |         |
| ADJUSTMENTS                              |                         | -0.1         | -0.1        |               |               |              |                |                |                      |                  | -0.2            | -0.1                      | -0.1           | 0.1               | 0.1        |             |                |              | 0.1          |                     |             |             |             |                       |            |                |                | 0.2            | 0.4           |         |         |
| <b>SUPPLY</b>                            | <b>2,144.0</b>          | <b>1.1</b>   | <b>71.6</b> | <b>548.7</b>  | <b>411.3</b>  | <b>50.5</b>  | <b>465.3</b>   | <b>1,624.9</b> | <b>58.5</b>          | <b>7.2</b>       | <b>5,383.1</b>  | <b>145.2</b>              | <b>145.2</b>   | <b>1.9</b>        | <b>4.1</b> | <b>2.8</b>  | <b>1,129.2</b> | <b>203.7</b> | <b>112.9</b> | <b>106.4</b>        | <b>68.3</b> | <b>42.6</b> | <b>5.1</b>  | <b>0.1</b>            | <b>3.4</b> | <b>1,042.4</b> | <b>3,013.3</b> |                |               |         |         |
| REFINERY                                 | -2,144.0                |              |             |               |               |              |                |                |                      |                  | -2,144.0        | 105.3                     | 621.6          |                   | 4.6        | 86.3        | 985.9          | 223.7        | 28.6         | 3.0                 | 71.5        |             |             |                       |            |                |                |                | 2,130.5       | -13.5   |         |
| POWER PLANTS FOR PUBLIC SERVICE          |                         |              |             | -548.7        | -409.6        | -40.0        | -0.6           | -131.8         |                      |                  | -1,130.7        |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 878.8         | -251.9  |         |
| AUTOPRODUCTION POWER PLANTS              |                         |              |             |               | -1.7          | -3.3         | -1.0           | -171.2         |                      |                  | -177.2          |                           | 0.0            |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 136.5         | -43.6   |         |
| BIOMASS DISTILLERIES                     |                         |              |             |               |               |              |                |                | -46.1                |                  | -46.1           |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 46.1          |         |         |
| BIODIESEL PLANTS                         |                         |              |             |               |               |              |                |                | -12.4                |                  | -12.4           |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 12.4          |         |         |
| <b>TRANSFORMATION CENTERS</b>            | <b>-2,144.0</b>         |              |             | <b>-548.7</b> | <b>-411.3</b> | <b>-43.3</b> | <b>-1.6</b>    | <b>-303.0</b>  | <b>-58.5</b>         | <b>7.2</b>       | <b>-3,510.4</b> | <b>105.3</b>              | <b>621.6</b>   |                   | <b>4.6</b> | <b>86.3</b> | <b>762.8</b>   | <b>190.0</b> | <b>28.6</b>  | <b>3.0</b>          | <b>71.5</b> | <b>46.1</b> | <b>12.4</b> |                       |            |                | <b>1,269.2</b> | <b>3,201.4</b> | <b>-309.0</b> |         |         |
| <b>GROSS SUPPLY</b>                      | <b>2,144.0</b>          | <b>1.1</b>   | <b>71.8</b> | <b>605.4</b>  | <b>421.8</b>  | <b>51.3</b>  | <b>465.3</b>   | <b>1,691.5</b> | <b>58.5</b>          | <b>7.2</b>       | <b>5,517.9</b>  | <b>146.0</b>              | <b>622.1</b>   | <b>2.0</b>        | <b>4.1</b> | <b>3.2</b>  | <b>1,129.9</b> | <b>203.8</b> | <b>112.9</b> | <b>106.6</b>        | <b>71.5</b> | <b>44.8</b> | <b>5.1</b>  | <b>0.1</b>            | <b>3.4</b> | <b>1,154.8</b> | <b>3,610.3</b> | <b>5,668.2</b> |               |         |         |
| <b>TOTAL NET CONSUMPTION</b>             |                         | <b>1.1</b>   | <b>71.6</b> |               | <b>7.2</b>    | <b>463.7</b> | <b>1,321.9</b> |                | <b>7.2</b>           | <b>7.2</b>       | <b>1,872.7</b>  | <b>145.2</b>              | <b>622.1</b>   | <b>1.9</b>        | <b>4.1</b> | <b>2.8</b>  | <b>906.1</b>   | <b>170.0</b> | <b>112.9</b> | <b>106.4</b>        | <b>68.3</b> | <b>42.6</b> | <b>5.1</b>  | <b>0.1</b>            | <b>3.4</b> | <b>1,042.4</b> | <b>3,233.4</b> | <b>5,106.1</b> |               |         |         |
| OWN USE                                  |                         |              | 21.1        |               |               | 0.1          |                |                |                      |                  | 21.2            | 2.9                       | 0.1            |                   | 0.0        | 0.8         | 9.1            | 28.6         | 0.0          | 68.3                | 0.0         | 68.3        | 0.0         |                       |            |                |                | 31.9           | 141.7         | 162.9   |         |
| <b>TOTAL FINAL CONSUMPTION</b>           |                         | <b>1.1</b>   | <b>50.5</b> |               |               | <b>7.1</b>   | <b>463.7</b>   | <b>1,321.9</b> |                      | <b>7.2</b>       | <b>1,851.5</b>  | <b>142.3</b>              | <b>622.0</b>   | <b>1.9</b>        | <b>4.1</b> | <b>2.8</b>  | <b>905.3</b>   | <b>160.9</b> | <b>84.3</b>  | <b>106.4</b>        |             | <b>42.6</b> | <b>5.1</b>  | <b>0.1</b>            | <b>3.4</b> | <b>1,010.5</b> | <b>3,091.7</b> | <b>4,943.2</b> |               |         |         |
| NON-ENERGY CONSUMPTION                   |                         | 0.0          |             |               |               |              |                |                |                      |                  | 0.0             |                           | 0.1            |                   | 0.1        |             | 0.1            |              | 0.9          | 106.4               |             | 0.0         | 0.0         |                       |            |                |                | 107.6          | 107.6         |         |         |
| <b>FINAL ENERGY CONSUMPTION</b>          |                         | <b>1.1</b>   | <b>50.5</b> |               |               | <b>7.1</b>   | <b>463.7</b>   | <b>1,321.9</b> |                      | <b>7.2</b>       | <b>1,851.5</b>  | <b>142.3</b>              | <b>621.9</b>   | <b>1.9</b>        | <b>4.0</b> | <b>2.8</b>  | <b>905.2</b>   | <b>160.9</b> | <b>83.4</b>  |                     |             | <b>42.6</b> | <b>5.1</b>  | <b>0.1</b>            | <b>3.4</b> | <b>1,010.5</b> | <b>2,984.1</b> | <b>4,835.6</b> |               |         |         |
| <b>RESIDENTIAL</b>                       |                         |              | 23.0        |               |               | 5.9          | 283.5          | 7.6            |                      |                  | 320.0           | 114.3                     | 0.4            |                   | 0.9        |             | 5.4            | 7.1          |              |                     |             |             |             |                       |            |                |                | 403.3          | 534.8         | 854.8   |         |
| MONTEVIDEO                               |                         |              | 21.0        |               |               |              | 55.5           |                |                      |                  |                 | 52.4                      |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 154.6         |         |         |
| REST OF THE COUNTRY                      |                         |              | 2.0         |               |               |              | 228.0          | 7.6            |                      |                  |                 | 61.9                      |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 248.7         |         |         |
| <b>COMMERCIAL/SERVICES/PUBLIC SECTOR</b> |                         |              | 14.8        |               |               | 1.0          | 22.1           |                |                      |                  | 37.9            | 11.3                      | 1.0            |                   | 0.0        |             | 4.3            | 6.5          |              |                     |             |             |             |                       |            |                |                | 280.2          | 303.4         | 341.3   |         |
| PUBLIC LIGHTING                          |                         |              |             |               |               |              |                |                |                      |                  |                 |                           |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 17.2          |         |         |
| PUBLIC ADMINISTRATION AND DEFENSE        |                         |              |             |               |               |              | 2.1            |                |                      |                  |                 | 1.3                       |                |                   |            |             | 0.2            | 1.4          |              |                     |             |             |             |                       |            |                |                |                | 19.6          |         |         |
| ELECTRICITY, GAS AND WATER               |                         |              |             |               |               |              | 0.1            |                |                      |                  |                 | 1.3                       |                |                   |            |             | 0.0            | 0.1          |              |                     |             |             |             |                       |            |                |                |                | 31.0          |         |         |
| OTHERS                                   |                         |              | 14.8        |               |               |              | 19.9           |                |                      |                  |                 | 8.7                       |                |                   |            |             | 4.1            | 5.0          |              |                     |             |             |             |                       |            |                |                |                | 0.0           | 212.4   |         |
| <b>TRANSPORT</b>                         |                         |              |             |               |               |              |                |                |                      |                  |                 |                           | 617.5          | 1.9               |            | 2.8         | 749.5          | 0.1          |              |                     |             |             |             |                       |            |                |                |                | 0.6           | 1,419.1 | 1,419.1 |
| ROAD                                     |                         |              |             |               |               |              |                |                |                      |                  |                 |                           | 617.5          |                   |            |             | 738.4          |              |              |                     |             |             |             |                       |            |                |                |                | 0.6           | 1,403.2 | 1,403.2 |
| RAIL                                     |                         |              |             |               |               |              |                |                |                      |                  |                 |                           |                |                   |            |             | 0.2            |              |              |                     |             |             |             |                       |            |                |                |                | 0.2           | 0.2     | 0.2     |
| AIR                                      |                         |              |             |               |               |              |                |                |                      |                  |                 |                           |                | 1.9               |            | 2.8         |                |              |              |                     |             |             |             |                       |            |                |                |                | 4.7           | 4.7     | 4.7     |
| SEA AND FLUVIAL                          |                         |              |             |               |               |              |                |                |                      |                  |                 |                           |                |                   |            |             | 10.9           | 0.1          |              |                     |             |             |             |                       |            |                |                |                | 11.0          | 11.0    | 11.0    |
| <b>INDUSTRIAL</b>                        |                         | 1.1          | 12.7        |               |               | 0.2          | 143.0          | 1,314.3        |                      | 7.2              | 1,478.5         | 9.6                       | 1.4            |                   |            |             | 16.3           | 146.0        | 83.4         |                     |             |             |             |                       |            |                |                | 300.9          | 557.9         | 2,036.4 |         |
| SLAUGHTERHOUSES                          |                         |              | 0.3         |               |               |              | 36.1           | 7.4            |                      | 0.5              |                 | 0.8                       | 0.1            |                   |            |             | 0.5            | 2.1          |              |                     |             |             |             |                       |            |                |                |                | 32.7          |         |         |
| DIARY                                    |                         |              | 0.0         |               |               |              | 19.6           | 21.0           |                      |                  |                 | 0.8                       | 0.1            |                   |            |             | 0.3            | 15.0         |              |                     |             |             |             |                       |            |                |                |                | 22.5          |         |         |
| MILLS                                    |                         |              | 0.0         |               |               |              | 10.4           | 36.6           |                      |                  |                 | 0.8                       | 0.0            |                   |            |             | 0.4            | 0.0          |              |                     |             |             |             |                       |            |                |                |                | 10.5          |         |         |
| OTHER FOOD INDUSTRIES                    |                         |              | 4.3         |               |               |              | 25.9           | 28.9           |                      | 0.0              |                 | 4.1                       | 0.3            |                   |            |             | 1.5            | 2.3          |              |                     |             |             |             |                       |            |                |                |                | 20.2          |         |         |
| BEVERAGES AND TOBACCO                    |                         |              | 0.3         |               |               |              | 4.8            | 30.0           |                      |                  |                 | 0.2                       | 0.2            |                   |            |             | 0.6            | 3.0          |              |                     |             |             |             |                       |            |                |                |                | 11.0          |         |         |
| TEXTILE                                  |                         |              | 0.1         |               |               |              | 6.0            |                |                      |                  |                 | 0.0                       | 0.1            |                   |            |             | 0.1            | 0.2          |              |                     |             |             |             |                       |            |                |                |                | 2.7           |         |         |
| LEATHER                                  |                         |              | 0.2         |               |               |              | 6.8            |                |                      |                  |                 | 0.0                       | 0.0            |                   |            |             | 0.2            | 0.2          |              |                     |             |             |             |                       |            |                |                |                | 2.7           |         |         |
| WOOD                                     |                         |              | 0.0         |               |               |              | 0.0            | 152.7          |                      |                  |                 | 0.0                       | 0.2            |                   |            |             | 2.0            |              |              |                     |             |             |             |                       |            |                |                |                | 15.1          |         |         |
| PAPER AND CELLULOSE                      |                         |              | 1.4         |               |               |              | 13.7           | 1,016.0        |                      |                  |                 | 0.2                       | 0.0            |                   |            |             | 1.2            | 110.0        |              |                     |             |             |             |                       |            |                |                |                | 91.6          |         |         |
| CHEMICAL, RUBBER AND PLASTIC             |                         |              | 0.8         |               |               |              | 19.3           | 16.6           |                      | 0.4              |                 | 0.9                       | 0.1            |                   |            |             | 2.3            | 3.1          |              |                     |             |             |             |                       |            |                |                |                | 61.7          |         |         |
| CEMENT                                   |                         |              | 1.1         | 1.1           |               |              |                | 4.0            |                      | 5.7              |                 | 0.0                       | 0.1            |                   |            |             | 2.8            | 1.8          | 83.4         |                     |             |             |             |                       |            |                |                |                | 10.00         |         |         |
| OTHER MFG. IND. AND CONSTRUCTION         |                         |              | 4.2         |               |               |              | 0.4            | 1.1            |                      | 0.6              |                 | 1.8                       | 0.2            |                   |            |             | 4.4            | 8.3          |              |                     |             |             |             |                       |            |                |                |                | 20.2          |         |         |
| <b>PRIMARY ACTIVITIES</b>                |                         |              |             |               |               |              | 15.1           |                |                      |                  | 15.1            | 7.1                       | 1.6            |                   | 0.0        |             | 129.7          | 1.2          |              |                     |             |             |             |                       |            |                |                |                | 25.5          | 165.8   | 180.9   |
| AGRICULTURE                              |                         |              |             |               |               |              | 15.1           |                |                      |                  | 15.1            | 7.1                       |                |                   |            |             | 107.8          | 1.2          |              |                     |             |             |             |                       |            |                |                |                | 22.3          | 139.0   | 154.1   |
| POULTRY                                  |                         |              |             |               |               |              | 1.4            |                |                      |                  | 1.4             | 4.6                       |                |                   |            |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 3.2           | 7.8     | 9.2     |
| REMAINING AGRIC. SUBSECTORS              |                         |              |             |               |               |              | 13.7           | 2.5            |                      |                  | 13.7            | 2.5                       |                |                   |            |             | 107.8          | 1.2          |              |                     |             |             |             |                       |            |                |                |                | 19.1          | 131.2   | 144.9   |
| MINING                                   |                         |              |             |               |               |              | 0.0            |                |                      |                  | 0.0             | 0.0                       | 0.0            |                   | 0.0        |             | 8.3            |              |              |                     |             |             |             |                       |            |                |                |                | 2.7           | 11.0    | 11.0    |
| FISHING                                  |                         |              |             |               |               |              |                |                |                      |                  | 0.0             | 1.6                       |                |                   |            |             | 13.6           |              |              |                     |             |             |             |                       |            |                |                |                | 0.5           | 15.8    | 15.8    |
| NOT IDENTIFIED                           |                         |              |             |               |               |              |                |                |                      |                  | 0.0             |                           |                |                   | 3.1        |             |                |              |              |                     |             |             |             |                       |            |                |                |                | 3.1           | 3.1     |         |

ANNEX II  
CONSOLIDATED MATRIX  
AND FLOW CHART



**NOTE:**  
Only main energy flows are represented.



---

# Energy Balance 2022



**República Oriental del Uruguay**  
Ministry of Industry, Energy and Mining  
*National Energy Directorate*